

IAS Classic v<sub>5.2.1</sub> with MOC Server v<sub>3.1.1</sub> on MultiApp V<sub>5.1</sub>
Security Target Lite
Version 1.2p

Common Criteria / ISO 15408 Security Target – Public version EAL5+

© Copyright Thales Page : 1 / 70

# CONTENT

1.	SEC	CURITYTARGET INTRODUCTION	4
	1.1	SECURITY TARGET REFERENCE	4
	1.2	TOE REFERENCE.	4
	1.3	TOE IDENTIFICATION	5
	1.3.	1 IAS Full configuration	5
	1.3.2	2 IAS Compact configuration	5
	1.3.3	<i>y</i> 0	
	1.3.4		
	1.4	SECURITY TARGET OVERVIEW	
	1.5	REFERENCES	
	1.5.	J	
	1.5.2	y .	
	1.6	ACRONYMS AND GLOSSARY	
2.	TOI	E OVERVIEW	14
	2.1	TOE DESCRIPTION	14
	2.2	TOE BOUNDARIES	
	2.3	Toe Life-cycle.	
	2.3.		
	2.3.2		
	2.3.3	<b>1</b>	
	2.3.4		
3.	CO	NFORMANCE CLAIMS	20
	2.1		20
	3.1	CC CONFORMANCE CLAIM	
	3.3	PACKAGE CLAIM	
4.		PACKAGE CLAIM  CURITY PROBLEM DEFINITION	
4.	SEC		
	4.1	GENERAL	
	4.2	THREATS	21
	4.3	ORGANIZATIONAL SECURITY POLICIES	
	4.4	ASSUMPTIONS	
	4.5	JUSTIFICATIONS FOR ADDING ASSUMPTIONS ON THE ENVIRONMENT	
_		5.1.1 Additions coming from the Platform	
5.	SEC	CURITY OBJECTIVES	24
	5.1	GENERALS	24
	5.2	SECURITY OBJECTIVES FOR THE TOE	24
	5.2.	1 Common to [EN-419211-2] Part 2 and [EN-419211-3] Part 3	. 24
	5.2.2	2 [EN-419211-2] Part 2 specific	25
	5.2.3	3 [EN-419211-3] Part 3 specific	25
	5.2.4	4 [EN-419211-4] Part 4 specific (additional security objectives related to part 2)	. 25
	5.2.5	[EN-419211-5] Part 5 and [EN-419211-6] part 6 extension (additional security objectives related to	
	[EN	-419211-2] part 2 & [EN-419211-3] part 3)	. 25
	5.2.6		
	5.3	SECURITY OBJECTIVES FOR THE OPERATIONAL ENVIRONMENT	
	5.3.	1 Common to [EN-419211-2] Part 2 and [EN-419211-3] Part 3	. 26
	5.3.2	1 1	
	5.3.3	1	. 27
	5.3.4	1 1	
		'-419211-2] part 2 & [EN-419211-3] part 3)	
	5.3.3		
	5.4	SECURITY OBJECTIVE RATIONALE	
	5.4.		
	5.4.2	0 1	
	5.4.		
	5.4.4		
		4.4.1 Compatibility between objectives for the TOE	
		4.4.2 Compatibility between objectives for the environment	38
	5.4.3	5 Justifications for adding & substitution objectives on the environment	. 38

	5.4.5.1	Additions from the platform	
	5.4.5.2	Substitution	
6.	EXTEND	ED COMPONENTS DEFINITION	39
	6.1 Defin	IITION OF THE FAMILY FPT_EMS	39
		IITION OF THE FAMILY FIA_API	
7.		Y REQUIREMENTS	
		RITY FUNCTIONAL REQUIREMENTS FOR THE TOE	
		Class Cryptographic Support (FCS)	
		Class FDP User Data Protection	
		Class FIA Identification and Authentication	
		Class FMT Security Management	
		Class FPT Protection of the Security Functions	
		Class FTP Trusted Path/Channel	
		RITY ASSURANCE REQUIREMENTS FOR THE TOE	
		RITY REQUIREMENTS RATIONALE	
		SFR and PP	
		Security Functional Requirements Rationale	
	7.3.2.1 7.3.2.2	Dependency Rationale	
		Security Assurance Requirements Rationale	
		Compatibility between SFR of [ST-IAS] and [ST-PLTF]	
8.		IMARY SPECIFICATION	
υ.			
		SECURITY FUNCTIONS	
		SF provided by IAS Application	
		TSFs provided by the platform	
		SUMMARY SPECIFICATION RATIONALE	
	8.2.1	TOE security functions rationale	<i>6</i> 8
г.	1 TOE D	FIGURES	1.5
		oundaries	
Fig	gure 2: TOE Pe	oundariesersonalization	17
Fig	gure 2: TOE Pe	oundaries	17
Fig	gure 2: TOE Pe	oundariesersonalization	17
Fig	gure 2: TOE Pe	oundariesersonalization	17
Fig Fig	gure 2: TOE Pe gure 3: TOE O	oundariesersonalization	17 18
Fig Fig Tal	gure 2: TOE Pegure 3: TOE Op ble 1: Identific ble 2: Threats,	TABLES  ation of the actors	
Fig Fig Ta Ta	gure 2: TOE Pegure 3: TOE Op ble 1: Identific ble 2: Threats, ble 3: Compati	TABLES  ation of the actors	
Fig Fig Ta Ta Ta	gure 2: TOE Pegure 3: TOE Op ble 1: Identific ble 2: Threats, ble 3: Compati ble 4: Compati	TABLES  ation of the actors	
Fig Fig Tal Tal Tal Tal	gure 2: TOE Pegure 3: TOE Op ble 1: Identific ble 2: Threats, ble 3: Compati ble 4: Compati ble 5: FCS_Ck	trables  TABLES  ation of the actors  Assumptions, and Policies vs. Security objectives bility with platform Security objectives bility with platform PACE Security objectives  SM.1/SCD iteration explanation	
Fig Fig Ta Ta Ta Ta Ta	ble 1: Identific ble 2: Threats, ble 3: Compati ble 4: Compati ble 5: FCS_Ck ble 6: FCS_Ck	trables  TABLES  ation of the actors	
Fig Fig Ta Ta Ta Ta Ta	ble 1: Identific ble 2: Threats, ble 3: Compati ble 4: Compati ble 5: FCS_Ck ble 6: FCS_Ck ble 7: FCS_Ck	trables  TABLES  ation of the actors	
Fig Fig Ta Ta Ta Ta Ta Ta	ble 1: Identific ble 2: Threats, ble 3: Compati ble 4: Compati ble 5: FCS_Ck ble 6: FCS_Ck ble 7: FCS_Ck ble 8: FCS_Ck	trables  TABLES  ation of the actors  Assumptions, and Policies vs. Security objectives bility with platform Security objectives bility with platform PACE Security objectives  SM.1/SCD iteration explanation  SM.1/Session iteration explanation  SM.4 iteration explanation  SM.4/Session iteration explanation  SM.4/Session iteration explanation	
Fig Fig Ta Ta Ta Ta Ta Ta Ta	ble 1: Identific ble 2: Threats, ble 3: Compati ble 4: Compati ble 5: FCS_Ck ble 6: FCS_Ck ble 7: FCS_Ck ble 8: FCS_Ck ble 9: FCS_CC	trables  TABLES  ation of the actors	
Fig Fig Tai Tai Tai Tai Tai Tai	ble 1: Identific ble 2: Threats, ble 3: Compati ble 4: Compati ble 5: FCS_Ck ble 6: FCS_Ck ble 7: FCS_Ck ble 8: FCS_Ck ble 9: FCS_CC ble 10: FCS_C ble 11: Subject	trisonalization perational Use  TABLES  ation of the actors  Assumptions, and Policies vs. Security objectives bility with platform Security objectives bility with platform PACE Security objectives  SM.1/SCD iteration explanation  CM.1/Session iteration explanation  CM.4 iteration explanation  CM.4/Session iteration explanation  CM.4/Session iteration explanation  CM.4/Session 'Other operations' iteration explanation  OP.1/DSC iteration explanation  OP.1/Session 'Other operations' iteration explanation  as and security attributes for access control	
Fig Fig Ta Ta Ta Ta Ta Ta Ta Ta Ta	ble 1: Identific ble 2: Threats, ble 3: Compati ble 4: Compati ble 5: FCS_Ck ble 6: FCS_Ck ble 7: FCS_Ck ble 9: FCS_CC ble 10: FCS_C ble 11: Subject ble 12: FIA_A	trisonalization perational Use  TABLES  ation of the actors  Assumptions, and Policies vs. Security objectives bility with platform Security objectives bility with platform PACE Security objectives bility with platform explanation  XM.1/SCD iteration explanation  XM.1/Session iteration explanation  XM.4 iteration explanation  XM.4/Session iteration explanation  XM.4/Session iteration explanation  OP.1/DSC iteration explanation  OP.1/Session 'Other operations' iteration explanation  as and security attributes for access control  FL.1/PERSO refinements	
Fig Fig Ta Ta Ta Ta Ta Ta Ta Ta Ta	ble 1: Identific ble 2: Threats, ble 3: Compati ble 4: Compati ble 5: FCS_Ck ble 6: FCS_Ck ble 7: FCS_Ck ble 9: FCS_CC ble 10: FCS_C ble 11: Subject ble 12: FIA_A ble 13: condition	trisperational Use  TABLES  ation of the actors	
Fig Fig Ta Ta Ta Ta Ta Ta Ta Ta Ta	ble 1: Identific ble 2: Threats, ble 3: Compati ble 4: Compati ble 5: FCS_Ck ble 6: FCS_Ck ble 7: FCS_Ck ble 9: FCS_Cc ble 10: FCS_C ble 11: Subject ble 12: FIA_A ble 13: conditionals	ation of the actors	
Fig Fig Ta Ta Ta Ta Ta Ta Ta Ta Ta Ta	ble 1: Identific ble 2: Threats, ble 3: Compati ble 4: Compati ble 5: FCS_Ck ble 6: FCS_Ck ble 7: FCS_Ck ble 9: FCS_Ck ble 10: FCS_C ble 11: Subject ble 12: FIA_A ble 13: condition ble 14: PP vs. 5 ble 15: Objecti	ation of the actors	
Fig Fig Ta Ta Ta Ta Ta Ta Ta Ta Ta	ble 1: Identific ble 2: Threats, ble 3: Compati ble 4: Compati ble 5: FCS_Ck ble 6: FCS_Ck ble 7: FCS_Ck ble 9: FCS_Ck ble 10: FCS_C ble 11: Subject ble 12: FIA_A ble 13: condition ble 14: PP vs. 5 ble 15: Objecti ble 16: Depende	trional Use  TABLES  ation of the actors  Assumptions, and Policies vs. Security objectives bility with platform Security objectives bility with platform PACE Security objectives  SM.1/SCD iteration explanation  CM.1/Session iteration explanation  CM.4/Session iteration explanation  CM.4/Session iteration explanation  CM.4/Session iteration explanation  OP.1/DSC iteration explanation  OP.1/DSC ofteration explanation  OP.1/PERSO refinements  ons triggering tests  SFR rationale  ve vs. SFR rationale  lency rationale	
Fig Fig Tai Tai Tai Tai Tai Tai Tai Tai	ble 1: Identific ble 2: Threats, ble 3: Compati ble 4: Compati ble 5: FCS_Ck ble 6: FCS_Ck ble 7: FCS_Ck ble 9: FCS_Ck ble 10: FCS_C ble 11: Subject ble 12: FIA_A ble 13: condition ble 14: PP vs. 3 ble 15: Objecti ble 16: Dependent	transport of the actors	
Fig Fig Tal Tal Tal Tal Tal Tal Tal Tal	ble 1: Identific ble 2: Threats, ble 3: Compati ble 4: Compati ble 5: FCS_Ck ble 6: FCS_Ck ble 7: FCS_Ck ble 9: FCS_Ck ble 10: FCS_C ble 11: Subject ble 12: FIA_A ble 13: condition ble 14: PP vs. 3 ble 15: Objecti ble 16: Dependents In SFR SE ble 18: SFR SE	TABLES  ation of the actors  Assumptions, and Policies vs. Security objectives bility with platform Security objectives bility with platform PACE Security objectives  SM.1/SCD iteration explanation  CM.1/Session iteration explanation  CM.4 iteration explanation  CM.4/Session iteration explanation  CM.4/PESO refinements  SSFR rationale  Lency rationale  Dependencies from PACE	
Fig Fig Ta Ta Ta Ta Ta Ta Ta Ta Ta Ta	ble 1: Identifice ble 2: Threats, ble 3: Compatible 4: Compatible 5: FCS_Ckble 6: FCS_Ckble 7: FCS_Ckble 9: FCS_Ckble 10: FCS_Ckble 11: Subjectble 12: FIA_Able 13: conditional ble 14: PP vs. 5 ble 15: Objectible 16: Dependent ble 17: SFRs Eble 18: SFRs Eble 19: TOE segure 3: TOE se	transport of the actors	

# 1. SECURITY TARGET INTRODUCTION

# 1.1 SECURITY TARGET REFERENCE

Title:	IAS Classic v5.2.1 with MOC Server v3.1.1 on MultiApp v5.1 Security Target Lite		
Version:	1.2p		
ST Reference :	D1569576		
Origin:	THALES		
IT Security Evaluation scheme :	LETI		
IT Security Certification scheme :	Agence Nationale de la Sécurité des Systèmes d'Information (ANSSI)		

# 1.2 TOE REFERENCE

The product is available in a combination of 4 configurations:

- Configuration 1: TOE based on the IC AQUARIUS BA 09- AQUARIUS v1 called "revision B"
  - FULL configuration
  - o COMPACT configuration
- Configuration 2: TOE based on the IC AQUARIUS\_CA\_09- AQUARIUS\_v2 called "revision C"
  - o FULL configuration
  - o COMPACT configuration

Product Name :	IAS Classic v5.2.1	
<b>Product Commercial Names:</b>	IAS Classic v5.2.1 on MultiApp V5.1	
Security Controllers :	For the configuration 1 (Revision B):  AQUARIUS_BA_09 (Thales DIS France SAS)  For the configuration 2 (Revision C):  AQUARIUS_CA_09 (Thales DIS France SAS)	
TOE Name :	IAS Classic V5.2.1 on MultiApp V5.1	
TOE Version :	For configuration 1 (Revision B):  IAS Classic version 5.2.1.A.C for FULL configuration IAS Classic version 5.2.1.A.O for COMPACT configuration  For configuration 2 (Revision C): IAS Classic version 5.2.1.A.C Revision C for FULL configuration IAS Classic version 5.2.1.A.O Revision C for COMPACT configuration	
TOE Marketing Product Reference*	M1016970	
TOE Technical Product Reference*	T1038534	
Product Guidance :	Guidance [AGD]	
Composition elements:		
Platform Identifier:	MultiApp V5.1 Platform	
Platform Version:	5.1	

(\*) Note: PDM (Product Data Management) reference system

The TOE will be delivered in two configurations of the IAS applet

- 1. IAS Classic V5.2.1 Full configuration on MultiApp V5.1
- 2. IAS Classic V5.2.1 Compact configuration on MultiApp V5.1

The Platform MAV5.1 [ST-PLTF] is covering the both configurations.

© Copyright Thales Page : 4 / 70

# 1.3 TOE IDENTIFICATION

The TOE identification is provided by the Card Production Life Cycle Data (CPLC Data) of the TOE. These data are available by executing a dedicated command.

The TOE identification is provided by a dedicated command GET CARD DATA with the next TAG:

	P1	P2
CPLC data	'9F'	'7F'
Software version	'7F'	'30'
Applet version	'DF'	'30'

Please refer to TOE documentation for more details.

The response of the GET CARD DATA is described below. In yellow the field of the TOE identification

# 1.3.1 IAS Full configuration

# With TAG "7F30": Software version (Applet Label + Applet version)

When requiring the software version (P1P2='7F30') the applet returns, embedded in a BERTLV '7F30', 'C0' and 'C1' as described in next table:

Tag	Length	Value	Subject	Value
'C0'	'0E'	"IAS Classic v5"	Applet label	"IAS Classic v5" (ascii) Or '49:41:53:20:43:6C:61:73:73:69:63:20:76:35' (hexa)
'C1'	'09'	"5.2.1.A.C"	Applet version	IAS ClassicV5.2.1 on MultiAppV5.1 "5.2.1.A.C" (ascii) or '35:2E:32:2E:31:2E:41:2E:43' (hexa)

# With TAG "DF30": Applet version (identical to Applet version with tag "7F30")

When requiring the applet version (P1P2='DF30') the applet returns the applet version embedded in a BERTLV 'DF30':

Value	Subject	Value	
"5.2.1.A.C"	Applet version	5.2.1.A.C '352E322E312E412E43'	

# 1.3.2 IAS Compact configuration

# With TAG "7F30": Software version (Applet Label + Applet version)

When requiring the software version (P1P2='7F30') the applet returns, embedded in a BERTLV '7F30', 'C0' and 'C1' as described in next table:

Tag	Length	Value	Subject	Value
'C0'	'0E'	"IAS Classic v5"	Applet label	"IAS Classic v5" (ascii) Or '49:41:53:20:43:6C:61:73:73:69:63:20:76:35' (hexa)
'C1'	'09'	"5.2.1.A.O"	Applet version	IAS CompactV5.2.1 on MultiAppV5.1 "5.2.1.A.O" (ascii) or '35:2E:32:2E:31:2E:41:2E:4F' (hexa)

# With TAG "DF30": Applet version (identical to Applet version with tag "7F30")

When requiring the applet version (P1P2='DF30') the applet returns the applet version embedded in a BERTLV 'DF30':

Value	Subject	Value	
"5.2.1.A.O"	Applet version	5.2.1.A.O '352E322E312E412E4F'	

© Copyright Thales Page : 5 / 70

# 1.3.3 IAS Common to all configurations

# With TAG "9F7F"

When requiring the CPLC data (P1P2='9F7F'), the applet returns the following data:

DTHR data				
Tag Length Subject				
'9F7F'	'2A'	CPLC Data is defined in below		

Name	Length in bytes	Value
IC fabricator	2	1290h
IC type	2	0013h
Operating system identifier	2	1981h
Operating system release date	2	3055h
Operating system release level	2	0510h
IC fabrication date	2	
IC serial number	4	
IC batch ID	2	
IC module fabricator	2	
IC module packaging data	2	
ICC manufacturer	2	
IC embedding date	2	
IC pre-personalizer	2	
IC pre-personalization date	2	
IC pre-personalization equipment ID	4	
IC personalizer	2	
IC personalization date	2	
IC personalization equipment ID	4	

The TOE and the product differ, as further explained in §2 TOE boundaries:

- The TOE is the IAS Classic v5.2.1 application, with MOCA Server, on the JCS open platform MultiApp V5.1
- The MultiApp V5.1 product also includes other applets.

*Note:* The identification of the IC type is provided by the Platform.

To read this information, it is needed to make a PACE authentication, a Select ISD and read the tag 010B as describe in the [ST-PLTF].

# With TAG "010B"

The identification of the IC type is provided by the Platform.

To read this information, it is needed to make a Select ISD and to read the tag 010B as describe in the [STs-Platform]. The command GET CARD DATA can be found in the [AGD-Platform].

Index	Description	IC Revision B Value (Previous)	IC Revision C Value	Part of TOE the identification
0	PRODUCT	0x09	0x09	No
1	HW_REV	0x42	0x43	Yes
2	Not relevant for			No
	identification			No
15	identification			No

© Copyright Thales Page: 6 / 70

#### 1.3.4 MOC Server v3.1.1

The MOC Server v3.1.1 identification is provided by a dedicated command GET VERSION with the following format:

Field	Value
CLA	00h
INS	5Ah
P1	00h
P2	00h
Le	25h

The response of the GET VERSION is described below:

Field	Value
Data	Identification of MOC Server is detailed in the below
SW1-SW2	Status Bytes

The data are structured with two BER coded data objects as follow:

- Tag 'A0' contains the product reference.
- Tag 'A1' contains the product version.
- Tag 'A2' contains the Fingerprint Algo version (under hexadecimal form).
- Tag 'A3' contains the Face Algo Version (under decimal form).
- Tag 'A4' contains the Iris Algo Version (under decimal form).

Details are given in the table below:

Tag	Length	Value	Subject	Value
A0h	0Fh	"MOCA SERVER 3.1"	Applet label	4D:4F:43:41:20:53:45:52: 56:45:52:20:33:2E:31
A1h	07h	3.1.1.A	Applet version ("M.m.ny") M: Major m: minor n: sub version y: release (A-Z)	33:2E:31:2E:31:2E:41
A2h	02h	2.0.6	Fingerprint Algo version	00:CE
A3h	02h	5.2	Face Algo Version	05:02
A4h	02h	3.0	Iris Algo Version	03:00

The TOE and the product differ, as further explained in §2 TOE boundaries:

- The TOE is the IAS application, with MOC server, on the JCS open platform MultiApp V5.1
- The MultiApp V5.1 product also includes other applets (see section 2.2).

© Copyright Thales Page : 7 / 70

# 1.4 SECURITY TARGET OVERVIEW

The Target of Evaluation (TOE) is composed of the MultiApp V5.1 platform and the electronic signature application IAS Classic V5.2.1 with MOC Server V3.1.1.

The platform includes the hardware and the operating system.

The IC is evaluated in conformance with [PP-IC-0084].

The Platform is evaluated in conformance with [PP-JCS-Open].

The IAS application is evaluated in conformance with [PP-SSCD-KG TCCGA TCSCA] and [PP-SSCD-KI TCSCA],

The main objectives of this ST are:

- To introduce TOE and the IAS application,
- To define the scope of the TOE and its security features,
- To describe the security environment of the TOE, including the assets to be protected and the threats to be countered by the TOE and its environment during the product development, production and usage.
- To describe the security objectives of the TOE and its environment supporting in terms of integrity and confidentiality of application data and programs and of protection of the TOE.
- To specify the security requirements which includes the TOE security functional requirements, the TOE assurance requirements and TOE security functions.

© Copyright Thales Page : 8 / 70

# 1.5 REFERENCES

# 1.5.1 External References

[CC]	Common Criteria references
[CC-1]	Common Criteria for Information Technology Security Evaluation
	Part 1: Introduction and general model,
	CCMB-2017-04-001, version 3.1 rev 5, April 2017
[CC-2]	Common Criteria for Information Technology Security Evaluation
	Part 2: Security functional components,
	CCMB-2017-04-002, version 3.1 rev 5, April 2017
[CC-3]	Common Criteria for Information Technology Security Evaluation
	Part 3: Security assurance components,
10514	CCMB-2012-04-003, version 3.1 rev 5, April 2017
[CEM]	Common Methodology for Information Technology Security Evaluation
	Evaluation Methodology CCMB-2017-04-004, version 3.1 rev 5, April 2017
[ICAO]	ICAO references
[ICAO]	Technical Guideline – TR-03110-1, Advanced Security Mechanisms for
[ICAO-TIX-SAC]	Machine Readable Travel Documents and eIDAS Token, Part 1 – eMRTDs
	with BAC/PACEv2 and EACv1, Version 2.20, 26.02.2015
[ISO]	ISO references
[ISO7816]	ISO 7816, Identification cards – Integrated circuit(s) cards with contacts, Part
	4: Organization, security and commands for interchange, FDIS2004
[ISO9796-2]	ISO/IEC 9796-2:2010: Information technology – Security techniques – Digital
	Signature Schemes giving message recovery – Part 2: Integer factorization
	based mechanisms,
[[000707.4]	Third edition 2010-12-15
[ISO9797-1]	ISO/IEC 9797-1:2011: Information technology – Security techniques – Message Authentication Codes (MACs) – Part 1: Mechanisms using a block cipher,
	Second edition 2011-03-01
[PKCS#3]	PKCS #3: Diffie-Hellman Key-Agreement Standard,
[	An RSA Laboratories Technical Note,
	Version 1.4, Revised November 1, 1993
[PP]	Protection profiles
[PP-SSCD]	[EN-419211] supersedes former EN 14169
[PP-SSCD-KG]	[EN-419211-2]
[PP-SSCD-KI]	[EN-419211-3]
[EN-419211]	Protection profiles for secure signature creation device – EN version
[PP-SSCD-KG TCCGA	[EN-419211-2] & [EN-419211-4] & [EN-419211-5]
TCSCA]	
[PP-SSCD-KI TCSCA]	[EN-419211-3] & [EN-419211-6]
[EN-419211-2]	Protection profiles for secure signature creation device – Part2 : Device with key
	generation
FEN. 440044 01	BSI-CC-PP-0059-2009-MA-02, 30 June 2016
[EN-419211-3]	Protection profiles for secure signature creation device – Part3: Device with key
	import BSI-CC-PP-0075-2012-MA-01, 30 June 2016
[EN-419211-4]	Protection profiles for secure signature creation device – Part4: Extension for
[LIN-413211-4]	device with key generation and trusted communication with certificate
	generation application
	BSI-CC-PP-0071-2012-MA-01, 30 June 2016

© Copyright Thales Page : 9 / 70

[EN-419211-5]	Protection profiles for secure signature creation device – Part5: Extension for device with key generation and trusted communication with signature-creation application BSI-CC-PP-0072-2012-MA-01, 30 June 2016
[EN-419211-6]	Protection profiles for secure signature creation device – Part6: Extension for device with key import and trusted communication with signature-creation application BSI-CC-PP-0076-2013-MA-01, 30 June 2016
[PP-JCS-Open]	Java Card System Protection Profile – Open Configuration BSI-CC-PP-0099-V2-2020, Version 3.1, April 2020
[PP-IC-0084]	Security IC Platform Protection Profile with augmentation Packages- BSI-CC-PP-0084-2014

# 1.5.2 Internal References

[ASE]	TOE Security Target								
[ST-PLTF]	MultiApp V5.1: JCS Security Target								
	Ref: D1569436								
[AGD]	TOE Guidance documentation								
[AGD-USR]	IAS Classic v5.2.1, Reference Manual								
	Ref: D1542053C								
[AGD-USR-BIO]	BioPIN Manager V3 Reference Manual								
	Ref: D1481720E								
[AGD-OPE-PRE]	MultiApp V5.1: AGD OPE and PRE – IAS Classic v5.2.1								
	Ref: D1588538								
[AGD-PERSPEC]	IAS Classic v5.2.1, Personalization Profiles Guide								
	Ref: D1546633B								
[AGD-COMP]	TOE Guidance documentation – Composition								
[AGD-COMP-USR]	MultiApp ID Operating System –Reference Manual								
•	Ref: D1525385C								
[AGD-Ref]	MultiApp Guidance Document - Guidance document for secure development for								
	MultiApp products								
	Ref: D1539156								

© Copyright Thales Page : 10 / 70

1.6 ACRONYMS AND GLOSSARY

© Copyright Thales Page : 11 / 70

Acr.	Term	Definition
	Forgery	Fraudulent alteration of any part of the genuine document, e.g. changes to the biographical data or the portrait. [SS]
	IC Dedicated Support Software	That part of the IC Dedicated Software (refer to above) which provides functions after TOE Delivery. The usage of parts of the IC Dedicated Software might be restricted to certain phases.
	IC Dedicated Test Software	That part of the IC Dedicated Software (refer to above) which is used to test the TOE before TOE Delivery but which does not provide any functionality thereafter.
	Impostor	A person who applies for and obtains a document by assuming a false name and identity, or a person who alters his or her physical appearance to represent himself or herself as another person for the purpose of using that person's document. [SS]
	Initialisation Data	Any data defined by the TOE Manufacturer and injected into the non-volatile memory by the Integrated Circuits manufacturer (Phase 2). These data are for instance used for traceability and for IC identification I (IC identification data).
IC	Integrated circuit	Electronic component(s) designed to perform processing and/or memory functions. The MultiApp's chip is a integrated circuit.
	Personalization	The process by which the portrait, signature and biographical data are applied to the document. [SS]
	Personalization Agent	The agent acting on the behalf of the issuing State or organization to personalize the TOE for the holder.
	Personalization Agent Authentication Information	TSF data used for authentication proof and verification of the Personalization Agent.
	Pre- personalization Data	Any data that is injected into the non-volatile memory of the TOE by the TOE Manufacturer (Phase 2) for traceability of non-personalized TOE's and/or to secure shipment within or between life cycle phases 2 and 3. It contains (but is not limited to) the Personalization Agent Key Pair.
	Pre –personalized TOE's chip	TOE's chip equipped with pre-personalization data.
	TSF data	Data created by and for the TOE, that might affect the operation of the TOE (CC part 1 [1]).
	User data	Data created by and for the user, that does not affect the operation of the TSF (CC part 1 [1]).
(CiA	Certification Generation Application	Application with the purpose to generate certificate
USP	Certification Service Provider	Provide certification service including CGA
DTBS or DTBS/R	Data to be signed or its unique Representation	Data to be signed, off-card hash value
HID	Human Interface Device	Human interface provided by the SCA for user authentication.
RAD	Reference Authentication Data	PIN stored in EID
SCA	Signature-Creation Application	application with a user interface to create an electronic signature
ろしひ	Signature-Creation Data	Private Key used to create electronic signature
SDO	Signed Data Object	Electronic data to which an electronic signature has been attached to or logically associated with as a method of authentication.

© Copyright Thales Page : 12 / 70

		Smartcard able to provide the services described in [PP-SSCD-KG TCCGA TCSCA] and [PP-SSCD-KI TCSCA]
SVD	Signature-Verification Data	Public Key used to verify electronic signature
VAD	Verification Authentication Data	PIN given by end user

© Copyright Thales Page : 13 / 70

# 2. TOE OVERVIEW

#### 2.1 TOE DESCRIPTION

IAS is a Java Card application that provides a Secure Signature Creation Device [SSCD] as defined in the REGULATION N° 910/2014 of the European Parliament and of the Council of 23<sup>rd</sup> July 2014 on electronic identification and trust services for electronic transactions in the internal market and repealing Directive 1999/93/EC.

[PP-SSCD] defines protection profiles for SSCD:

- [PP-SSCD-KG] is a protection profile for an SSCD with SCD/SVD key generation and signature creation.
- [PP-SSCD-KI] is a protection profile for an SSCD with SCD key import and signature creation.

[PP-SSCD] also defines possible extensions for the above protection profiles (included in this TOE):

- [EN-419211-4] defines extensions for [PP-SSCD-KG] with trusted communication between SSCD and CGA.
- [EN-419211-5] defines extensions for [PP-SSCD-KG] with trusted communication between SSCD and SCA.
- [EN-419211-6] defines extensions for [PP-SSCD-KI] with trusted communication between SSCD and SCA.

In this document the terminology of [PP-SSCD] is used. In particular, the Signatory's Reference Authentication Data (RAD) is the PIN stored in the card and the Signatory's Verification Authentication Data (VAD) is the PIN provided by the user.

The IAS application can be used in contact (T=0 and T=1) or contactless (T=CL) mode.

The IAS application supports:

- The import of the SCD via a trusted channel
- The (on-board) generation of SCD/SVD pairs
- The generation of electronic signatures
- The export of the SVD to the certification generation application (CGA)
- PIN Policy features: PIN Length, Char set used, overall quality checking, PIN change before first used, PIN history

IAS is aimed to create legal valid signatures and therefore provides mechanisms to ensure the secure signature creation as:

- · Authentication of the signatory by PIN or BioPIN,
- Authentication of the administrator (mutual authentication):

Mutual Authentication	Confi	gurations
Mutual Authentication	IAS Full	IAS Compact
Symmetric scheme with TDES or AES	Present	Present
Asymmetric scheme with Diffie-Hellman based on RSA or elliptic curves	Present	Not Supported

- Integrity of access conditions to protected data (SCD, RAD),
- Integrity of the data to be signed (DTBS),
- External communication protection against disclosure and corruption (secure messaging),
- · Access control to commands and data by authorized users.

The functionalities of IAS Classic 5.2.1 other than the ones from SSCD are out of scope of the TOE perimeter. For BioPIN (MOC Server v3.1.1 application) provides biometry recognition with fingerprint, facial and Iris matchers.

© Copyright Thales Page : 14 / 70

# 2.2 TOE BOUNDARIES

The Target of Evaluation (TOE) is the Secure Signature Creation Device (SSCD) IAS defined by:

- The underlying Integrated Circuit
- The MultiApp V5.1 platform (JavaCard platform)
- The IAS Classic Application V5.2.1.
- The BioPin application (MOC Server Application V3.1.1).

The figure below gives a description of the TOE and its boundaries (red dash line).




Figure 1: TOE Boundaries

© Copyright Thales Page : 15 / 70

# 2.3 TOE LIFE-CYCLE

# 2.3.1 Actors

Actors	Identification						
Integrated Circuit (IC) Developer	THALES Design Services						
Embedded Software Developer	THALES						
Integrated Circuit (IC) Manufacturer	THALES Design Services						
Module manufacturer	THALES Design Services						
Initializer/Pre-personalizer	THALES						
Administrator or Personalization Agent	The agent who personalizes the SSCD for the holder.						
Signatory or SSCD Holder	The rightful holder of the TOE for whom the Administrator personalizes the SSCD.						

Table 1: Identification of the actors

# 2.3.2 Four phases

The TOE life cycle is described in terms of the four life cycle phases:

#### Phase 1 "Development":

The TOE is developed in phase 1. The IC developer develops the integrated circuit, the IC Dedicated Software and the guidance documentation associated with these TOE components.

The Embedded Software developer uses the guidance documentation for the integrated circuit and the guidance documentation for relevant parts of the IC Dedicated Software and develops the IC Embedded Software (operating system), the SSCD application and the guidance documentation associated with these TOE components. As a result the flashmask is generated (HEX file) with initialisation and pre-personalisation scripts.

#### Phase 2 "Manufacturing":

In a first step the IC is produced by the IC manufacturer including the THALES flash loader and protected by a dedicated transport key. The creation of the Module can be done by Thales.

Then the module is put on a dedicated form factor (Card, Inlay, other) by Thales or a Form factor manufacturer. The SSCD manufacturer (Thales) has the following tasks:

- Initialization: Load the Thales software (flash mask including the platform and the applications) in the flash memory
- Pre-personalization: initialization of the SSCD application.

© Copyright Thales Page : 16 / 70

# Phase 3 Personalization of the TOE:




Figure 2: TOE Personalization

# RAD Import in the Personalization phase,

- The Personalizor (Administrator) authenticates himself to the TOE.
- The Personalizor (Administrator) sends the RAD to the TOE.
- The RAD shall also be securely sent to the Signatory.

# SCD Import in the Personalization phase,

- The Personalizor (Administrator) authenticates himself to the TOE.
- The Personalizor (Administrator) requests the generation of a SCD/SVD key pair on the CSP.
- The SCD / SVD pair is generated.
- The SCD is sent to the TOE.
- The SVD is sent to the CGA.
- The CGA generates the certificate.
- The certificate info is imported into the TOE.

# SCD/SVD generation in the Personalization phase,

- The Personalizor (Administrator) authenticates himself to the TOE.
- The Personalizor (Administrator) requests the generation of a SCD/SVD key pair on the SSCD.
- The SCD / SVD pair is generated in the TOE.
- The SVD is sent to the CGA.
- The CGA generates the certificate.
- The certificate info is imported into the TOE.

© Copyright Thales Page : 17 / 70

#### Phase 4 "Operational Use"




Figure 3: TOE Operational Use

SCD/SVD generation in the usage phase,

- The signatory enters his PIN code (VAD) to authenticate himself to the TOE.
- The signatory requests the generation of a SCD/SVD key pair on the SSCD.
- The SCD / SVD pair is generated in the TOE.
- The SVD is sent to the CGA.
- The CGA generates the certificate.
- The certificate info is imported into the TOE.

#### SCD Import in the usage phase,

- The signatory authenticates himself to the TOE.
- The signatory requests the generation of a SCD/SVD key pair on the CSP.
- The SCD / SVD pair is generated.
- The SCD is sent to the TOE.
- The SVD is sent to the CGA.
- The CGA generates the certificate.
- The certificate info is imported into the TOE.

#### Signature Creation in the usage phase,

- The signatory enters his PIN code (VAD) to authenticate himself to the TOE.
- The signatory sends the DTBS or DTBS representation to the TOE.
- The TOE computes the Signature.
- The TOE sends the Signature to the SCA

As a summary description of how the parts of the TOE are delivered to the final customer, the IAS Classic v5.2.1 application is delivered conjointly with the MultiApp platform in form of a smart card, inlay or module form factor. The form factor is packaged on Thales's manufacturing facility and sent to final customer premises.

© Copyright Thales Page : 18 / 70

The different guides accompanying the TOE and parts of the TOE are the ones specified in [AGD] section. They are delivered in form of electronic documents (\*.pdf) by Thales's Technical representative.

# 2.3.3 Involved Thales-DIS sites

# □ Development and Project Managment

- La Ciotat (France)
  - CC project management
- Singapore & Meudon (France)
  - Platform & eTravel & IAS development

#### ■ Manufacturing

Gémenos, Singapore, Vantaa, Tczew, Curitiba, Chanhassen

#### □ IT activities

o Gémenos, Calamba, Les Clayes, Marcoussis, Pune

# 2.3.4 TOE Delivery

The TOE is delivered as a whole package with the Platform (MultiApp v5.1). There is no distinction between the delivery of the platform MultiApp v5.1 and this TOE. Please refer to section 2.6.2.2 on the platform Security Target [ST-PLTF].

Regarding the documentation to be delivered, a part from the one described on section 2.5.4 of the platform Security Target [ST-PLTF], the documentation found on [AGD] accompanies this TOE. The documentation is delivered in form of electronic documents (\*.pdf) by Thales's Technical representative via a secure file sharing platform download action.

Item type	Item	Reference/Version	Form of delivery
Document	IAS Classic v5.2.1, Reference Manual	D1542053C October 26, 2022	Electronic document via secure file download
Document	IAS Classic v5.2.1, Personalization Profiles Guide	Electronic document via secure file download	
Document	AGD OPE - PRE document – IAS Classic v5.2.1	D1588538, Rev 1.4 03/05/2023	Electronic document via secure file download
Document	BioPIN Manager V3.0 Reference Manual	D1481720E June 25 <sup>th</sup> , 2021	Electronic document via secure file download
Document	MultiApp Guidance Document - Guidance document for secure development for MultiApp products	D1539156, Rev 1.2 2023-03-24	Electronic document via secure file download

© Copyright Thales Page : 19 / 70

# 3. CONFORMANCE CLAIMS

# 3.1 CC CONFORMANCE CLAIM

This security target claims conformance to

- [CC-1]
- [CC-2]
- [CC-3]

#### as follows

- Part 2 extended.
- Part 3 conformant.

The [CEM] has to be taken into account.

The evaluation of the TOE uses the result of the CC evaluation of the platform MultiApp V5.1 claiming conformance to [PP-JCS-Open].

# 3.2 PP CLAIM

This MultiApp V5.1 IAS security target claims strict conformance to the following Protection Profiles:

- [PP-SSCD-KG TCCGA TCSCA] including [PP-SSCD-KG], which defines security requirements for an SSCD with SCD/SVD key generation and signature creation, with extension [EN-419211-4] related to trusted communication between SSCD and CGA and extension [EN-419211-5] related to trusted communication between SSCD and SCA.
- [PP-SSCD-KI TCSCA] including [PP-SSCD-KI], which defines security requirements for an SSCD with SCD key import and signature creation with extension [EN-419211-6] related to trusted communication between SSCD and SCA.

The evaluation is a composite evaluation and uses the results of the CC evaluation of the MultiApp V5.1 platform. The platform embedded software has been evaluated at level EAL 5+.

The security problem definition, the objectives, and the SFR of the platform are not described in this document but in [ST-PLTF].

The MultiApp V5.1 JCS security target [ST-PLTF], claims demonstrable conformance to the Protection Profile "JavaCard System – Open configuration", Version 3.1 ([PP-JCS-Open]).

#### 3.3 PACKAGE CLAIM

This ST is conforming to assurance package EAL5 augmented with ALC\_DVS.2 and AVA\_VAN.5 defined in CC part 3 [CC-3].

© Copyright Thales Page : 20 / 70

# 4. SECURITY PROBLEM DEFINITION

# 4.1 GENERAL

The assets, threats, OSP, and assumptions of the TOE are those defined in [PP-SSCD-KG], [PP-SSCD-KI] (no additional assets, threats, OSP, and assumptions in extension [EN 419211-4], [EN 419211-5], [EN 419211-6]). The present Security Target deals with the assets, threats, OSP, and assumptions of [PP-SSCD-KG] and IPP-SSCD-KI].

The assets of [PP-JCS-Open] are studied in [ST-PLTF].

The Common Criteria define assets as entities that the owner of the TOE presumably places value upon. The term "asset" is used to describe the threats in the operational environment of the TOE.

#### Assets and objects:

- 1. SCD: private key used to perform an electronic signature operation. The confidentiality, integrity and signatory's sole control over the use of the SCD must be maintained.
- 2. SVD: public key linked to the SCD and used to perform electronic signature verification. The integrity of the SVD when it is exported must be maintained.
- 3. DTBS and DTBS/R: set of data, or its representation, which the signatory intends to sign. Their integrity and the unforgeability of the link to the signatory provided by the electronic signature must be maintained.

#### User and subjects acting for users:

- 1. User: End user of the TOE who can be identified as Administrator or Signatory. The subject S.User may act as S.Admin in the role R.Admin or as S.Sigy in the role R.Sigy.
- 2. Administrator: User who is in charge to perform the TOE initialisation, TOE personalisation or other TOE administrative functions. The subject S.Admin is acting in the role R.Admin for this user after successful authentication as Administrator.
- 3. Signatory: User who holds the TOE and uses it on his own behalf or on behalf of the natural or legal person or entity he represents. The subject S.Sigy is acting in the role R.Sigy for this user after successful authentication as Signatory.

# Threat agents:

1. Attacker: human or process acting on his behalf located outside the TOE. The main goal of the attacker is to access the SCD or to falsify the electronic signature. The attacker has got a high attack potential and knows no secret.

#### 4.2 THREATS

## T.SCD\_Divulg Storing, copying, and releasing of the signature-creation data

An attacker stores or copies the SCD outside the TOE. An attacker can obtain the SCD during generation, storage and use for signature-creation in the TOE.

#### **T.SCD Derive**Derive the signature-creation data

An attacker derives the SCD from publicly known data, such as SVD corresponding to the SCD or signatures created by means of the SCD or any other data exported outside the TOE, which is a threat against the secrecy of the SCD.

#### **T.Hack Phys** Physical attacks through the TOE interfaces

An attacker interacts with the TOE to exploit vulnerabilities, resulting in arbitrary security compromises. This threat is directed against SCD, SVD and DTBS.

© Copyright Thales Page : 21 / 70

#### **T.SVD\_Forgery** Forgery of signature-verification data

An attacker forges the SVD presented by the CSP to the CGA. This results in loss of SVD integrity in the certificate of the signatory.

#### **T.SigF\_Misuse**Misuse of the signature creation function of the TOE

An attacker misuses the signature-creation function of the TOE to create SDO for data the signatory has not decided to sign. The TOE is subject to deliberate attacks by experts possessing a high attack potential with advanced knowledge of security principles and concepts employed by the TOE.

# **T.DTBS\_Forgery** Forgery of the DTBS-representation

An attacker modifies the DTBS/R sent by the SCA. Thus the DTBS/R used by the TOE for signing does not match the DTBS the signatory intended to sign.

# **T.Sig\_Forgery** Forgery of the electronic signature

An attacker forges a signed data object, maybe using an electronic signature which has been created by the TOE and the violation of the integrity of the signed data object is not detectable by the signatory or by third parties. The signature created by the TOE is subject to deliberate attacks by experts possessing a high attack potential with advanced knowledge of security principles and concepts employed by the TOE.

# 4.3 ORGANIZATIONAL SECURITY POLICIES

The Secure Signature Creation Device usage is for advanced electronic signature. So it is mandatory to follow the organisational security policy proposed by [PP-SSCD-KG] and [PP-SSCD-KI].

# P.CSP\_QCert Qualified certificate

The CSP uses a trustworthy CGA to generate a qualified certificate or non-qualified certificate (see previous directive 1999/93 article 2, clause 9, and Annex I or new [Regulation EU], article 3, clause 14, and Annex I) for the SVD generated by the SSCD. The certificates contain at least the name of the signatory and the SVD matching the SCD implemented in the TOE under sole control of the signatory. The CSP ensures that the use of the TOE as SSCD is evident with signatures through the certificate or other publicly available information.

# P.Qsign Qualified electronic signatures

The signatory uses a signature-creation system to sign data with an advanced electronic signature (cf. previous directive 1999/93 article 1, clause 2 or new [Regulation EU],, Article 3, clause 11), which is a qualified electronic signature if it is based on a valid qualified certificate (according to the previous directive 1999/93 Annex I or new [Regulation EU], Annex I)<sup>1</sup>.

The DTBS are presented to the signatory and sent by the SCA as DTBS/R to the SSCD. The SSCD creates the electronic signature created with a SCD implemented in the SSCD that the signatory maintain under his sole control and is linked to the DTBS/R in such a manner that any subsequent change of the data is detectable.

# P.Sigy\_SSCD TOE as secure signature-creation device

The TOE meets the requirements for an SSCD laid down in Annex III of the previous directive 1999/93 or in Annex II of the new [Regulation EU]]. This implies the SCD is used for signature creation under sole control of the signatory and the SCD can practically occur only once.

It is a non-qualified advanced electronic signature if it is based on a non-qualified certificate for the SVD.
© Copyright Thales
Page : 2

-

# P.Sig Non-Repud Non-repudiation of signatures

The life cycle of the SSCD, the SCD and the SVD shall be implemented in a way that the signatory is not able to deny having signed data if the signature is successfully verified with the SVD contained in their unrevoked certificate.

#### 

During pre-personalisation, The TOE protects itself with strong authentication.

#### 4.4 ASSUMPTIONS

The assumptions describe the security aspects of the environment in which the TOE will be used or is intended to be used.

#### A.CGA Trustworthy certification-generation application

The CGA protects the authenticity of the signatory's name or pseudonym and the SVD in the (qualified) certificate by an advanced electronic signature of the CSP.

# A.SCA Trustworthy signature-creation application

The signatory uses only a trustworthy SCA. The SCA generates and sends the DTBS/R of the data the signatory wishes to sign in a form appropriate for signing by the TOE.

#### **A.CSP** Secure SCD/SVD management by CSP

The CSP uses only a trustworthy SCD/SVD generation device and ensures that this device can be used by authorised user only. The CSP ensures that the SCD generated practically occurs only once, that generated SCD and SVD actually correspond to each other and that SCD cannot be derived from the SVD. The CSP ensures the confidentiality of the SCD during generation and export to the TOE, does not use the SCD for creation of any signature and irreversibly deletes the SCD in the operational environment after export to the TOE.

#### Assumptions coming from the platform:

#### A.CAP\_FILE

Applets loaded post-issuance do not contain native methods. The Java Card specification explicitly "does not include support for native methods" ([JCVM222], §3.3) outside the API.

#### **A.VERIFICATION**

All the bytecodes are verified at least once, before the loading, before the installation or before the execution, depending on the card capabilities, in order to ensure that each bytecode is valid at execution time.

# A.Insp\_Sys Inspection Systems for global interoperability

The Extended Inspection System (EIS) for global interoperability (i) implements at least the terminal part of PACE [ICAO-TR-SAC]. If several protocols are supported by the EIS, PACE secure channel must be established and applicative data (e.g. the logical travel document) must be transferred under PACE. Other operations may be done when additional protocols are supported by the terminal.

# 4.5 JUSTIFICATIONS FOR ADDING ASSUMPTIONS ON THE ENVIRONMENT

# 4.5.1.1 Additions coming from the Platform

The only additional assumptions on the environment are A.CAP\_FILE, A.VERIFICATION and A.Insp\_Sys. These assumptions deal with the assumptions linked to application loading on the Open Platform of the TOE. The others assumptions from the Platform are not relevant in this composite TOE. Therefore, the added assumption does not weaken the TOE.

© Copyright Thales Page : 23 / 70

# 5. SECURITY OBJECTIVES

#### 5.1 GENERALS

This section identifies and defines the security objectives for the TOE and its environment. Security objectives reflect the stated intent and counter the identified threats, as well as comply with the identified organisational security policies and assumptions.

The security objectives of the TOE are those defined in [PP-SSCD-KG], [PP-SSCD-KI] and updated regarding related extension [EN-419211-4], [EN 419211-5], [EN 419211-6]

The present Security Target deals with security objectives of [PP-SSCD-KG] and [PP-SSCD-KI] and updated regarding related extension [EN-419211-4], [EN 419211-5], [EN 419211-6]

The security objectives stated in [PP-JCS-Open] can be found in [ST-PLTF].

#### 5.2 SECURITY OBJECTIVES FOR THE TOE

# 5.2.1 Common to [EN-419211-2] Part 2 and [EN-419211-3] Part 3

OT.Lifecycle\_Security Lifecycle security

The TOE shall detect flaws during the initialisation, personalisation and operational usage. The TOE shall securely destroy the SCD on demand of the signatory.

OT.SCD\_Secrecy Secrecy of signature-creation data

The secrecy of the SCD (used for signature generation) shall be reasonably assured against attacks with a high attack potential.

OT.Sig\_Secure Cryptographic security of the electronic signature

The TOE shall create digital signatures that cannot be forged without knowledge of the SCD through robust encryption techniques. The SCD shall not be reconstructed using the digital signatures or any other data exported from the TOE. The digital signatures shall be resistant against these attacks, even when executed with a high attack potential.

OT.Sigy SigF Signature generation function for the legitimate signatory only

The TOE shall provide the digital signature creation function for the legitimate signatory only and protects the SCD against the use of others. The TOE shall resist attacks with high attack potential.

OT.DTBS\_Integrity\_TOE DTBS/R integrity inside the TOE

The TOE must not alter the DTBS/R As by definition of the DTBS/R this may consist of the DTBS themselves, this objective does not conflict with a signature creation process where the TOE hashes the provided DTBS (in part or entirely) for signature creation.

OT.EMSEC\_Design Provide physical emanations security

The TOE shall be designed and built in such a way as to control the production of intelligible emanations within specified limits.

OT.Tamper\_ID Tamper detection

The TOE shall provide system features that detect physical tampering of its components, and uses those features to limit security breaches.

OT.Tamper Resistance Tamper resistance

The TOE shall prevent or resists physical tampering with specified system devices and components.

© Copyright Thales Page : 24 / 70

# 5.2.2 [EN-419211-2] Part 2 specific

# OT.SCD/SVD\_Auth\_Gen Authorized SCD/SVD generation

The TOE shall provide security features to ensure that authorised users only may invoke the generation of the SCD and the SVD.

# OT.SCD\_Unique Uniqueness of the signature-creation data

The TOE shall ensure the cryptographic quality of an SCD/SVD pair it creates as suitable for the advanced or qualified electronic signature. The SCD used for signature creation can practically occur only once and shall not be reconstructable from the SVD. In that context 'practically occur once' means that the probability of equal SCDs is negligible.

# OT.SCD\_SVD\_Corresp Correspondence between SVD and SCD

The TOE shall ensure the correspondence between the SVD and the SCD generated by the TOE. This includes unambiguous reference of a created SVD/SCD pair for export of the SVD and in creating a digital signature creation with the SCD.

# 5.2.3 [EN-419211-3] Part 3 specific

# OT.SCD\_Auth\_Imp Authorised SCD import

The TOE shall provide security features to ensure that authorised users only may invoke the import of the SCD.

# 5.2.4 [EN-419211-4] Part 4 specific (additional security objectives related to part 2)

# OT.TOE SSCD Auth Authentication proof as SSCD

The TOE shall hold unique identity and authentication data as SSCD and provide security mechanisms to identify and to authenticate itself as SSCD.

# OT.TOE\_TC\_SVD\_Exp TOE trusted channel for SVD export

The TOE shall provide a trusted channel to the CGA to protect the integrity of the SVD exported to the CGA. The TOE shall enable the CGA to detect alteration of the SVD exported by the TOE.

# 5.2.5 [EN-419211-5] Part 5 and [EN-419211-6] part 6 extension (additional security objectives related to [EN-419211-2] part 2 & [EN-419211-3] part 3)

#### OT.TOE TC VAD Imp Trusted channel of TOE for VAD import

The TOE shall provide a trusted channel for the protection of the confidentiality and integrity of the VAD received from the HID as needed by the authentication method employed.

## OT.TOE TC DTBS Imp Trusted channel of TOE for DTBS import

The TOE shall provide a trusted channel to the SCA to detect alteration of the DTBS/R received from the SCA. The TOE must not generate electronic signatures with the SCD for altered DTBS.

#### 5.2.6 Extensions

# **OT.Pre-perso\_authentication** Strong authentication in pre-personalisation

During pre-personalisation, The TOE protects itself with strong authentication.

© Copyright Thales Page : 25 / 70

# 5.3 SECURITY OBJECTIVES FOR THE OPERATIONAL ENVIRONMENT

# 5.3.1 Common to [EN-419211-2] Part 2 and [EN-419211-3] Part 3

#### OE.SVD Auth Authenticity of the SVD

The operational environment ensures the integrity of the SVD send to the CGA of the CSP. The CGA verifies the correspondence between the SCD in the SSCD of the signatory and the SVD in the qualified certificate.

# OE.CGA\_Qcert Generation of qualified certificates

The CGA shall generate a qualified certificate that includes, (amongst others)

- (a) the name of the signatory controlling the TOE,
- (b) the SVD matching the SCD stored in the TOE and being under sole control of the signatory,
- (c) the advanced signature of the CSP.

The CGA shall confirm with the generated qualified certificate that the SCD corresponding to the SVD is stored in a SSCD.

#### OE.DTBS Intend SCA sends data intended to be signed

The signatory shall use a trustworthy SCA that

- (a) generates the DTBS/R of the data that has been presented as DTBS and which the signatory intends to sign in a form which is appropriate for signing by the TOE,
- (b) sends the DTBS/R to the TOE and enables verification of the integrity of the DTBS/R by the TOE,
- (c) attaches the signature produced by the TOE to the data or provides it separately.

# **OE.Signatory** Security obligation of the Signatory

The Signatory checks that the SCD stored in the SSCD received from SSCD-provisioning service is in non-operational state. The Signatory keeps their VAD confidential.

# 5.3.2 [EN-419211-3] Part 3 specific

#### OE.SSCD\_Prov\_Service Authentic SSCD provided by SSCD Provisioning Service

The SSCD-provisioning service shall initialise and personalise for the signatory an authentic copy of the TOE and deliver this copy as SSCD to the signatory.

Remark: This Objective is specific to part 3 due to the adding of part 4.

#### OE.SCD/SVD Auth Gen Authorized SCD/SVD generation

The CSP shall provide security features to ensure that authorised users only may invoke the generation of the SCD and the SVD.

#### OE.SCD Secrecy SCD Secrecy

The CSP shall protect the confidentiality of the SCD during generation and export to the TOE. The CSP shall not use the SCD for creation of any signature and shall irreversibly delete the SCD in the operational environment after export to the TOE.

# OE.SCD\_Unique Uniqueness of the signature-creation data

The CSP shall ensure the cryptographic quality of the SCD/SVD pair , which is generated in the environment, for the qualified or advanced electronic signature. The SCD used for signature generation shall practically occur only once i.e. the probability of equal SCDs shall be negligible, and the SCD shall not be reconstructable from the SVD

OE.SCD\_SVD\_Corresp Correspondence between SVD and SCD

© Copyright Thales Page : 26 / 70

The CSP shall ensure the correspondence between the SVD and the SCD generated by the CSP. This includes the correspondence between the SVD send to the CGA and the SCD exported to the TOE of the signatory identified in the SVD certificate.

# 5.3.3 [EN-419211-4] Part 4 specific (additional security objectives related to part 2)

Part 4 substitutes OE.SSCD\_Prov\_Service from the core PP( part 2) by OE.Dev\_Prov\_Service and adds security objectives for the operational environment OE.CGA\_SSCD\_Auth and OE.CGA\_TC\_SVD\_Imp in order to address the additional method of use as SCD/SVD pair generation after delivery to the signatory and outside the secure preparation environment.

#### OE.Dev Prov Service Authentic SSCD provided by SSCD Provisioning Service

The SSCD Provisioning Service handles authentic devices that implement the TOE, prepares the TOE for proof as SSCD to external entities, personalises the TOE for the legitimate user as signatory, links the identity of the TOE as SSCD with the identity of the legitimate user, and delivers the TOE to the signatory. Note: This objective replaces OE.SSCD\_Prov\_Service from the core PP, which is possible as it does not imply any additional requirements for the operational environment when compared to OE.SSCD\_Prov\_Service (OE.Dev Prov Service is a subset of OE.SSCD Prov Service).

#### **OE.CGA SSCD Auth** Pre-initialisation of the TOE for SSCD authentication

The CSP shall check by means of the CGA whether the device presented for application of a (qualified) certificate holds unique identification as SSCD, successfully proved this identity as SSCD to the CGA, and whether this identity is linked to the legitimate holder of the device as applicant for the certificate.

#### OE.CGA\_TC\_SVD\_Imp CGA trusted channel for SVD import

The CGA shall detect alteration of the SVD imported from the TOE with the claimed identity of the SSCD.

The developer prepares the TOE by pre-initialisation for the delivery to the customer (i.e. the SSCD provisioning service) in the development phase not addressed by a security objective for the operational environment. The SSCD Provisioning Service performs initialisation and personalisation as TOE for the legitimate user (i.e. the Device holder). If the TOE is delivered to the Device holder with SCD the TOE is a SSCD. This situation is addressed by OE.SSCD Prov Service except the additional initialisation of the TOE for proof as SSCD and trusted channel to the CGA. If the TOE is delivered to the Device holder without a SCD the TOE will be a SSCD only after generation of the first SCD/SVD pair. Because this SCD/SVD pair generation is performed by the signatory in the operational use stage the TOE provides additional security functionality addressed by OT.TOE\_SSCD\_Auth and OT.TOE\_TC\_SVD\_Exp. But this security functionality must be initialised by the SSCD Provisioning Service as described in OE.Dev\_Prov\_Service. Therefore this PP (part4) substitutes OE.SSCD\_Prov\_Service by OE.Dev\_Prov\_Service allowing generation of the first SCD/SVD pair after delivery of the TOE to the Device holder and requiring initialisation of security functionality of the TOE. Nevertheless the additional security functionality must be used by the operational environment as described in OE.CGA SSCD Auth and OE.CGA TC SVD Imp. This approach does not weaken the security objectives of and requirements to the TOE but enforce more security functionality of the TOE for additional method of use. Therefore it does not conflict with the CC conformance claim to the core [PP\_SSCD\_KG]

# 5.3.4 [EN-419211-5] Part 5 and [EN-419211-6] part 6 extension (additional security objectives related to [EN-419211-2] part 2 & [EN-419211-3] part 3)

Part 5 and part 6 substitute OE.HID\_VAD from the core PP by OE.HID\_TC\_VAD\_Exp and OE.DTBS\_Protect from the core PP by OE.SCA\_TC\_DTBS\_Exp

#### OE.HID\_TC\_VAD\_Exp Trusted channel of HID for VAD export

The HID provides the human interface for user authentication. The HID will ensure confidentiality and integrity of the VAD as needed by the authentication method employed including export to the TOE by means of a trusted channel.

#### OE.SCA TC DTBS Exp Trusted channel of SCA for DTBS export

The SCA provides a trusted channel to the TOE for the protection of the integrity of the DTBS to ensure that the DTBS/R cannot be altered undetected in transit between the SCA and the TOE.

© Copyright Thales Page : 27 / 70

# 5.3.5 Objectives of Environments coming From MultiApp V5.1 Platform

#### **OE.VERIFICATION**

All the bytecodes shall be verified at least once, before the loading, before the installation or before the execution, depending on the card capabilities, in order to ensure that each bytecode is valid at execution time. See #.VERIFICATION for details.

Additionally the applet shall follow all recommendations, if any, mandated in the platform guidance for maintaining the isolation property of the platform.

**Application Note:** 

Constraints to maintain the isolation property of the platform are provided by the platform developer in application development guidance. The constraints apply to all application code loaded in the platform.

#### OE.CAP FILE

No applet loaded post-issuance shall contain native methods.

#### **OE.CODE-EVIDENCE**

For application code loaded pre-issuance, evaluated technical measures implemented by the TOE or audited organizational measures must ensure that loaded application has not been changed since the code verifications required in OE.VERIFICATION.

For application code loaded post-issuance and verified off-card according to the requirements of OE.VERIFICATION, the verification authority shall provide digital evidence to the TOE that the application code has not been modified after the code verification and that he is the actor who performed code verification. For application code loaded post-issuance and partially or entirely verified on-card, technical measures must ensure that the verification required in OE.VERIFICATION are performed. On-card bytecode verifier is out of the scope of this Protection Profile.

#### **Application Note:**

For application code loaded post-issuance and verified off-card, the integrity and authenticity evidence can be achieved by electronic signature of the application code, after code verification, by the actor who performed verification.

# **OE.Prot Logical Data Protection of TOE and applicative data**

The inspection system of the applicative entity (e.g. receiving State or Organisation) ensures the confidentiality and integrity of the data read from the TOE and applicative data (e.g. logical travel document). The inspection system will prevent eavesdropping to their communication with the TOE before secure messaging is successfully established.

#### OE.Personalisation Personalisation of TOE and application data requiring PACE usage

The Issuer must ensure that the Personalisation Agents acting on his behalf (i) establish the correct identity of the applicative user (e.g. travel document holder) and create the accurate applicative data\* and write them in TOE.

Note: in the specific case of MRTD, accurate applicative data are biographical data for the travel document), (ii) biometric reference data of the travel document holder, the initial TSF data, (the Document Security Object defined in [ICAO-9303] (in the role of a DS).

# **OE.Terminal Terminal operating**

The terminal operators must operate their terminals as follows:

- 1.) The related terminals (basic inspection systems, cf. above) are used by terminal operators and by travel document holders as defined in as defined in [ICAO-9303].
- 2.) The related terminals implement the terminal parts of the PACE protocol [ICAO-TR-SAC], of the Passive Authentication [ICAO-TR-SAC] (by verification of the signature of the Document Security Object) and use them in this order (This order is commensurate with [ICAO-TR-SAC]. The PACE terminal uses randomly and (almost) uniformly selected nonces, if required by the protocols (for generating ephemeral keys for Diffie-Hellmann).

© Copyright Thales Page : 28 / 70

- 3.) The related terminals need not to use any own credentials.
- 4.) The related terminals securely store the Country Signing Public Key and the Document Signer Public Key (in form of C<sub>CSCA</sub> and C<sub>DS</sub>) in order to enable and to perform Passive Authentication of the travel document (determination of the authenticity of data groups stored in the travel document, [ICAO-9303]).
- 5.) The related terminals and their environment must ensure confidentiality and integrity of respective data handled by them (e.g. confidentiality of the PACE passwords, integrity of PKI certificates, etc.), where it is necessary for a secure operation of the TOE according to the current ST.

# OE.User\_Obligations User Obligations

The application user (e.g. travel document holder) may reveal, if necessary, his or her verification values of the PACE password to an authorized person or device who definitely act according to respective regulations and are trustworthy.

Other security objectives for Operational environment from [PP\_EAC2] are specific to travel document and are not copied here.

# 5.4 SECURITY OBJECTIVE RATIONALE

Threats – Assumption – Policies / Security Objectives	OT.Lifestyle_Security	OT.SCD_Secrecy	OT.Sig_Secure	OT.Sigy_SigF	OT.DTBS_Integrity_TOE	OT.EMSEC_Design	OT.Tamper_ID	OT.Tamper_Resistance	OT.SCD/SVD_Auth_Gen	OT.SCD-Unique	OT.SCD_SVD_Corresp	OT.SCD_Auth_Imp	OT.Pre-perso_authentication	OT.TOE_SSCD_Auth (part 4)	OT.TOE_TC_SVD_Exp (part 4)	OT.TOE_TC_VAD_Imp (part 5&6)	OT.TOE_TC_DTBS_Imp (part 5&6)	OE.SVD_Auth	OE.CGA_QCert	OE.DTBS_Intend	OE.Signatory	OE.SCD/SVD_Auth_Gen	OE.SCD_Secrecy	OE.SCD_Unique	OE.SCD_SVD_Corresp	OE.Dev_Prov_Service (part 4) replace	OE.SSCD_Prov_Service (part 2)	OE.CGA_SSCD_Auth (part 4)	OE.CGA_TC_SVD_Imp (part 4)	OE.HID_TC_VAD_Exp (part 5 & 6) replace	OE.SCA_TC_DTBS_Exp (part 5&6) replace	OE.DTBS_Protect	OE.CAP_FILE	OE.VERIFICATION	OE.Prot_Logical_Data	OE.CODE-EVIDENCE	OE.Personalisation	OE.Terminal	OE.User_Obligations
T.SCD_Divulg		Χ										Χ										Χ	Χ																
T.SCD_Derive			Χ						Χ															Χ															
T.Hack_Phys		Χ				Χ	Χ	Χ																															
T.SVD_Forgery											Χ				Χ			Χ							Χ				Χ										
T.SigF_Misuse	Х			Χ	Χ											Χ	Χ			Χ	Χ									Χ	Χ	Χ							
T.DTBS_Forgery					Χ												Χ			Χ											Χ	Χ					Χ	Χ	Χ
T.Sig_Forgery			Χ							Χ									Χ					Χ															
P.CSP_Qcert	Χ										Χ	Χ		Χ					Χ			Χ			Χ			Χ											
P.Qsign			Χ	Χ															Χ	Χ																			

© Copyright Thales Page : 29 / 70

P.Sigy_SSCD	Χ	Χ	Χ	Х	Х	)	Χ		Χ	Χ	X		Х		X	Х	(					X	X	X		Χ	Χ	Х	Х								
P.Sig_Non-Repud	Χ	Χ	Χ	Х	Х	)	X	Х	Χ		Χ	Х			Χ	Х		Х	Х	Χ	Χ			Χ	Х	Χ	Χ	Χ	Х		Χ						
P.Pre- perso_authentication														Х																							
A.SCA																				Χ																	
A.CGA																		Х	Х																		
A.CSP																						Χ	Х	Χ	Χ												
A.CAP_FILE																																Χ					
A.VERIFICATION																																	Χ		Χ		
A.Insp_Sys																																		Χ			

Table 2: Threats, Assumptions, and Policies vs. Security objectives

© Copyright Thales Page : 30 / 70

# 5.4.1 Threats

**T.SCD\_Divulg (**Storing, copying and releasing of the signature creation data**)** addresses the threat against the legal validity of electronic signature due to storage and copying of SCD outside the TOE, as expressed in recital (18) of the previous directive 1999/93 or in Annex II of [Regulation EU], . This threat is countered by:

- OT.SCD\_Secrecy, which assures the secrecy of the SCD during use by the TOE for signature creation,
- OE.SCD\_Secrecy, which assures the secrecy of the SCD in the CSP environment (when SCD is generated off-TOE),

Furthermore, generation and/or import of SCD known by an attacker is countered by:

- OE.SCD/SVD\_Auth\_Gen, which ensures that only authorized SCD generation in the environment is possible (when SCD is generated off-TOE), and
- OT.SCD\_Auth\_Imp, which ensures that only authorised SCD import is possible (when SCD is generated off-TOE).

**T.SCD\_Derive** (Derive the signature creation data) deals with attacks on the SCD via public known data produced by the TOE, which are the SVD and the signatures created with the SCD.

OT.SCD/SVD\_Auth\_Gen counters this threat by implementing cryptographically secure generation of the SCD/SVD pair (when SCD is generated on-TOE).

OE.SCD\_Unique counters this threat by implementing cryptographically secure generation of the SCD/SVD pair (when SCD is generated off-TOE).

OT.Sig Secure ensures cryptographically secure electronic signatures.

**T.Hack\_Phys** (*Exploitation of physical vulnerabilities*) deals with physical attacks exploiting physical vulnerabilities of the TOE. OT.SCD\_Secrecy preserves the secrecy of the SCD. OT.EMSEC\_Design counters physical attacks through the TOE interfaces and observation of TOE emanations. OT.Tamper\_ID and OT.Tamper\_Resistance counter the threat T.Hack\_Phys by detecting and by resisting tampering attacks.

**T.SVD\_Forgery** (Forgery of the signature verification data) deals with the forgery of the SVD exported by the TOE to the CGA for certificate generation. T.SVD\_Forgery is addressed by:

- OT.SCD\_SVD\_Corresp, which ensures correspondence between SVD and SCD and unambiguous reference of the SVD/SCD pair for the SVD export and signature creation with the SCD (when SCD is generated on-TOE),
- OE.SCD\_SVD\_Corresp, which ensures correspondence between SVD and SCD and unambiguous reference of the SVD/SCD pair for the SVD export and signature creation with the SCD (when SCD is generated off-TOE), and
- OE.SVD\_Auth that ensures the integrity of the SVD exported by the TOE to the CGA and verification
  of the correspondence between the SCD in the SSCD of the signatory and the SVD in the input it
  provides to the certificate generation function of the CSP.
- (This is specific to [PP SSCD KG] extended with part 4.) Additionally T.SVD\_Forgery is addressed by OT.TOE\_TC\_SVD\_Exp, which ensures that the TOE sends the SVD in a verifiable form through a trusted channel to the CGA, as well as by OE.CGA\_TC\_SVD\_Imp, which provides verification of SVD authenticity by the CGA.

T.SigF Misuse (Misuse of the signature creation function of the TOE) addresses the threat of misuse of the TOE signature creation function to create SDO by others than the signatory to create an electronic signature on data for which the signatory has not expressed the intent to sign, as required by paragraph 1(c) of Annex III. OT.Lifecycle Security (Lifecycle security) requires the TOE to detect flaws during the initialisation, personalisation and operational usage including secure destruction of the SCD, which may be initiated by the signatory. OT.Sigy SigF (Signature creation function for the legitimate signatory only) ensures that the TOE provides the signature creation function for the legitimate signatory only. OE.DTBS Intend (Data intended to be signed) ensures that the SCA sends the DTBS/R only for data the signatory intends to sign. The combination of OT.TOE\_TC\_DTBS\_Imp (Trusted channel of TOE for DTBS) and OE.SCA\_TC\_DTBS\_Exp (Trusted channel of SCA for DTBS) counters the undetected manipulation of the DTBS during the transmission form the SCA to the TOE. OT.DTBS\_Integrity\_TOE (DTBS/R integrity inside the TOE) prevents the DTBS/R from alteration inside the TOE. If the SCA provides a human interface for user authentication, OE.HID TC VAD Exp (Trusted channel of HID for VAD) requires the HID to protect the confidentiality and the integrity of the VAD as needed by the authentication method employed. The HID and the TOE will protect the VAD by a trusted channel between HID and TOE according to OE.HID\_TC\_VAD\_Exp (Trusted channel of HID for VAD) and OT.TOE TC VAD Imp (Trusted channel of TOE for VAD). OE.Signatory (Security obligation of the signatory) ensures that the signatory checks that an SCD stored in the SSCD when received

© Copyright Thales Page : 31 / 70

from an SSCD-provisioning service provider is in non-operational state, i.e. the SCD cannot be used before the signatory becomes control over the SSCD. OE.Signatory (Security obligation of the signatory) ensures also that the signatory keeps their VAD confidential.

**T.DTBS\_Forgery** (*Forgery of the DTBS/R*) addresses the threat arising from modifications of the DTBS/R sent to the TOE for signing which than does not correspond to the DTBS/R corresponding to the DTBS the signatory intends to sign. The threat T.DTBS\_Forgery is addressed by the security objectives OT.TOE\_TC\_DTBS\_Imp (Trusted channel of TOE for DTBS) and OE.SCA\_TC\_DTBS\_Exp (Trusted channel of SCA for DTBS), which ensure that the DTBS/R is sent through a trusted channel and cannot be altered undetected in transit between the SCA and the TOE. The TOE counters internally this threat by the means of OT.DTBS\_Integrity\_TOE (DTBS/R integrity inside the TOE) ensuring the integrity of the DTBS/R inside the TOE. The TOE IT environment also addresses T.DTBS\_Forgery by the means of OE.DTBS\_Intend, which ensures that the trustworthy SCA generates the DTBS/R of the data that has been presented as DTBS and which the signatory intends to sign in a form appropriate for signing by the TOE. In addition, OE.Personalisation, OE.Terminal and OE.User\_Obligations contribute to secure exchange between the TOE and the terminal.

**T.Sig\_Forgery** (*Forgery* of the electronic signature) deals with non-detectable forgery of the electronic signature. OT.Sig\_Secure, OT.SCD\_Unique and OE.CGA\_QCert address this threat in general. OT.Sig\_Secure (*Cryptographic security* of the electronic signature) ensures by means of robust cryptographic techniques that the signed data and the electronic signature are securely linked together. OT.SCD\_Unique (when SCD is generated on-TOE) or OE.SCD\_Unique (when SCD is generated off-TOE) ensures that the same SCD cannot be generated more than once and the corresponding SVD cannot be included in another certificate by chance. OE.CGA\_QCert prevents forgery of the certificate for the corresponding SVD, which would result in false verification decision concerning a forged signature.

# 5.4.2 Organisational security policies

P.CSP\_QCert (CSP generates qualified certificates)

Dedicated to [PP SSCD KI]

establishes the CSP generating qualified certificate or non-qualified certificate linking the signatory and the SVD implemented in the SSCD under sole control of his signatory. P.CSP\_QCert is addressed by

- OT.Lifecycle\_Security, which requires the TOE to detect flaws during the initialisation, personalisation and operational usage,
- OT.SCD\_SVD\_Corresp (when SCD is generated on-TOE) or OE.SCD\_SVD\_Corresp (when SCD is generated off-TOE), which requires to ensure the correspondence between the SVD and the SCD during their generation,
- OE.CGA\_QCert for generation of qualified certificates or non-qualified certificates, which requires the CGA to certify the SVD matching the SCD implemented in the TOE under sole control of the signatory.
- OE.SCD/SVD\_Auth\_Gen, which ensures that the SCD/SVD generation can be invoked by authorized users only (when SCD is generated off-TOE),
- OT.SCD\_Auth\_Imp which ensures that authorised users only may invoke the import of the SCD (when SCD is generated off-TOE).

# Dedicated to [PP SSCD KG] extended with part 4

provides that the TOE and the SCA may be employed to sign data with (qualified) electronic signatures, as defined by previous directive 1999/93 (article 5, paragraph 1) or in the new [Regulation EU], (article 25) refers to SSCDs to ensure the functionality of advanced signatures. The OE.CGA\_QCert addresses the requirement of qualified (or advanced) electronic signatures as being based on qualified (or non-qualified) certificates. According to OT.TOE\_SSCD\_Auth the copies of the TOE will hold unique identity and authentication data as SSCD and provide security mechanisms enabling the CGA to identify and to authenticate the TOE as SSCD to prove this identity as SSCD to the CGA. The OE.CGA\_SSCD\_Auth ensures that the SP checks the proof of the device presented of the applicant that it is a SSCD. The OT.SCD\_SVD\_Corresp ensures that the SVD exported by the TOE to the CGA corresponds to the SCD stored in the TOE and used by the signatory. The OT.Lifecycle\_Security ensures that the TOE detects flaws during the initialisation, personalisation and operational usage.

**P.QSign** (*Qualified electronic signatures*) provides that the TOE and the SCA may be employed to sign data with an advanced electronic signature, which is a qualified electronic signature if based on a valid qualified certificate. OT.Sigy\_SigF ensures signatory's sole control of the SCD by requiring the TOE to provide the signature creation function for the legitimate signatory only and to protect the SCD against the use of others. OT.Sig\_Secure ensures that the TOE creates electronic signatures, which cannot be forged without

© Copyright Thales Page : 32 / 70

knowledge of the SCD through robust encryption techniques. OE.CGA\_QCert addresses the requirement of qualified or non-qualified electronic certificates building a base for the electronic signature. OE.DTBS\_Intend ensures that the SCA provides only those DTBS to the TOE, which the signatory intends to sign.

**P.Sigy\_SSCD** (*TOE* as secure signature creation device) requires the TOE to meet Annex III of the previous directive 1999/93 or Annex II of the new [Regulation EU],

Dedicated to [PP SSCD KI]
This is ensured as follows

- OE.SCD\_Unique meets the paragraph 1(a), Annex III of the previous directive 1999/93 or paragraph 1(b) of the new [Regulation EU], Annex II, by the requirements
  - that the SCD used for signature creation can practically occur only once.
  - OE.SCD\_Unique, OT.SCD\_Secrecy and OE.SCD\_Secrecy meet the paragraph 1(a), Annex III of previous directive 1999/93 ot the paragraph 1(a) of the new [Regulation EU],, Annex II, by the requirements to ensure the secrecy of the SCD.
  - OT.EMSEC\_Design and OT.Tamper\_Resistance address specific objectives to ensure secrecy of SCD against specific attacks.
  - OT.SCD\_Secrecy and OT.Sig\_Secure meet the paragraph 1(b), Annex III of the previous directive 1999/93 or paragraph 1(c) of the new [Regulation EU], Annex II, by
  - the requirements to ensure that the SCD cannot be derived from SVD, the digital signatures or any other data exported outside the TOE.
  - OT.Sigy\_SigF and OE.SCD\_Secrecy meet the paragraph 1(c), Annex III of the previous directive 1999/93 or paragraph 1(d) of the new [Regulation EU],], Annex II, by
  - the requirements to ensure that the TOE provides the signature creation function for the legitimate signatory only and protects the SCD against the use of others.
  - OT.DTBS\_Integrity\_TOE meets the requirements the paragraph 2, Annex III of **the** previous directive 1999/93 or paragraph 2 of the new [Regulation EU], Annex II, The TOE must not alter the DTBS/R.

Please take note, the requirements of previous directive 1999/93 Annex III, 2 or the new [Regulation EU], Annex II, 2., that the SSCD does not prevent the data to be signed from being presented to the signatory prior to the signature process is obviously fulfilled

by the method of TOE usage: the SCA will present the DTBS to the signatory and send them to the SSCD for signing.

The usage of SCD under sole control of the signatory sole control is ensured by

- OT.Lifecycle\_Security requiring the TOE to detect flaws during the initialisation, personalisation and operational usage
- OE.SCD/SVD\_Auth\_Gen, which limits invocation of the generation of the SCD and the SVD to authorised users only,
- OT.SCD Auth Imp, which limits SCD import to authorised users only,
- OE.SCD\_Secrecy, which ensures the confidentiality of the SCD during generation and export to the TOE, and deletes the SCD after export to the TOE. The CSP does not use the SCD for signature creation.
- OT.Sigy\_SigF, which requires the TOE to provide the signature creation function for the legitimate signatory only and to protect the SCD against the use of others.

OE.SSCD\_Prov\_Service ensures that the signatory obtains an authentic copy of the TOE, initialised and personalised as SSCD from the SSCD-provisioning service.

# Dedicated to [PP SSCD KG] extended with part 4

The paragraph 1(a) of Annex III is ensured by OT.SCD\_Unique requiring that the SCD used for signature creation can practically occurs only once. The OT.SCD\_Secrecy OT.Sig\_Secure and OT.EMSEC\_Design and OT.Tamper\_Resistance address the secrecy of the SCD (cf. paragraph 1(a) of Annex III). OT.SCD\_Secrecy and OT.Sig\_Secure meet the requirement in paragraph 1(b) of Annex III by the requirements to ensure that the SCD cannot be derived from SVD, the electronic signatures or any other data exported outside the TOE. OT.Sigy\_SigF meets the requirement in paragraph 1(c) of Annex III by the requirements to ensure that the TOE provides the signature creation function for the legitimate signatory only and protects the SCD against the use of others. OT.DTBS\_Integrity\_TOE meets the requirements in paragraph 2 of Annex III as the TOE must not alter the DTBS/R. The usage of SCD under sole control of the signatory is ensured by OT.Lifecycle Security, OT.SCD/SVD Auth Gen and OT.Sigy\_SigF.

OE.Dev\_Prov\_Service ensures that the legitimate user obtains a TOE sample as an authentic, initialised and personalised TOE from an SSCD Provisioning Service through the TOE delivery procedure. If the TOE implements SCD generated under control of the SSCD Provisioning Service the legitimate user receives the

© Copyright Thales Page : 33 / 70

TOE as SSCD. If the TOE is delivered to the legitimate user without SCD In the operational phase he or she applies for the (qualified) certificate as the Device holder and legitimate user of the TOE. The CSP will use the TOE security feature (addressed by the security objectives OT.TOE\_SSCD\_Auth and OT.TOE\_TC\_SVD\_Exp) to check whether the device presented is a SSCD linked to the applicant as required by OE.CGA\_SSCD\_Auth and the received SVD is sent by this SSCD as required by OE.CGA\_TC\_SVD\_Imp. Thus the obligation of the SSCD provision service for the first SCD/SVD pair is complemented in an appropriate way by the CSP for the SCD/SVD pair generated outside the secure preparation environment.

# P.Sig\_Non-Repud (Non-repudiation of signatures)

[PP SSCD KI] & [PP SSCD KG] extended with part 5 and part 6

deals with the repudiation of signed data by the signatory, although the electronic signature is successfully verified with the SVD contained in their certificate valid at the time of signature creation. This policy is implemented by the combination of the security objectives for the TOE and its operational environment, which ensures the aspects of signatory's sole control over and responsibility for the electronic signatures created with the TOE. OE.SSCD\_Prov\_Service ensures that the signatory obtains an authentic copy of the TOE, initialised and personalised as SSCD from the SSCD-provisioning service. OE.CGA\_QCert ensures that the certificate allows to identify the signatory and thus to link the SVD to the signatory. OE.SVD\_Auth and OE.CGA\_QCert require the environment to ensure authenticity of the SVD as being exported by the TOE and used under sole control of the signatory. OT.SCD\_SVD\_Corresp (when SCD is generated on-TOE) or OE.SCD\_SVD\_Corresp (when SCD is generated off-TOE) ensures that the SVD exported by the TOE corresponds to the SCD that is implemented in the TOE. OT.SCD\_Unique (when SCD is generated on-TOE) or OE.SCD\_Unique (when SCD is generated off-TOE) provides that the signatory's SCD can practically occur just once.

OE.Signatory ensures that the signatory checks that the SCD, stored in the SSCD received from an SSCD provisioning service is in non-operational state (i.e. the SCD cannot be used before the signatory becomes into sole control over the SSCD). The TOE security feature addressed by the security objectives OT.TOE SSCD Auth and OT.TOE TC SVD Exp supported by OE.Dev Prov Service enables the verification whether the device presented by the applicant is a SSCD as required by OE.CGA SSCD Auth and the received SVD is sent by the device holding the corresponding SCD as required by OE.CGA\_TC\_SVD\_Imp. OT.Sigy\_SigF provides that only the signatory may use the TOE for signature creation. As prerequisite OE.Signatory ensures that the signatory keeps their VAD confidential. OE.DTBS\_Intend, OE.DTBS\_Protect and OT.DTBS\_Integrity\_TOE ensure that the TOE generates electronic signatures only for a DTBS/R that the signatory has decided to sign as DTBS. The robust cryptographic techniques required by OT.Sig\_Secure ensure that only this SCD may generate a valid electronic signature that can be successfully verified with the corresponding SVD used for signature verification. The security objective for the TOE OT.Lifecycle Security (Lifecycle security), OT.SCD Secrecy (Secrecy of the signature creation data), OT.EMSEC Design (Provide physical emanations security), OT.Tamper ID (Tamper detection) and OT.Tamper Resistance (Tamper resistance) protect the SCD against any compromise.

# Dedicated to [PP SSCD KG] extended with part 4

deals with the repudiation of signed data by the signatory, although the electronic signature is successfully verified with the SVD contained in their certificate valid at the time of signature creation. This policy is implemented by the combination of the security objectives for the TOE and its operational environment, that ensure the aspects of signatory's sole control over and responsibility for the electronic signatures generated with the TOE. OE.Dev\_Prov\_Service ensures that the signatory uses an authentic TOE, initialised and personalised for the signatory. OE.CGA\_QCert ensures that the certificate allows to identify the signatory and thus to link the SVD to the signatory. OE.SVD\_Auth and OE.CGA\_QCert require the environment to ensure authenticity of the SVD as being exported by the TOE and used under sole control of the signatory. OT.SCD\_SVD\_Corresp ensures that the SVD exported by the TOE corresponds to the SCD that is implemented in the TOE. OT.SCD\_Unique provides that the signatory's SCD can practically occur just once.

OE.Signatory ensures that the signatory checks that the SCD, stored in the SSCD received from an SSCD provisioning service is in non-operational state (i.e. the SCD cannot be used before the signatory becomes into sole control over the SSCD). The TOE security feature addressed by the security objectives OT.TOE\_SSCD\_Auth and OT.TOE\_TC\_SVD\_Exp supported by OE.Dev\_Prov\_Service enables the verification whether the device presented by the applicant is a SSCD as required by OE.CGA\_SSCD\_Auth and the received SVD is sent by the device holding the corresponding SCD as required by OE.CGA\_TC\_SVD\_Imp. OT.Sigy\_SigF provides that only the signatory may use the TOE for signature creation. As prerequisite OE.Signatory ensures that the signatory keeps their VAD confidential. OE.DTBS\_Intend, OE.DTBS\_Protect and OT.DTBS\_Integrity\_TOE ensure that the TOE generates

© Copyright Thales Page : 34 / 70

electronic signatures only for a DTBS/R that the signatory has decided to sign as DTBS. The robust cryptographic techniques required by OT.Sig\_Secure ensure that only this SCD may generate a valid electronic signature that can be successfully verified with the corresponding SVD used for signature verification. The security objective for the TOE OT.Lifecycle\_Security (Lifecycle security), OT.SCD\_Secrecy (Secrecy of the signature creation data), OT.EMSEC\_Design (Provide physical emanations security), OT.Tamper\_ID (Tamper detection) and OT.Tamper\_Resistance (Tamper resistance) protect the SCD against any compromise.

**P.Pre-perso\_authentication** (*Strong authentication in pre-personalisation*) requests a strong authentication before accessing the SSCD. This is directly addressed by OT.Pre-perso authentication.

# 5.4.3 Assumptions

**A.SCA** (*Trustworthy signature creation application*) establishes the trustworthiness of the SCA with respect to generation of DTBS/R. This is addressed by OE.DTBS\_Intend (*Data intended to be signed*) which ensures that the SCA generates the DTBS/R of the data that have been presented to the signatory as DTBS and which the signatory intends to sign in a form which is appropriate for being signed by the TOE.

**A.CGA** (*Trustworthy certificate generation application*) establishes the protection of the authenticity of the signatory's name and the SVD in the qualified certificate by the advanced signature of the CSP by means of the CGA. This is addressed by OE.CGA\_QCert (Generation of qualified certificates), which ensures the generation of qualified certificates, and by OE.SVD\_Auth (Authenticity of the SVD), which ensures the protection of the integrity of the received SVD and the verification of the correspondence between the SVD and the SCD that is implemented by the SSCD of the signatory.

**A.CSP** (Secure SCD/SVD management by CSP) establishes several security aspects concerning handling of SCD and SVD by the CSP. That the SCD/SVD generation device can only be used by authorized users is addressed by OE.SCD/SVD\_Auth\_Gen (Authorized SCD/SVD Generation), that the generated SCD is unique and cannot be derived by the SVD is addressed by OE.SCD\_Unique (Uniqueness of the signature creation data), that SCD and SVD correspond to each other is addressed by OE.SCD\_SVD\_Corresp (Correspondence between SVD and SCD), and that the SCD are kept confidential, are not used for signature generation in the environment and are deleted in the environment once exported to the TOE is addressed by OE.SCD\_Secrecy (SCD Secrecy).

This assumption is only applicable when SCD is generated off-card.

#### Assumptions coming from the Platform

**A.CAP\_FILE** This assumption is upheld by the security objective for the operational environment OE.CAP\_FILE which ensures that no applet loaded post-issuance shall contain native methods.

**A.VERIFICATION** This assumption is upheld by the security objective on the operational environment OE.VERIFICATION which guarantees that all the bytecodes shall be verified at least once, before the loading, before the installation or before the execution in order to ensure that each bytecode is valid at execution time. This assumption is also upheld by the security objective of the environment OE.CODE-EVIDENCE which ensures that evidences exist that the application code has been verified and not changed after verification.

**A.Insp\_Sys** This assumption is upheld by the security objective for the environment OE.Prot\_Logical\_Data which ensures that the data read from the TOE and the applicative data are protected in confidentiality and integrity thanks to the establishment of secure messaging.

# 5.4.4 Compatibility between objectives of [ST-IAS] and [ST-PLTF]

#### 5.4.4.1 Compatibility between objectives for the TOE

The following table lists the relevant security objectives of the platform and provides the link to the security objectives related to the composite product, showing that there is no contradiction between the two.

© Copyright Thales Page : 35 / 70

Platform objective label	Platform objective short description (refer to [ST-PLTF] for the full description)	Link to the composite- product							
O.SID	The TOE shall uniquely identify every subject (applet, or package) before granting it access to any service.	OT.SCD/SVD_Auth_Gen, OT.SCD_Auth_Imp, OT.TOE_SSCD_Auth OT.TOE_TC_SVD_Exp,							
O.CIPHER	The TOE shall provide a means to cipher sensitive data for applications in a secure way	OT.Sig_Secure, OT.Sigy_SigF, OT.TOE_TC_VAD_Imp, TOE_TC_DTBS_Imp,							
O.KEY-MNGT	The TOE shall provide a means to securely manage cryptographic keys. This concerns the correct generation, distribution, access and destruction of cryptographic keys.	OT.Lifecycle_Security, OT.SCD/SVD_Auth_Gen, OT.SCD_Unique, OT.SCD_SVD_Corresp, OT.SCD_Auth_Imp OT.SCD_Secrecy							
O.REALLOCATION	The TOE shall ensure that the re-allocation of a memory block for the runtime areas of the Java Card VM does not disclose any information that was previously stored in that block.	OT.Lifecycle_Security, OT.SCD_Secrecy							
O.GLOBAL_ARRAYS_INTEG	The TOE shall ensure that no application can store a reference to the APDU buffer, a global byte array created by the user through makeGlobalArray method and the byte array used for invocation of the install method of the selected applet	No direct link with the composite product security objectives, but these platform security objectives are used to endure the security of the composite TOE.							
O.GLOBAL_ARRAYS_CONFID	The TOE shall ensure that the APDU buffer that is shared by all applications is always cleaned upon applet selection.  The TOE shall ensure that the global byte array used for the invocation of the install method of the selected applet is always cleaned after the return from the install method.	- Composito 10 E.							
O.ARRAY_VIEWS_CONFID	The TOE shall ensure that no application can read elements of an array view not having array view security attribute ATTR_READABLE_VIEW.								
	The TOE shall ensure that an application can only read the elements of the array view within the bounds of the array view.								
O. ARRAY_VIEWS_INTEG	The TOE shall ensure that no application can write to an array view not having array view security attribute ATTR_WRITABLE_VIEW.  The TOE shall ensure that an application can only write								
	within the bounds of the array view.								
O.PIN-MNGT	The TOE shall provide a means to securely manage PIN objects.	OT.SCD/SVD_Auth_Gen, OT.SCD_Auth_Imp, OT.TOE_TC_VAD_Imp							
O.OPERATE	The TOE must ensure continued correct operation of its security functions.	OT.Lifecycle_Security, OT.Tamper_ID, OT.Tamper_rsistance							
O.ALARM	The TOE shall provide appropriate feedback information upon detection of a potential security violation	OT.Lifecycle_Security, OT.Tamper_ID, OT.Tamper_rsistance							
O.OBJ-DELETION	The TOE shall ensure the object deletion shall not break references to objects.	OT.Lifecycle_Security							
O.SCP. RECOVERY	The SCP shall support the TSFs of the TOE.	No direct link with the composite product security objectives, but this platform security objective is used to endure the security of the composite TOE.							

© Copyright Thales Page : 36 / 70

O.SCP.IC	The SCP shall provide all IC security features against physical attacks	OT.Tamper_ID, OT.Tamper_Resistance
O.SCP.SUPPORT	The SCP shall support the TSFs of the TOE	OT.TOE_TC_VAD_Imp, OT.TOE_TC_DTBS_Imp, OE.SCD_Secrecy, OE.HID_TC_VAD_Exp, OE.SCA_TC_DTBS_Exp
O.SpecificAPI	The TOE shall provide to application a specific API means to optimize control on sensitive operations performed by application.  TOE shall provide services for secure array management and to detect loss of data integrity and inconsistent execution flow and react against tearing or fault induction.	No direct link with the composite product security objectives, but this platform security objective is used to endure the security of the composite TOE.
O.SECURE_LOAD_ACODE		Not relevant for this
O.SECURE_AC_ACTIVATION		composite product security objectives. The OS agility
O.TOE_IDENTIFICATION		mechanism is fully managed
O.CONFID-OS-UPDATE.LOAD		by the platform.

Table 3: Compatibility with platform Security objectives

The other objectives (O.FIREWALL, O.NATIVE, O.RNG, O.LOAD, O.INSTALL, O.DELETION, O.TRANSACTION, O.RESOURCES, O.CARD-MANAGEMENT) of the platform are not relevant for this composite TOE or are directly handle by the Platform itself.

Platform PACE Module objective label	PACE Module Platform objective short description (refer to [ST-PLTF] for the full description)	Link to the composite- product
OT.Data_Integrity	The TOE must ensure integrity of the User Data and the TSF-data stored on it by protecting these data against unauthorised modification (physical manipulation and unauthorised modifying). The TOE must ensure integrity of the User Data and the TSF-data during their exchange between the TOE and the terminal connected	OT.DTBS_Integruty_TOE, OT.TOE_TC_SVD_Exp, OT.TOE_TC_VAD_Imp, OT.TOE_TC_DTBS_Imp, OE.HID_TC_VAD_Exp, OE.SCA_TC_DTBS_Exp
OT.Data_Authenticity	The TOE must ensure authenticity of the User Data and the TSF-data stored on it by enabling verification of their authenticity at the terminal-side .The TOE must ensure authenticity of the User Data and the TSF-data during their exchange between the TOE and the terminal connected	OE.HID_TC_VAD_Exp, OT.TOE_SSCD_Auth, OT.TOE_TC_VAD_Imp
OT.Data_Confidentialit y	The TOE must ensure confidentiality of the User Data and the TSF data by granting read access only to the PACE authenticated BIS-PACE connected. The TOE must ensure confidentiality of the User Data and the TSF-data during their exchange between the TOE and the terminal connected	OE.HID_TC_VAD_Exp, OT.TOE_TC_VAD_Imp
OT.Identification	The TOE must provide means to store Initialisation and Pre- Personalisation Data in its non-volatile memory. The Initialisation Data must provide a unique identification of the IC during the manufacturing and the card issuing life cycle phases of the application data requiring PACE usage	No direct link with the composite product security objectives, but this platform security objective is used to endure the security of the composite TOE.
OT.AC_pers	Access Control for Personalisation of TOE and Applicative data	OT.Pre-perso_authentication
OT.Prot_Abuse_Func	The TOE must prevent that functions of the TOE, which may not be used in TOE operational phase, can be abused in order (i) to manipulate or to disclose the User Data stored in the TOE, (ii) to manipulate or to disclose the TSF-data stored in the TOE, (iii) to manipulate (bypass, deactivate or modify) soft-coded security functionality of the TOE	OT.Lifecycle_Security
OT.Prot_Inf_Leak	The TOE must provide protection against disclosure of confidential User Data or/and TSF-data stored and/or processed by the TOE	OT.EMSEC_Design, OT.Tamper_ID, OT.Tamper_Resistance, OT.Sig_Secure

© Copyright Thales Page : 37 / 70

OT.Prot_Phys_Tamper	The TOE must provide protection of confidentiality and integrity	OT.EMSEC_Design,
	of the User Data, the TSF-data and the TOE's Embedded	OT.Tamper_ID,
	Software	OT.Tamper_Resistance
OT.Prot_Malfunction	The TOE must ensure its correct operation. The TOE must	OT.EMSEC_Design,
	prevent its operation outside the normal operating conditions	OT.Tamper_ID,
	where reliability and secure operation have not been proven or	OT.Tamper_Resistance
	tested. This is to prevent functional errors in the TOE	

Table 4: Compatibility with platform PACE Security objectives

The other patch loading objectives (O.SECURE\_LOAD\_ACODE, O.SECURE\_AC\_ACTIVATION, O.TOE\_IDENTIFICATION, O.CONFID-OS-UPDATE.LOAD) of the platform are not relevant for this composite TOE or are directly handle by the Platform itself.

We can therefore conclude that the objectives for the TOE of [ST-IAS] and [ST-PLTF] are consistent.

#### 5.4.4.2 Compatibility between objectives for the environment

OE.SVD\_Auth, OE.CGA\_QCert, OE.SSCD\_Prov\_Service, OE.HID\_VAD, OE.DTBS\_Intend, OE.DTBS\_Protect, OE.Signatory, OE.SCD/SCD\_Auth\_Gen, OE.SCD\_Secrecy, OE.SCD\_Unique, OE.Dev\_Prov\_Service,, OE.CGA\_SSCD\_Auth, OE.CGA\_TC\_SVD\_Imp and OE.SCD\_SVD\_Corresp, OE.HID\_TC\_VAD\_Exp, OE.SCA\_TC\_DTBS\_Exp are objectives specific to [ST-IAS] and they do no conflict with the objectives of [ST-PLTF].

OE.SCP.SUPPORT, OE.SCP.RECOVERY, OE.CARD-MANAGEMENT, OE.PERSONALISATION, OE.TERMINAL OE.USER\_OBLIGATIONS, OE.VERIFICATION, OE.CODE-EVIDENCE and OE.CAP\_FILE are objectives specific to the Java Card platform and they do no conflict with the objectives of [IFX-IC].

We can therefore conclude that the objectives for the environment of [ST-IAS] and [ST-PLTF] are consistent.

#### 5.4.5 Justifications for adding & substitution objectives on the environment

## 5.4.5.1 Additions from the platform

Additional objectives on the environment coming from the platform are: OE.VERIFICATION, OE.CAP\_FILE, OE.CODE-EVIDENCE and OE.PROT\_LOGICAL\_DATA, OE.PERSONALISATION, OE.TERMINAL and OE.USER\_OBLIGATIONS are linked to trust the application installation and execution in the Open platform of the TOF

Therefore the added objectives on the environment do not weaken the TOE.

#### 5.4.5.2 Substitution

Part 5 and part 6 substitute OE.HID\_VAD from the core PP by OE.HID\_TC\_VAD\_Exp and OE.DTBS\_Protect from the core PP by OE.SCA\_TC\_DTBS\_Exp. These do not weaken the TOE.

© Copyright Thales Page : 38 / 70

## 6. EXTENDED COMPONENTS DEFINITION

This ST uses two components defined as extensions to CC part 2:

- FPT\_EMS.1 which is defined in [PP-SSCD-KG] and [PP-SSCD-KI].
- FIA\_API.1 which is defined in [EN-419211-4].

#### 6.1 DEFINITION OF THE FAMILY FPT EMS

The sensitive family FPT\_EMS (TOE Emanation) of the Class FPT (Protection of the TSF) is defined here to describe the IT security functional requirements of the TOE. The TOE shall prevent attacks against the TOE and other secret data where the attack is based on external observable physical phenomena of the TOE. Examples of such attacks are evaluation of TOE's electromagnetic radiation, simple power analysis (SPA), differential power analysis (DPA), timing attacks, etc. This family describes the functional requirements for the limitation of intelligible emanations which are not directly addressed by any other component of CC part 2 [CC-2].

The family "TOE Emanation (FPT\_EMS)" is specified as follows.

Family behaviour

This family defines requirements to mitigate intelligible emanations.

Component levelling:

FPT\_EMS TOE emanation 1

FPT\_EMS.1 TOE emanation has two constituents:

FPT\_EMS.1.1 Limit of Emissions requires to not emit intelligible emissions enabling access to TSF data or user data.

FPT\_EMS.1.2 Interface Emanation requires to not emit interface emanation enabling access to TSF data or user data.

Management: FPT\_EMS.1

There are no management activities foreseen.

Audit: FPT\_EMS.1

There are no actions defined to be auditable.

#### **FPT\_EMS.1 TOE Emanation**

Hierarchical to: No other components Dependencies: No dependencies.

FPT\_EMS.1.1 The TOE shall not emit [assignment: types of emissions] in excess of [assignment: specified

limits] enabling access to [assignment: list of types of TSF data] and [assignment: list of

types of user data].

FPT\_EMS.1.2 The TSF shall ensure [assignment: type of users] are unable to use the following interface

[assignment: type of connection] to gain access to [assignment: list of types of TSF data]

and [assignment: list of types of user data].

© Copyright Thales Page : 39 / 70

## 6.2 DEFINITION OF THE FAMILY FIA API

To describe the IT security functional requirements of the TOE a sensitive family (FIA\_API) of the Class FIA (Identification and authentication) is defined here. This family describes the functional requirements for the proof of the claimed identity for the authentication verification by an external entity where the other families of the class FIA address the verification of the identity of an external entity.

#### FIA\_API Authentication Proof of Identity

Family behaviour

This family defines functions provided by the TOE to prove their identity and to be verified by an external entity in the TOE IT environment.

#### Component levelling:



#### FIA\_API.1 Authentication Proof of Identity:

Management: FIA\_API.1

The following actions could be considered for the management functions in FMT: Management of authentication information used to prove the claimed identity.

activities foreseen.

Audit: There are no actions defined to be auditable.

#### FIA\_API.1 Authentication Proof of Identity

Hierarchical to: No other components Dependencies: No dependencies.

FIA\_API.1.1 The TSF shall provide a [assignment: authentication mechanism] to prove the identity of the

[assignment: authorized user or role].

© Copyright Thales Page : 40 / 70

## 7. SECURITY REQUIREMENTS

#### 7.1 SECURITY FUNCTIONAL REQUIREMENTS FOR THE TOE

This chapter defines the security functional requirements for the TOE using functional requirements components as specified in [PP-SSCD-KI], [PP-SSCD-KG]

and [EN-419211-4] adding an operation of FIA\_UAU.1 and adding SFRs: FIA\_API.1, FDP\_DAU.2/SVD, FTP\_ITC.1/SVD.

and [EN-419211-5] & [EN-419211-6] adding an operation of FIA\_UAU.1 and adding SFRs: FDP\_UIT.1/DTBS, FTP\_ITC.1/VAD and FTP\_ITC.1/DTBS

[ST-PLTF] deals with the security functional requirements of [PP-JCS-Open].

Refinements in this section are underlined when they are PP refinements and in bold characters when they are additional ones.

For this section, a presentation choice has been selected. Each SFR present a table with different type of algorithms treated. For each case, there is no distinction regarding the technical objectives fulfilled by each row on the table (thus algorithm family). The technical objectives are the same disregarding this differentiation.

## 7.1.1 Class Cryptographic Support (FCS)

### FCS\_CKM.1/SCD Cryptographic key generation for SCD/SVD pair

Hierarchical to: No other components

Dependencies: [FCS\_COP.1 Cryptographic operation]

FCS CKM.4 Cryptographic key destruction

FCS\_CKM.1.1

/SCD

The TSF shall generate <u>SCD/SVD pair</u> in accordance with a specified cryptographic key generation algorithm [assignment: cryptographic key generation algorithm] and specified cryptographic key sizes [assignment: cryptographic key sizes] that meet the following: [assignment: list of standards].

Algorithm type	algorithm	Key size	standards
/RSA	RSA CRT key generation	1024, 1536, 2048,3072,4096	ANSI X9.31
/ECC	ECC key generation	160, 224, 256, 384, 512, 521	ANSI X9.62

Table 5: FCS CKM.1/SCD iteration explanation

Application note: part 2 only [PP-SSCD-KG].

Application note:

FCS\_CKM.1/SCD is named FCS\_CKM.1 in [PP-SSCD-KG]. This naming clarified the purpose of the SFR and allows for the introduction of FCS\_CKM.1/SCD.

© Copyright Thales Page : 41 / 70

#### FCS CKM.1/Session Cryptographic key generation for session keys

Hierarchical to: No other components

Dependencies: [FCS COP.1 Cryptographic operation]

FCS\_CKM.4 Cryptographic key destruction

FCS\_CKM.1.1 /Session The TSF shall generate cryptographic keys in accordance with a specified cryptographic key generation algorithm [assignment: cryptographic key generation algorithm] and specified cryptographic key sizes [assignment: cryptographic key sizes] that meet the

following: [assignment: list of standards].

Algorithm type	algorithm	Key size	standards
/TDES	TDES session key generation	112	[ISO7816], [PKCS#3] DH.
/AES	AES session key generation	128, 192, 256	[ISO7816], [PKCS#3] DH, [IEEE-P1363] ECDH, [IEEE-P1363] ECDHC

Table 6: FCS\_CKM.1/Session iteration explanation

#### FCS\_CKM.4/SCD Cryptographic key destruction

Hierarchical to: No other components

Dependencies: [FDP\_ITC.1 Import of user data without security attributes, or

FDP ITC.2 Import of user data with security attributes, or

FCS\_CKM.1 Cryptographic key generation]

FCS\_CKM.4.1 /SCD The TSF shall destroy cryptographic keys in accordance with a specified cryptographic key destruction method: **method from the underlying platform** that meets the following: **No standard** 

Algorithm type	when
/RSA	new SCD generation or import /signer's will
/ECC	new SCD generation or import /signer's will

Table 7: FCS\_CKM.4 iteration explanation

Application note: part 2 only [PP-SSCD-KG].

Application note:

FCS\_CKM.4/SCD is named FCS\_CKM.4 in [PP-SSCD-KG]. This naming clarified the purpose of the SFR and allows for the introduction of FCS\_CKM.4/SCD.

#### FCS\_CKM.4/Session Cryptographic key destruction

Hierarchical to: No other components

Dependencies: [FDP\_ITC.1 Import of user data without security attributes, or

FDP\_ITC.2 Import of user data with security attributes, or

FCS\_CKM.1 Cryptographic key generation]

FCS\_CKM.4.1 The TSF shall destroy cryptographic keys in accordance with a specified cryptographic key destruction method: **method from the underlying platform** that meets the following: **No** 

standard.

Algorithm type	when
/TDES	End of session
/AES	End of session

Table 8: FCS\_CKM.4/Session iteration explanation FCS\_COP.1/DSC Cryptographic operation – Digital Signature Creation

© Copyright Thales Page : 42 / 70

Hierarchical to: No other components

Dependencies: [FDP\_ITC.1 Import of user data without security attributes, or

FDP\_ITC.2 Import of user data with security attributes, or

FCS\_CKM.1 Cryptographic key generation] FCS\_CKM.4 Cryptographic key destruction

FCS\_COP.1.1 /DSC The TSF shall perform <u>digital signature creation</u> in accordance with a specified

cryptographic algorithm [assignment: cryptographic algorithm] and cryptographic key sizes

[assignment: cryptographic key sizes] that meet the following: [assignment: list of

standards].

Algorithm type	operation	algorithm	key size	standards
/DSC-RSA	signature	RSA CRT	1024, 1536, 2048, 3072, and 4096	[ISO9796-2] RSA SHA PKCS#1 v1.5 RSA PSS SHA PKCS#1
/DSC-ECC	signature	ECC	224, 256, 384, 512, and 521	[TR-03111] ECDSA SHA

Table 9: FCS\_COP.1/DSC iteration explanation

Application note: part 2 only [PP-SSCD-KG].

Application note:

FCS\_COP.1/DSC is named FCS\_COP.1 in [PP-SSCD-KG]. This naming clarified the purpose of the SFR and allows for the introduction of FCS\_COP.1/DSC.

#### FCS\_COP.1/Session Cryptographic operation - Other operations

Hierarchical to: No other components

Dependencies: [FDP\_ITC.1 Import of user data without security attributes, or

FDP\_ITC.2 Import of user data with security attributes, or

FCS\_CKM.1 Cryptographic key generation] FCS\_CKM.4 Cryptographic key destruction

FCS\_COP.1.1 The TSF shall perform [assignment: cryptographic operations] in accordance with a

specified cryptographic algorithm [assignment: cryptographic algorithm] and cryptographic key sizes [assignment: cryptographic key sizes] that meet the following: [assignment: list of

standards].

Algorithm type	operation	algorithm	key size	standards
	F	TDEC	440	[00000 07]
/ENC-TDES	Encryption & decryption	TDES	112	[SP800-67]
/ENC-AES	Encryption & decryption	AES	128, 192, 256	[FIPS197] AES 128 NOPAD
/MAC-TDES	MAC computation & Verification	TDES	112	[SP800-67] [ISO9797-1] DES MAC ISO9797-1 M2
/MAC-AES	MAC computation & Verification	AES	128,192, 256	[FIPS197] AES 128 NOPAD

Table 10: FCS\_COP.1/Session 'Other operations' iteration explanation

© Copyright Thales Page : 43 / 70

#### 7.1.2 Class FDP User Data Protection

The security attributes and related status for the subjects and objects are:

Subject or object the security attribute is associated with	Security attribute type	Value of the security attribute
S.User	Role	R.Admin - S.User acts as S.Admin
		R.Sigy - S.User acts as S.Sigy
S.User	SCD / SVD Management	Authorised, not authorised
SCD	SCD Operational	No, yes
SCD	SCD identifier	arbitrary value
SVD	No security attribute	NA

Table 11: Subjects and security attributes for access control

#### FDP\_ACC.1/Signature\_Creation Subset access control

Hierarchical to: No other components

Dependencies: FDP\_ACF.1 Security attribute based access control

FDP\_ACC.1.1 The TSF shall enforce the <u>Signature Creation SFP</u> to objects based on the following:

/Signature Creation 1. Subjects: S.User,

2. Objects: DTBS/R, SCD

3. Operations: signature creation.

#### FDP\_ACF.1/Signature\_Creation Security attribute based access control

Hierarchical to: No other components

Dependencies: FDP\_ACC.1 Subset access control

FMT MSA.3 Static attribute initialization

FDP ACF.1.1 The TSF shall enforce the <u>Signature Creation SFP</u> to objects based on the following:

/Signature\_Creation 1. the user S.User is associated with the security attribute "Role" and.

2. the SCD with the security attribute "SCD Operational"

FDP\_ACF.1.2 The TSF shall enforce the following rules to determine if an operation among

/Signature\_Creation controlled subjects and controlled objects is allowed:

R.Sigy is allowed to create electronic signatures for DTBS/R with SCD which security

attribute "SCD operational" is set to "yes",

FDP\_ACF.1.3 The TSF shall explicitly authorize access of subjects to objects based on the following

/Signature\_Creation additional rules: none.

FDP ACF.1.4 The TSF shall explicitly deny access of subjects to objects based on the following

/Signature Creation additional rules:

S.User is not allowed to create electronic signatures for DTBS/R with SCD which

security attribute "SCD operational" is set to "no".

#### FDP\_ACC.1/SCD/SVD\_Generation Subset access control

Hierarchical to: No other components

Dependencies: FDP\_ACF.1 Security attribute based access control

FDP\_ACC.1.1 The TSF shall enforce the <u>SCD/SVD Generation SFP</u> to objects based on the /SCD/SVD Generation following:

Subjects: S.User,
 Objects: SCD, SVD

3. Operations: generation of SCD/SVD pair.

Application note: part 2 only [PP-SSCD-KG].

#### FDP\_ACF.1/SCD/SVD\_Generation Security attribute based access control

Hierarchical to: No other components

© Copyright Thales Page : 44 / 70

Dependencies: FDP ACC.1 Subset access control

FMT MSA.3 Static attribute initialization

FDP\_ACF.1.1 The TSF shall enforce the SCD/SVD Generation SFP to objects based on the

following: the user S.User is associated with the security attribute "SCD/SVD /SCD/SVD Generation

Management".

FDP ACF.1.2

The TSF shall enforce the following rules to determine if an operation among

controlled subjects and controlled objects is allowed: /SCD/SVD\_Generation

S.User with the security attribute "SCD/SVD Management" set to "authorized" is

allowed to generate SCD/SVD pair,

FDP\_ACF.1.3

The TSF shall explicitly authorize access of subjects to objects based on the

following additional rules: none. /SCD/SVD\_Generation

FDP ACF.1.4 /SCD/SVD Generation The TSF shall explicitly deny access of subjects to objects based on the following

additional rules:

S.User with the security attribute "SCD/SVD management" set to "not authorised" is

not allowed to generate SCD/SVD pair.

Application note: part 2 only [PP-SSCD-KG].

#### FDP ACC.1/SVD Transfer Subset access control

Hierarchical to: No other components

Dependencies: FDP\_ACF.1 Security attribute based access control

FDP ACC.1.1 The TSF shall enforce the <u>SVD Transfer SFP</u> to objects based on the following:

/SVD\_Transfer

1. Subjects: S.User,

2. Objects: SVD

3. Operations: export.

Application note: part 2 only [PP-SSCD-KG].

#### FDP ACF.1/SVD Transfer Security attribute based access control

No other components Hierarchical to:

Dependencies: FDP ACC.1 Subset access control

FMT\_MSA.3 Static attribute initialization

The TSF shall enforce the SVD Transfer SFP to objects based on the following: FDP ACF.1.1

1. the S.User is associated with the security attribute Role /SVD\_Transfer

the SVD.

The TSF shall enforce the following rules to determine if an operation among controlled FDP ACF.1.2

subjects and controlled objects is allowed: /SVD\_Transfer

R.Admin or R.Sigy is allowed to export SVD,

The TSF shall explicitly authorize access of subjects to objects based on the following FDP ACF.1.3

additional rules: none. /SVD\_Transfer

The TSF shall explicitly deny access of subjects to objects based on the following additional FDP ACF.1.4

/SVD Transfer rules: none

Application note: part 2 only [PP-SSCD-KG].

© Copyright Thales Page: 45 / 70

#### FDP ACC.1/SCD Import Subset access control

Hierarchical to: No other components

Dependencies: FDP\_ACF.1 Security attribute based access control

FDP ACC.1.1 The TSF shall enforce the <u>SCD Import SFP</u> to objects based on the following:

/SCD\_Import 1. Subjects: S.User,

2. Objects: SCD

Operations: import of SCD.

Application note: part 3 only [PP-SSCD-KI].

The TOE shall meet the requirement "Security attribute based access control (FDP\_ACF.1)" as specified below (Common Criteria Part 2).

#### FDP\_ACF.1/SCD\_Import Security attribute based access control

Hierarchical to: No other components

Dependencies: FDP ACC.1 Subset access control

FMT MSA.3 Static attribute initialization

FDP ACF.1.2 The TSF shall enforce the following rules to determine if an operation among controlled

/SCD\_Import subjects and controlled objects is allowed:

S.User with the security attribute "SCD/SVD Management" set to "authorised" is allowed to

import SCD,

FDP ACF.1.3 The TSF shall explicitly authorize access of subjects to objects based on the following

/SCD Import additional rules: none.

FDP ACF.1.4 The TSF shall explicitly deny access of subjects to objects based on the following additional

/SCD\_Import rules

S.User with the security attribute "SCD/SVD management" set to "not authorised" is not

allowed to import SCD.

Application note: part 3 only [PP-SSCD-KI].

#### FDP\_DAU.2/SVD Data Authentication with Identity of Guarantor

Hierarchical to: FDP\_DAU.1 Basic Data Authentication Dependencies: FIA\_UID.1 Timing of identification

FDP DAU.2.1 The TSF shall provide a capability to generate evidence that can be used as a guarantee

/SVD of the validity of SVD.

FDP DAU.2.2 The TSF shall provide CGA with the ability to verify evidence of the validity of the indicated

/SVD information and the identity of the user that generated the evidence.

Application note: Part 4 extension [EN-419211-4] related to core PP key generation [PP-SSCD-KG]..

© Copyright Thales Page : 46 / 70

#### FDP ITC.1/SCD Import of user data without security attributes

Hierarchical to: No other components

Dependencies: [FDP\_ACC.1 Subset access control,]

FMT\_MSA.3 Static attribute initialization

FDP ITC.1.1 /SCD The TSF shall enforce the SCD Import SFP when importing user data, controlled under the

SFP, from outside of the TOE.

FDP\_ITC.1.2 /SCD The TSF shall ignore any security attributes associated with the <u>SCD</u> when imported from

outside the TOE.

FDP ITC.1.3/SCD The TSF shall enforce the following rules when importing user data controlled under the

SFP from outside the TOE: none.

Application note: part 3 only [PP-SSCD-KI].

#### FDP RIP.1 Subset residual information protection

Hierarchical to: No other components
Dependencies: No dependency

FDP RIP.1.1 The TSF shall ensure that any previous information content of a resource is made

unavailable upon the de-allocation of the resource from the following objects: SCD,

The following data persistently stored by TOE have the user data attribute "integrity checked persistent stored data":

1. SCD

2. SVD (if persistent stored by TOE).

The DTBS/R temporarily stored by TOE has the user data attribute "integrity checked stored data":

#### FDP\_SDI.2/Persistent Stored data integrity monitoring and action

Hierarchical to: FDP\_SDI.1
Dependencies: No dependency

FDP\_SDI.2.1/Persistent The TSF shall monitor user data stored in containers controlled by the TSF for integrity error

on all objects, based on the following attributes: integrity checked persistent stored data.

FDP SDI.2.2/Persistent Upon detection of a data integrity error, the TSF shall:

prohibit the use of the altered data
 inform the S.Sigy about integrity error.

#### FDP\_SDI.2/DTBS Stored data integrity monitoring and action

Hierarchical to: FDP\_SDI.1
Dependencies: No dependency

FDP SDI.2.1/DTBS The TSF shall monitor user data stored in containers controlled by the TSF for integrity

error on all objects, based on the following attributes: integrity checked stored DTBS.

FDP SDI.2.2/DTBS Upon detection of a data integrity error, the TSF shall:

prohibit the use of the altered data
 inform the S.Sigy about integrity error.

#### FDP\_UCT.1/SCD Basic data exchange confidentiality

Hierarchical to: No other components

Dependencies: [FDP\_ACC.1 Subset access control]

[FTP\_ITC.1 Inter-TSF trusted channel, or

FTP\_TRP.1 Trusted path]

FDP\_UCT.1.1/SCD The TSF shall enforce the <u>SCD Import SFP</u> to <u>receive</u> **SCD** in a manner protected

from unauthorized disclosure.

Application note: part 3 only [PP-SSCD-KI].

## FDP\_UIT.1/DTBS Inter-TSF trusted channel – TC Human Interface Device

© Copyright Thales Page : 47 / 70

Hierarchical to: No other components

Dependencies: [FDP\_ACC.1 Subset access control]

[FTP\_ITC.1 Inter-TSF trusted channel, or

FTP\_TRP.1 Trusted path]

FDP\_UIT.1.1/DTBS The TSF shall enforce the Signature Creation SFP to receive user data in a manner

protected from modification and insertion errors.

FDP\_UIT.1.2/DTBS The TSF shall be able to determine on receipt of user data, whether modification and

insertion has occurred.

Application note: Part 5 extension [EN-419211-5] related to core PP key generation [PP-SSCD-KG] and Part 6 extension [EN-419211-6] related to core PP key importation [PP-SSCD-KI].

#### 7.1.3 Class FIA Identification and Authentication

#### FIA AFL.1/SIG Authentication failure handling

Hierarchical to: No other components

Dependencies: FIA\_UAU.1 Timing of authentication

FIA\_AFL.1.1/SIG The TSF shall detect when [3] unsuccessful authentication attempts occur related to

consecutive failed authentication attempts.

FIA AFL.1.2/SIG When the defined number of unsuccessful authentication attempts has been met, the TSF

shall block RAD.

Note: PIN or BioPIN could be used for user authentication.

# FIA\_AFL.1/PERSO Authentication failure handling during pre-personalization and personalization phases

Hierarchical to: No other components

Dependencies: FIA\_UAU.1 Timing of authentication

FIA\_AFL.1.1/PERSO The TSF shall detect when [Number in Table 12] unsuccessful authentication attempts

occurs related to authentication attempts.

FIA\_AFL.1.2/PERSO When the defined number of unsuccessful authentication attempts has been met, the

TSF shall block key.

Auth type	Number	Actions
GP	3	Block GP authentication.

Table 12: FIA\_AFL.1/PERSO refinements

## FIA\_API.1 Authentication Proof of Identity

Hierarchical to: No other components Dependencies: No dependencies.

FIA\_API.1.1 The TSF shall provide a **mutual authentication** to prove the identity of the <u>SSCD</u>.

Application note: Part 4 extension [EN-419211-4] related to core PP key generation [PP-SSCD-KG]..

© Copyright Thales Page : 48 / 70

#### FIA UAU.1/PERSO Timing of authentication

Hierarchical to: No other components

Dependencies: FIA\_UID.1 Timing of identification

FIA UAU.1.1/PERSO The TSF shall allow

1. Identification of the user by means of TSF required by FIA\_UID.1.

No other action.

on behalf of the user to be performed before the user is authenticated.

FIA\_UAU.1.2/PERSO The TSF shall require each user to be successfully authenticated before allowing any

other TSF-mediated actions on behalf of that user.

Application note:

In pre-personalisation, the TSF shall allow no action to be performed before user is authenticated.

#### FIA\_UAU.1/SIG Timing of authentication

Hierarchical to: No other components

Dependencies: FIA\_UID.1 Timing of identification

FIA\_UAU.1.1 The TSF shall allow

/SIG

- 1. Self test according to FPT TST.1.
- Identification of the user by means of TSF required by FIA\_UID.1.
- establishing a trusted channel between the CGA and the TOE by means of TSF required by FTP\_ITC.1/SVD
- 4. <u>establishing a trusted channel between the HID and the TOE by means of TSF required by FTP\_ITC.1/VAD</u>
- 5. **None**.

on behalf of the user to be performed before the user is authenticated.

FIA\_UAU.1.2 The TSF shall require each user to be successfully authenticated before allowing any other

/SIG TSF-mediated actions on behalf of that user.

Application note:

The TSF shall allow no Signature generation related action to be performed before user is authenticated. That means that other actions, not specifically related to the Signature creation, may be performed before user is authenticated.

Application note: Part 4 extension [EN-419211-4], Part 5 extension [EN-419211-5] and Part 6 extension [EN-419211-6] add operations on FIA-UAU.1/SIG.

#### FIA\_UID.1/PERSO Timing of identification

Hierarchical to: No other components
Dependencies: No dependencies

FIA UID.1.1/PERSO The TSF shall allow

No action.

on behalf of the user to be performed before the user is identified.

FIA\_UID.1.2/PERSO The TSF shall require each user to be successfully identified before allowing any other

TSF-mediated actions on behalf of that user.

© Copyright Thales Page : 49 / 70

#### FIA UID.1/SIG Timing of identification

Hierarchical to: No other components

Dependencies: FDP\_DAU.2/SVD Data Authentication with Identity of

Guarantor

FIA UID.1.1/SIG The TSF shall allow

1. Self test according to FPT TST.1.

2. No other Signature generation related action.

on behalf of the user to be performed before the user is identified.

FIA\_UID.1.2/SIG The TSF shall require each user to be successfully identified before allowing any other

TSF-mediated actions on behalf of that user.

## 7.1.4 Class FMT Security Management

#### FMT MOF.1 Management of security functions behaviour

Hierarchical to: No other components
Dependencies: FMT SMR.1 Security roles.

FMT\_SMF.1 Specification of Management functions

FMT\_MOF.1.1 The TSF shall restrict the ability to enable the signature-creation function to R.Sigy.

#### FMT\_MSA.1/Signatory Management of security attributes

Hierarchical to: No other components

Dependencies: [FDP\_ACC.1 Subset access control]

FMT\_SMR.1 Security roles

FMT\_SMF.1 Specification of Management functions

FMT MSA.1.1/Signatory The TSF shall enforce the Signature-creation SFP to restrict the ability to modify

the security attributes SCD operational to R.Sigy.

#### FMT\_MSA.1/AdminKG Management of security attributes

Hierarchical to: No other components

Dependencies: [FDP\_ACC.1 Subset access control]

FMT\_SMR.1 Security roles

FMT\_SMF.1 Specification of Management functions

FMT\_MSA.1.1/AdminKG The TSF shall enforce the SCD/SVD\_Generation\_SFP to restrict the ability to

modify the security attributes <u>SCD / SVD management</u> to <u>R.Admin</u>.

Application note: part 2 only [PP-SSCD-KG].

#### FMT\_MSA.1/AdminKI Management of security attributes

Hierarchical to: No other components

Dependencies: [FDP\_ACC.1 Subset access control]

FMT\_SMR.1 Security roles

FMT SMF.1 Specification of Management functions

FMT\_MSA.1.1/AdminKI The TSF shall enforce the SCD\_Import\_SFP to restrict the ability to modify the

security attributes SCD / SVD management to R.Admin.

Application note: part 3 only [PP-SSCD-KI].

#### FMT\_MSA.2 Secure security attributes

Hierarchical to: No other components

© Copyright Thales Page : 50 / 70

Dependencies: [FDP ACC.1 Subset access control]

FMT\_MSA.1 Management of security attributes

FMT\_SMR.1 Security roles

FMT\_MSA.2.1 The TSF shall ensure that only secure values are accepted for <u>SCD / SVD Management and</u>

SCD operational.

#### FMT\_MSA.3/Keygen Static attribute initialization

Hierarchical to: No other components

Dependencies: FMT\_MSA.1 Management of security attributes

FMT\_SMR.1 Security roles

FMT\_MSA.3.1/Keygen The TSF shall enforce the <u>SCD/SVD\_Generation\_SFP</u>, <u>SVD\_Transfer\_SFP and</u>

Signature-creation\_SFP to provide restrictive default values for security attributes

that are used to enforce the SFP.

FMT\_MSA.3.2/Keygen The TSF shall allow the R.Admin to specify alternative initial values to override the

default values when an object or information is created.

Application note: part 2 only [PP-SSCD-KG].

## FMT\_MSA.3/KeyImport Static attribute initialization

Hierarchical to: No other components

Dependencies: FMT MSA.1 Management of security attributes

FMT SMR.1 Security roles

FMT\_MSA.3.1/KeyImport The TSF shall enforce the SCD\_Import\_SFP and Signature-creation\_SFP to

provide restrictive default values for security attributes that are used to enforce the

SFP.

FMT\_MSA.3.2/KeyImport The TSF shall allow the R.Admin to specify alternative initial values to override the

default values when an object or information is created.

Application note: part 3 only [PP-SSCD-KI].

#### FMT\_MSA.4/Keygen Static attribute value inheritance

Hierarchical to: No other components

Dependencies: [FDP ACC.1 Subset access control]

FMT\_MSA.4.1/Keygen The TSF shall use the following rules to set the value of security attributes:

1. If S.Admin successfully generates an SCD/SVD pair without S.Sigy being authenticated the security attribute "SCD operational of the SCD" shall be set to "no" as a single operation.

2. <u>If S.Sigy successfully generates an SCD/SVD pair the security attribute "SCD operational of the SCD" shall be set to "yes" as a single operation.</u>

Application note: part 2 only [PP-SSCD-KG].

© Copyright Thales Page : 51 / 70

#### FMT MSA.4/KeyImport Static attribute value inheritance

Hierarchical to: No other components

Dependencies: [FDP\_ACC.1 Subset access control]

FMT\_MSA.4.1/KeyImport The TSF shall use the following rules to set the value of security attributes:

- 1. <u>If S.Admin imports SCD while S.Sigy is not currently authenticated, the security attribute "SCD operational" of the SCD shall be set to "no" after import of the SCD as a single operation.</u>
- 2. <u>If S.Admin imports SCD while the S.Sigy is currently authenticated, the security attribute "SCD operational" of the SCD shall be set to "yes" after import of the SCD as a single operation.</u>

Application note: part 3 only [PP-SSCD-KI].

#### FMT\_MTD.1/Admin Management of TSF data

Hierarchical to: No other components
Dependencies: FMT SMR.1 Security roles

FMT\_SMF.1 Specification of management functions

FMT\_MTD.1.1/Admin The TSF shall restrict the ability to <u>create</u> the <u>RAD</u> to <u>R.Admin</u>.

#### FMT\_MTD.1/Signatory Management of TSF data

Hierarchical to: No other components
Dependencies: FMT\_SMR.1 Security roles

FMT\_SMF.1 Specification of management functions

FMT MTD.1.1/Signatory The TSF shall restrict the ability to modify the RAD to S.Sigv.

### FMT\_SMF.1 Specification of management functions

Hierarchical to: No other components
Dependencies: No dependencies

FMT\_SMF.1.1 The TSF shall be capable of performing the following security management functions:

- 1. Creation and modification of RAD.
- 2. Enabling the signature-creation function.
- 3. Modification of the security attribute SCD/SVD management, SCD operational.
- 4. Change the default value of the security attribute SCD Identifier.
- 5. No other security management function.

#### **FMT SMR.1 Security roles**

Hierarchical to: No other components

Dependencies: FIA\_UID.1 Timing of identification

FMT\_SMR.1.1 The TSF shall maintain the roles <u>R.Admin and R.Sigy</u> FMT\_SMR.1.2 The TSF shall be able to associate users with roles.

© Copyright Thales Page : 52 / 70

### 7.1.5 Class FPT Protection of the Security Functions

#### **FPT\_EMS.1 TOE Emanation**

Hierarchical to: No other components Dependencies: No dependencies

FPT\_EMS.1.1 The TOE shall not emit [electromagnetic and current emissions] in excess of [intelligible

threshold] enabling access to RAD and SCD.

FPT\_EMS.1.2 The TSF shall ensure [unauthorized users] are unable to use the following interface: smart

card circuit contacts to gain access to RAD and SCD.

### FPT\_FLS.1 Failure with preservation of secure state

Hierarchical to: No other components
Dependencies: No dependencies

FPT FLS.1.1 The TSF shall preserve a secure state when the following types of failures occur:

1. self-test according to FPT\_TST fails.

2. [No other failure].

#### FPT\_PHP.1 Passive detection of physical attack

Hierarchical to: No other components
Dependencies: No dependencies

FPT\_PHP.1.1 The TSF shall provide unambiguous detection of physical tampering that might compromise

the TSF.

FPT\_PHP.1.2 The TSF shall provide the capability to determine whether physical tampering with the TSF's

devices or TSF's elements has occurred.

### FPT\_PHP.3 Resistance to physical attack

Hierarchical to: No other components
Dependencies: No dependencies

FPT\_PHP.3.1 The TSF shall resist [clock frequency, voltage tampering and penetration of protection

layer] to the [integrated circuit] by responding automatically such that the SFRs are always

enforced.

#### FPT\_TST.1 TSF testing

Hierarchical to: No other components
Dependencies: No dependencies

FPT TST.1.1 The TSF shall run a suite of self tests [see Table 13: conditions triggering tests] to

demonstrate the correct operation of the TSF.

FPT TST.1.2 The TSF shall provide authorized users with the capability to verify the integrity of <u>TSF data</u>.

FPT\_TST.1.3 The TSF shall provide authorized users with the capability to verify the integrity of <u>TSF</u>.

Conditions under which self test should occur	Description of the self test
During initial start-up	RNG live test, sensor test, FA detection, Integrity Check of NVM ES
Periodically	RNG monitoring, sensor test, FA detection
After cryptographic computation	FA detection
Before any use or update of TSF data	FA detection, Integrity Check of related TSF data

Table 13: conditions triggering tests

© Copyright Thales Page : 53 / 70

#### 7.1.6 Class FTP Trusted Path/Channel

#### FTP\_ITC.1/SCD\_import Inter-TSF trusted Channel

Hierarchical to: No other components Dependencies: No dependencies

FTP\_ITC.1.1/SCD The TSF shall provide a communication channel between itself and another trusted

import IT product that is logically distinct from other communication channels and provides assured identification of its end points and protection of the channel data from

modification or disclosure.

the trusted channel.

1. <u>Data exchange integrity according to FDP\_UCT.1/SCD.</u>

2. [None].

Application note: part 3 only [PP-SSCD-KI].

#### FTP\_ITC.1/SVD Inter-TSF trusted Channel

Hierarchical to: No other components Dependencies: No dependencies

FTP\_ITC.1.1/SVD The TSF shall provide a communication channel between itself and another trusted IT

product <u>CGA</u> that is logically distinct from other communication channels and provides assured identification of its end points and protection of the channel data from modification

or disclosure.

FTP ITC.1.2/SVD The TSF shall permit another trusted IT product to initiate communication via the trusted

channel.

FTP ITC.1.3/SVD The TSF or the CGA shall initiate communication via the trusted channel for

1. Data authentication with Identity of Guarantor according to FIA\_API.1 and FDP DAU.2/SVD,

2. [None].

Application note: Part 4 extension [EN-419211-4] related to core PP key generation [PP-SSCD-KG]..

#### FTP ITC.1/VAD Inter-TSF trusted channel - TC Human Interface Device

Hierarchical to: No other components Dependencies: No dependencies

FTP\_ITC.1.1/VAD The TSF shall provide a communication channel between itself and another trusted IT

product <u>HID</u> that is logically distinct from other communication channels and provides assured identification of its end points and protection of the channel data from modification

or disclosure.

FTP\_ITC.1.2/VAD The TSF shall permit the remote trusted IT product to initiate communication via the

trusted channel.

FTP ITC.1.3/VAD The TSF or the HID shall initiate communication via the trusted channel for

1. <u>User authentication according to FIA\_UAU.1/SIG,</u>

2. [None].

Application note: Part 5 extension [EN-419211-5] related to core PP key generation [PP-SSCD-KG] and Part 6 extension [EN-419211-6] related to core PP key importation [PP-SSCD-KI].

### FTP\_ITC.1/ DTBS Inter-TSF trusted channel - Signature creation Application

Hierarchical to: No other components

© Copyright Thales Page : 54 / 70

Dependencies: No dependencies

FTP\_ITC.1.1/DTBS The TSF shall provide a communication channel between itself and another trusted IT

product <u>SCA</u> that is logically distinct from other communication channels and provides assured identification of its end points and protection of the channel data from

modification or disclosure.

FTP\_ITC.1.2/DTBS The TSF shall permit the remote trusted IT product to initiate communication via the

trusted channel.

FTP\_ITC.1.3/DTBS The TSF or the SCA shall initiate communication via the trusted channel for

signature creation,,,

2. [None].

Application note: Part 5 extension [EN-419211-5] related to core PP key generation [PP-SSCD-KG] and Part 6 extension [EN-419211-6] related to core PP key importation [PP-SSCD-KI].

#### 7.2 SECURITY ASSURANCE REQUIREMENTS FOR THE TOE

The SAR for the evaluation of the TOE and its development and operating environment are those taken from the Evaluation Assurance Level 5 (EAL5) and augmented by taking the following components: ALC\_DVS.2, and AVA\_VAN.5.

#### 7.3 SECURITY REQUIREMENTS RATIONALE

#### 7.3.1 SFR and PP

Requirements	[PP-SSCD-KG]	[PP-SSCD-KI]	additions	[EN-419211-4]	[EN-419211-5]	[EN-419211-6]
FCS_CKM.1/SCD	Χ					
FCS_CKM.1/Session			Χ			
FCS_CKM.4/SCD	Χ					
FCS_CKM.4/Session			Χ			
FCS_COP.1/DSC	Χ	Χ				
FCS_COP.1/Session			Χ			
FDP_ACC.1/Signature-creation	Χ	Χ				
FDP_ACF.1/Signature-creation	Χ	Χ				
FDP_ACC.1/SCD/SVD_Generation	Χ					
FDP_ACF.1/SCD/SVD_Generation	Χ					
FDP_ACC.1/SVD transfer SFP	Χ					
FDP_ACF.1/SVD transfer SFP	Χ					
FDP_ACC.1/SCD import SFP		Χ				
FDP_ACF.1/SCD import SFP		Χ				
FDP_ITC.1/SCD		Χ				
FDP_RIP.1	Χ	Χ				
FDP_SDI.2/Persistent	Χ	Χ				
FDP_SDI.2/DTBS	Χ	Χ				
FDP_UIT.1/DTBS					Χ	Х
FDP_DAU.2/SVD				Χ		
FDP_UCT.1/SCD		Χ				
FIA_AFL.1/PERSO			Χ			

© Copyright Thales Page : 55 / 70

Requirements	[PP-SSCD-KG]	[PP-SSCD-KI]	additions	EN-419211-4]	EN-419211-5]	EN-419211-6]
	PP.	PP.	ıddi		Ż	Ż
FIA_AFL.1/SIG	X	X	- (U	]		
FIA_API.1				Χ		
FIA_UAU.1/PERSO			Χ			
FIA_UAU.1/SIG	Х	Χ		Χ	Χ	Х
FIA_UID.1/PERSO			Χ			
FIA_UID.1/SIG	Χ	Χ				
FMT_MOF.1	Χ	Χ				
FMT_MSA.1/Signatory	Х	Χ				
FMT_MSA.1/AdminKG	Х					
FMT_MSA.1/AdminKI		Χ				
FMT_MSA.2	Χ	Χ				
FMT_MSA.3/Keygen	Х					
FMT_MSA.3/KeyImport		Χ				
FMT_MSA.4/Keygen	Х					
FMT_MSA.4/KeyImport		Χ				
FMT_MTD.1/Admin	Χ	Χ				
FMT_MTD.1/Signatory	Х	Χ				
FMT_SMF.1	Х	Χ				
FMT_SMR.1	Χ	Χ				
FPT_EMS.1	Х	Χ				
FPT_FLS.1	Х	Χ				
FPT_PHP.1	Х	Χ				
FPT_PHP.3	Χ	Χ				
FPT_TST.1	Х	Χ				
FTP_ITC.1/SCD_import		Χ				
FTP_ITC.1/SVD				Χ		
FTP_ITC.1/VAD					Χ	Χ
FTP_ITC.1/DTBS					Χ	Χ

Table 14: PP vs. SFR rationale

© Copyright Thales Page : 56 / 70

## 7.3.2 Security Functional Requirements Rationale

## 7.3.2.1 <u>Security objectives for the TOE</u>

FCS_CKM.1/SCD         X         X         X         X         X         X         CS_CKM.1/Session         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X	Requirements	OT.Lifecycle_Security	OT.SCD_Secrecy	OT.Sig_Secure	OT.Sigy_SigF	OT.DTBS_Integrity_TOE	OT.EMSEC_Design	OT.Tamper_ID	OT.Tamper_Resistance	OT.SCD/SVD_Auth_Gen (Part 2 only)	OT.SCD_Unique (Part 2 only)	OT.SCD_SVD_Corresp (Part 2 only)	OT.SCD_Auth_Imp (Part 3 only)	OT.Pre-perso_authentication	OT.TOE_SSCD_Auth (part 4)	OT.TOE_TC_SVD_Exp (part 4)	OE_TC_VAD_Imp (part 5&6)	
FCS_CKM.1/SCD         X         X         X         X         X         X         CS_CKM.1/Session         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X		)T.L	S.T.S	S.T.S	S.T.S	J.T.C	OT.E	T.TC	T.TC	OT.S	OT.S	OT.S	OT.S	JT.F	T.TC	T.TC	T.TC	DT.T
FCS_CKM.4/SCD         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         <	FCS_CKM.1/SCD	_	X		J			O	J	J		Х			Ŭ	Ŭ	Ŭ	
FCS_CKM.4/Session         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X	FCS_CKM.1/Session	Χ												Χ				
FCS_COP.1/DSC         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         <	FCS_CKM.4/SCD	Χ	Χ															
FCS_COP.1/Session         X         X         X         X         FDP_ACC.1/Signature-creation         X         X         X         X         X         FDP_ACF.1/Signature-creation         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X	FCS_CKM.4/Session	Х												Χ				
FDP_ACC.1/Signature-creation         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X	FCS_COP.1/DSC	Χ		Χ														
FDP_ACF.1/Signature-creation         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X														Χ				
FDP_ACC.1/SCD/SVD_Generation         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X	FDP_ACC.1/Signature-creation	Χ			Χ													
FDP_ACF.1/SCD/SVD_Generation         X         X         X         X         X         FDP_ACC.1/SVD transfer         X         X         X         X         X         FDP_ACF.1/SVD transfer         X         X         X         X         FDP_ACF.1/SCD import         X         X         X         FDP_ACF.1/SCD import         X         X         X         FDP_ITC.1/SCD import         X         X         X         FDP_ITC.1/SCD import         X         X         X         Import import         X         X         Import import import         X         X         Import	FDP_ACF.1/Signature-creation	Χ			Χ													
FDP_ACC.1/SVD transfer         X           FDP_ACF.1/SVD transfer         X           FDP_ACC.1/SCD import         X           FDP_ACF.1/SCD import         X           FDP_ACF.1/SCD import         X           FDP_ITC.1/SCD         X           FDP_ITC.1/SCD         X           FDP_SDI.2/Persistent         X           FDP_SDI.2/Persistent         X           FDP_SDI.2/DTBS         X           FDP_DAU.2/SVD         X           FDP_UCT.1/SCD         X           FDP_UTT.1/DTBS         X           FDP_UIT.1/DTBS         X           FIA_AFL.1/PERSO         X           FIA_AFL.1/SIG         X           FIA_UAU.1/PERSO         X           FIA_UAU.1/SIG         X           FIA_UID.1/PERSO         X           FIA_UID.1/PERSO         X           FIA_UID.1/PERSO         X           FIA_UID.1/SIG         X           FMT_MOF.1         X           FMT_MSA.1/AdminKI         X           FMT_MSA.1/Signatory         X           FMT_MSA.2         X           X         X           X         X           X         X	FDP_ACC.1/SCD/SVD_Generation															Χ		
FDP_ACF.1/SVD transfer         X           FDP_ACC.1/SCD import         X           FDP_ACF.1/SCD import         X           FDP_ITC.1/SCD         X           FDP_RIP.1         X           FDP_SDI.2/Persistent         X           FDP_SDI.2/DTBS         X           FDP_DAU.2/SVD         X           FDP_UT.1/SCD         X           FDP_UT.1/DTBS         X           FIA_AFL.1/PERSO         X           FIA_AFL.1/SIG         X           FIA_API.1         X           FIA_UAU.1/PERSO         X           FIA_UAU.1/SIG         X           FIA_UDI.1/SIG         X           FMT_MOF.1         X           FMT_MSA.1/AdminKI         X           FMT_MSA.1/Signatory         X           FMT_MSA.2         X	FDP_ACF.1/SCD/SVD_Generation	_								Χ						Χ		
FDP_ACC.1/SCD import         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X																		
FDP_ACF.1/SCD import         X         X         X         X         FDP_ITC.1/SCD         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         <		_																
FDP_ITC.1/SCD         X         Image: square																		
FDP_RIP.1	-												Χ					
FDP_SDI.2/Persistent         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X		Х																
FDP_SDI.2/DTBS         X X X         X X         X X         X X         X X         X X         X X         X X         X X         X X         X X         X X         X X         X X         X X         X X         X X         X X         X X         X X         X X         X X         X X         X X         X X         X X         X X         X X         X X         X X         X X         X X         X X         X X         X X         X X         X X         X X         X X         X X         X X         X X         X X         X X         X X         X X         X X         X X         X X         X X         X X         X X         X X         X X         X X         X X         X X         X X         X X         X X         X X         X X         X X         X X         X X         X X         X X         X X         X X         X X         X X         X X         X X         X X         X X         X X         X X         X X         X X         X X         X X         X X         X X         X X         X X         X X         X X         X X         X X         X X         X X         X X         X X         X X         X X																		
FDP_DAU.2/SVD         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         <			Χ	Χ								Х						
FDP_UCT.1/SCD         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         <					Х	Χ												
FDP_UIT.1/ DTBS         X           FIA_AFL.1/PERSO         X           FIA_AFL.1/SIG         X           FIA_API.1         X           FIA_UAU.1/PERSO         X           FIA_UBD.1/SIG         X           FIA_UID.1/SIG         X           FMT_MOF.1         X           FMT_MSA.1/AdminKG         X           FMT_MSA.1/Signatory         X           FMT_MSA.2         X																Х		
FIA_AFL.1/PERSO         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X		Х	Х															
FIA_AFL.1/SIG         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         <														V/			Х	X
FIA_API.1         X           FIA_UAU.1/PERSO         X           FIA_UBU.1/SIG         X           FIA_UID.1/PERSO         X           FIA_UID.1/SIG         X           FMT_MOF.1         X           FMT_MSA.1/AdminKG         X           FMT_MSA.1/AdminKI         X           FMT_MSA.1/Signatory         X           FMT_MSA.2         X					V									Х				
FIA_UAU.1/PERSO         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X					Χ										V			
FIA_UAU.1/SIG         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         <	_													V	^			
FIA_UID.1/PERSO         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X					Y					Y				^	Y			
FIA_UID.1/SIG         X         X         X           FMT_MOF.1         X         X         X           FMT_MSA.1/AdminKG         X         X         X           FMT_MSA.1/AdminKI         X         X         X           FMT_MSA.1/Signatory         X         X         X           FMT_MSA.2         X         X         X					^					^				Y	^			
FMT_MOF.1         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X					X					X				^				
FMT_MSA.1/AdminKG         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X	_	X								^								
FMT_MSA.1/AdminKI         X         Image: Control of the control of t					^					X								
FMT_MSA.1/Signatory X X X FMT_MSA.2 X X X X X X X X X X X X X X X X X X X	_									,								
FMT_MSA.2 X X X		_			Х													
										Χ								
	FMT_MSA.3/Keygen	_																

© Copyright Thales Page : 57 / 70

Requirements	OT.Lifecycle_Security	OT.SCD_Secrecy		OT.Sigy_SigF	OT.DTBS_Integrity_TOE	OT.EMSEC_Design	OT.Tamper_ID	OT.Tamper_Resistance	OT.SCD/SVD_Auth_Gen (Part 2 only)	OT.SCD_Unique (Part 2 only)	OT.SCD_SVD_Corresp (Part 2 only)	OT.SCD_Auth_Imp (Part 3 only)	OT.Pre-perso_authentication	OT.TOE_SSCD_Auth (part 4)	OT.TOE_TC_SVD_Exp (part 4)	OT.TOE_TC_VAD_Imp (part 5&6)	OT.TOE_TC_DTBS_Imp (part 5&6)
FMT_MSA.3/KeyImport	Χ			Χ													
FMT_MSA.4/Keygen	Χ			Χ					Χ		Χ						
FMT_MSA.4/KeyImport	Χ			Χ													
FMT_MTD.1/Admin	Χ			Χ													
FMT_MTD.1/Signatory	Χ			Χ													
FMT_SMF.1	Χ			Χ							Χ						
FMT_SMR.1	Χ			Χ													
FPT_EMS.1		Χ				Χ											
FPT_FLS.1		Χ															
FPT_PHP.1							Χ										
FPT_PHP.3		Χ						Χ									
FPT_TST.1	Χ	Χ	Χ														
FTP_ITC.1/SCD_import	Χ	Χ															
FTP_ITC.1/SVD															Χ		
FTP_ITC.1/VAD																Χ	
FTP_ITC.1/DTBS																	X

Table 15: Objective vs. SFR rationale

**OT.Lifecycle\_Security** (*Lifecycle security*) is provided by the SFR for SCD/SVD generation FCS\_CKM.1/SCD,

SCD usage FCS\_COP.1/DSC and SCD destruction FCS\_CKM.4/SCD which ensure cryptographically secure lifecycle of the SCD. The SCD/SVD generation is controlled by TSF according to

FDP\_ACC.1/SCD/SVD\_Generation and FDP\_ACF.1/SCD/SVD\_Generation. The SVD transfer for certificate generation is controlled by TSF according to FDP\_ACC.1/SVD\_Transfer and FDP\_ACF.1/SVD\_Transfer. The SCD usage is ensured by access control FDP\_ACC.1/Signature\_Creation,

FDP\_AFC.1/Signature\_Creation which is based on the security attribute secure TSF management according to FMT\_MOF.1, FMT\_MSA.1/AdminKG, FMT\_MSA.1/AdminKI, FMT\_MSA.1/Signatory, FMT\_MSA.2, FMT\_MSA.3/KeyGen, FMT\_MSA.3/KeyImport, FMT\_MSA.4/KeyGen, FMT\_MSA.4/KeyImport,

FMT\_MTD.1/Admin, FMT\_MTD.1/Signatory, FMT\_SMF.1 and FMT\_SMR.1. The test functions FPT\_TST.1 provides failure detection throughout the lifecycle.

The SCD import is controlled by TSF according to FDP\_ACC.1/SCD\_Import, FDP\_ACF.1/SCD\_Import and FDP\_ITC.1/SCD. The confidentiality of the SCD is protected during import according to FDP\_UCT.1/SCD in the trusted channel FTP\_ITC.1/SCD\_import.

FCS\_CKM.1/Session, FCS\_CKM.4/Session and FCS\_COP.1/Session ensure the secure channel mechanisms for the initialisation, personalisation and operational usage of the TOE.

**OT.SCD\_Secrecy** (Secrecy of signature creation data) is provided by the security functions specified by the following SFR. FCS\_CKM.1/SCD ensures the use of secure cryptographic algorithms for SCD/SVD generation. Cryptographic quality of SCD/SVD pair shall prevent disclosure of SCD by cryptographic attacks using the publicly known SVD. The security functions specified by FDP\_RIP.1 and FCS\_CKM.4/SCD ensure that residual information on SCD is destroyed after the SCD has been use for signature creation and that

© Copyright Thales Page : 58 / 70

destruction of SCD leaves no residual information. The security functions specified by FDP\_SDI.2/Persistent ensure that no critical data is modified which could alter the efficiency of the security functions or leak information of the SCD. FPT\_TST.1 tests the working conditions of the TOE and FPT\_FLS.1 guarantees a secure state when integrity is violated and thus assures that the specified security functions are operational. An example where compromising error conditions are countered by FPT\_FLS.1 is fault injection for differential fault analysis (DFA). SFR FPT\_EMS.1 and FPT\_PHP.3 require additional security features of the TOE to ensure the confidentiality of the SCD. FDP\_UCT.1/SCD and FTP\_ITC.1/SCD import ensures the confidentiality for SCD import.

**OT.Sig\_Secure** (*Cryptographic security of the electronic signature*) is provided by the cryptographic algorithms specified by FCS\_COP.1/DSC, which ensures the cryptographic robustness of the signature algorithms. FDP\_SDI.2/Persistent corresponds to the integrity of the SCD implemented by the TOE and FPT\_TST.1 ensures self-tests ensuring correct signature creation.

OT.Sigy\_SigF (Signature creation function for the legitimate signatory only) is provided by an SFR for identification authentication and access control. FIA\_UAU.1/SIG and FIA\_UID.1/SIG ensure that no signature creation function can be invoked before the signatory is identified and authenticated. The security functions specified by FMT\_MTD.1/Admin and FMT\_MTD.1/Signatory manage the authentication function. SFR FIA\_AFL.1/SIG provides protection against a number of attacks, such as cryptographic extraction of residual information, or brute force attacks against authentication. The security function specified by FDP\_SDI.2/DTBS ensures the integrity of stored DTBS and FDP\_RIP.1 prevents misuse of any resources containing the SCD after de-allocation (e.g. after the signature creation process). The security functions specified by FDP\_ACC.1/Signature\_Creation and FDP\_ACF.1/Signature\_Creation provide access control based on the security attributes managed according to the SFR FMT\_MTD.1/Signatory, FMT\_MSA.2, FMT\_MSA.3/KeyGen, FMT\_MSA.3/KeyImport, FMT\_MSA.4/KeyGen, and FMT\_MSA.4/KeyImport. The SFR FMT\_SMF.1 and FMT\_SMR.1 list these management functions and the roles. These ensure that the signature process is restricted to the signatory. FMT\_MOF.1 restricts the ability to enable the signature creation function to the signatory. FMT\_MSA.1/Signatory restricts the ability to modify the security attributes SCD operational to the signatory.

**OT.DTBS\_Integrity\_TOE** (*DTBS/R integrity inside the TOE*) ensures that the DTBS/R is not altered by the TOE. The integrity functions specified by FDP\_SDI.2/DTBS require that the DTBS/R has not been altered by the TOE.

**OT.EMSEC\_Design** (*Provide physical emanations security*) covers that no intelligible information is emanated. This is provided by FPT\_EMS.1.1.

**OT.Tamper\_ID** (*Tamper detection*) is provided by FPT\_PHP.1 by the means of passive detection of physical attacks.

**OT.Tamper Resistance** (*Tamper resistance*) is provided by FPT PHP.3 to resist physical attacks.

#### SSCD Part 2 only

**OT.SCD/SVD\_Auth\_Gen** (*Authorized SCD/SVD generation*) addresses that generation of a SCD/SVD pair requires proper user authentication. The TSF specified by FIA\_UID.1/SIG and FIA\_UAU.1/SIG provide user identification and user authentication prior to enabling access to authorised functions. The SFR FDP\_ACC.1/SCD/SVD\_Generation and FDP\_ACF.1/SCD/SVD\_Generation provide access control for the SCD/SVD generation. The security attributes of the authenticated user are provided by FMT\_MSA.1/AdminKG, FMT\_MSA.2, and FMT\_MSA.3/Keygen for static attribute initialisation. The SFR FMT\_MSA.4/KeyGen defines rules for inheritance of the security attribute "SCD operational" of the SCD.

**OT.SCD\_Unique** (*Uniqueness of the signature creation data*) implements the requirement of practically unique SCD as laid down in **Annex** III, paragraph 1(a), which is provided by the cryptographic algorithms specified by FCS\_CKM.1/SCD.

**OT.SCD\_SVD\_Corresp** (*Correspondence between SVD and SCD*) addresses that the SVD corresponds to the SCD implemented by the TOE. This is provided by the algorithms specified by FCS\_CKM.1/SCD to generate corresponding SVD/SCD pairs. The security functions specified by FDP\_SDI.2/Persistent ensure that the keys are not modified, so to retain the correspondence. Moreover, the SCD Identifier allows the environment to identify the SCD and to link it with the appropriate SVD. The management functions identified

© Copyright Thales Page : 59 / 70

by FMT\_SMF.1 and by FMT\_MSA.4/KeyGen allow R.Admin to modify the default value of the security attribute SCD Identifier.

#### SSCD Part 2 and part 4

**OT.TOE\_SSCD\_Auth** (Authentication proof as SSCD) requires the TOE to provide security mechanisms to identify and to authenticate themselves as SSCD, which is directly provided by FIA\_API.1 (Authentication Proof of Identity). The SFR FIA\_UAU.1/SIG allows (additionally to the core PP SSCD KG) establishment of the trusted channel before (human) user is authenticated.

- **OT.TOE\_TC\_SVD\_Exp** (TOE trusted channel for SVD export) requires the TOE to provide a trusted channel to the CGA to protect the integrity of the SVD exported to the CGA, which is directly provided by
- The SVD transfer for certificate generation is controlled by TSF according to FDP\_ACC.1/SVD\_Transfer and FDP\_ACF.1/SVD\_Transfer.
- FDP\_DAU.2/SVD (Data Authentication with Identity of Guarantor), which requires the TOE to provide CGA with the ability to verify evidence of the validity of the SVD and the identity of the user that generated the evidence.
- FTP\_ITC.1/SVD Inter-TSF trusted channel), which requires the TOE to provide a trusted channel to the CGA.

#### SSCD Part 3 only

**OT.SCD\_Auth\_Imp** (*Authorized SCD import*) is provided by the security functions specified by the following SFR. FIA\_UID.1/SIG and FIA\_UAU.1/SIG ensure that the user is identified and authenticated before SCD can be imported. FDP\_ACC.1/SCD\_Import and FDP\_ACF.1/SCD\_Import ensure that only authorised users can import SCD.

#### SSCD part 5 and part 6 in addition with part 2 and part 3

**OT.TOE\_TC\_VAD\_Imp (Trusted channel of TOE for VAD import)** is provided by FTP\_ITC.1/VAD to provide a trusted channel to protect the VAD provided by the HID to the TOE.

**OT.TOE\_TC\_DTBS\_Imp (Trusted channel of TOE for DTBS)** is provided by FTP\_ITC.1/DTBS to provide a trusted channel to protect the DTBS provided by the SCA to the TOE and by FDP\_UIT.1/DTBS, which requires the TSF to verify the integrity of the received DTBS.

#### **Extensions**

**OT.Pre-perso\_authentication** (*strong authentication in Pre-personalisation*) is provided by the security functions specified by the following SFR. FIA\_AFL.1/PERSO, FIA\_UAU.1/PERSO, FIA\_UID.1/PERSO, FCS CKM.1/Session, FCS CKM.1/Session, FCS COP.1/DSC and FCS COP.1/Session.

© Copyright Thales Page : 60 / 70

## 7.3.2.2 <u>Dependency Rationale</u>

FCS_CKM.1/SCD	Requirements	CC Dependencies	Satisfied Dependencies
FCS_CKM.1/Session	FCS_CKM.1/SCD		
FCS_CKM.4/SCD		,	_
FCS_CKM.4/SCD	FCS_CKM.1/Session		
FDP_ITC.2    FDP_ITC.1/SCD	ECS CKW 4/SCD		_
FCS_CKM.4/Session	FCS_CRIVI.4/SCD		
FCS_CP.1/DSC	FCS_CKM.4/Session	_ ,	_
FDP_TTC.2  and (FCS_CKM.4)   FCS_CKM.1/SCD	_	FDP_ITC.2)	
FCS_COP_1/Session	FCS_COP.1/DSC		
FDP_ITC.2) and (FCS_CKM.4)	F00, 00D 4/0 and an		_
FDP_ACC.1/Signature-creation   FDP_ACF.1)   FDP_ACF.1/Signature-creation   FDP_ACF.1/Signat	FCS_COP.1/Session		
FDP_ACC.1/Signature-creation         (FDP_ACF.1)         FDP_ACF.1/Signature-creation           FDP_ACF.1/Signature-creation         (FDP_ACC.1) and (FMT_MSA.3)         FDP_ACC.1/Signature-creation, FMT_MSA.3/ReyGen, FMT_MSA.3/ReyGen, FMT_MSA.3/ReyGen, FMT_MSA.3/ReyGen, FMT_MSA.3/ReyGen, FMT_MSA.3/ReyGen           FDP_ACC.1/SCD/SVD_Generation         (FDP_ACF.1)         FDP_ACF.1/SCD/SVD_Generation FMT_MSA.3/ReyGen           FDP_ACC.1/SVD transfer         (FDP_ACF.1)         FDP_ACC.1/SVD transfer           FDP_ACF.1/SVD transfer         (FDP_ACF.1)         FDP_ACF.1/SVD transfer           FDP_ACF.1/SVD transfer         FDP_ACF.1/SVD transfer         FDP_ACF.1/SVD transfer           FDP_ACF.1/SVD transfer         FDP		1 bi _i10.2) and (1 00_0itivi.4)	
FDP_ACF.1/Signature-creation         (FDP_ACC.1) and (FMT_MSA.3)         FDP_ACC.1/Signature-creation, FMT_MSA.3/KeyGen, FMT_MSA.3/KeyGen, FMT_MSA.3/KeyJemport           FDP_ACF.1/SCD/SVD_Generation         (FDP_ACF.1)         FDP_ACF.1/SCD/SVD_Generation           FDP_ACF.1/SCD/SVD_Generation         (FDP_ACC.1) and (FMT_MSA.3)         FDP_ACF.1/SCD/SVD_Generation FDP_ACC.1/SCD/SVD_Generation FMT_MSA.3/KeyGen           FDP_ACC.1/SVD transfer         (FDP_ACF.1)         FDP_ACF.1/SVD transfer FMT_MSA.3/KeyGen           FDP_ACF.1/SVD transfer         (FDP_ACC.1) and (FMT_MSA.3)         FDP_ACC.1/SVD transfer FMT_MSA.3/KeyGen           FDP_ACC.1/SCD import         (FDP_ACF.1)         FDP_ACC.1/SVD transfer FMT_MSA.3/KeyGen           FDP_ACF.1/SCD import         (FDP_ACC.1)         FDP_ACC.1/SCD import FMT_MSA.3/KeyImport           FDP_ACF.1/SCD import         (FDP_ACC.1)         FDP_ACC.1/SCD import, FMT_MSA.3/KeyImport           FDP_DAU.2/SVD         FIA_UID.1         FIA_UID.1/SIG           FDP_ITC.1/SCD         (FDP_ACC.1 or FDP_IFC.1) and (FMT_MSA.3/KeyImport         FDP_ACC.1/SCD import, FMT_MSA.3/KeyImport           FDP_SDI.2/Persistent         No dependencies         FDP_ACC.1/SCD import, FMT_MSA.3/KeyImport           FDP_SDI.2/DTBS         No dependencies         FDP_ACC.1/SCD import, FMT_IDTBS           FDP_ACC.1/SCD         (FTP_ITC.1) or FTP_TRP.1]         FTP_ITC.1/SCD_import, FTP_ITC.1/STBS           FDP_ACC.1/SCD <td>FDP_ACC.1/Signature-creation</td> <td>(FDP_ACF.1)</td> <td></td>	FDP_ACC.1/Signature-creation	(FDP_ACF.1)	
FMT_MSA.3/KeyImport		(FDP_ACC.1) and (FMT_MSA.3)	
FDP_ACC.1/SCD/SVD_Generation         (FDP_ACF.1)         FDP_ACF.1/SCD/SVD_Generation           FDP_ACF.1/SCD/SVD_Generation         (FDP_ACC.1) and (FMT_MSA.3)         FDP_ACC.1/SCD/SVD_Generation           FDP_ACC.1/SVD transfer         (FDP_ACF.1)         FDP_ACF.1/SVD transfer           FDP_ACC.1/SVD transfer         (FDP_ACC.1)         FDP_ACC.1/SVD transfer           FDP_ACC.1/SVD transfer         (FDP_ACC.1)         FDP_ACC.1/SVD transfer           FDP_ACC.1/SCD import         (FDP_ACF.1)         FDP_ACC.1/SCD import           FDP_ACF.1/SCD import         (FDP_ACC.1) and (FMT_MSA.3)         FDP_ACC.1/SCD import           FDP_ACF.1/SCD import         (FDP_ACC.1) and (FMT_MSA.3)         FDP_ACC.1/SCD import           FDP_DAU.2/SVD         FIA_UID.1         FIA_UID.1/SIG           FDP_ITC.1/SCD         (FDP_ACC.1 or FDP_IFC.1) and (FMT_MSA.3)/KeyImport         FDP_ACC.1/SCD import, FMT_MSA.3/KeyImport           FDP_SID.2/Persistent         No dependencies         FDP_ACC.1/SCD import, FMT_MSA.3/KeyImport           FDP_SDI.2/Persistent         No dependencies         FDP_ACC.1/SCD import, FMT_MSA.3/KeyImport           FDP_SID.2/Persistent         No dependencies         FDP_ACC.1/SCD import, FMT_SC.1/SCD import, FMT_ACC.1/SCD import, FMT_ACC.1/SCD import, FMT_ACC.1/SCD import, FMT_ACC.1/SCD/SVD_Generation FMT_MSA.1/AdminKG <td></td> <td></td> <td> ,</td>			,
FDP_ACF.1/SCD/SVD_Generation         (FDP_ACC.1) and (FMT_MSA.3)         FDP_ACC.1/SCD/SVD_Generation FMT_MSA.3/KeyGen           FDP_ACC.1/SVD transfer         (FDP_ACF.1)         FDP_ACF.1/SVD transfer           FDP_ACF.1/SVD transfer         (FDP_ACC.1) and (FMT_MSA.3)         FDP_ACC.1/SVD transfer, FMT_MSA.3/KeyGen           FDP_ACC.1/SCD import         (FDP_ACF.1)         FDP_ACF.1/SCD import           FDP_ACF.1/SCD import         (FDP_ACC.1) and (FMT_MSA.3)         FDP_ACF.1/SCD import, FMT_MSA.3/KeyImport           FDP_DAU.2/SVD         FIA_UID.1         FIA_UID.1/SIG           FDP_ITC.1/SCD         (FDP_ACC.1 or FDP_IFC.1) and (FMT_MSA.3)         FDP_ACC.1/SCD import, FMT_MSA.3/KeyImport           FDP_SID.2/Persistent         No dependencies         FDP_ACC.1/SCD import, FMT_MSA.3/KeyImport           FDP_SDI.2/DTBS         No dependencies         FDP_ITC.1/DTBS           FDP_UIT.1/DTBS         [FDP_ACC.1 or FDP_IFC.1], FDP_ACC.1/Signature_Creation, FTP_ITC.1/DTBS         FDP_ACC.1/SCD import, FDP_ITC.1/DTBS           FDP_UCT.1/SCD         (FIP_ITC.1 or FTP_TRP.1) FTP_ITC.1/DTBS         FDP_ACC.1/SCD import, FDP_ACC.1/SCD/SVD_Generation FDP_ACC.1/SCD/SVD_Generation FDP_ACC.1/SCD/SVD_Generation FDP_ACC.1/SCD/SVD_Generation FMT_SMR.		(===	
FMT_MSA.3/KeyGen   FDP_ACC.1/SVD transfer   FDP_ACF.1/SVD transfer   FDP_ACF.1/SVD transfer   FDP_ACF.1/SVD transfer   FDP_ACF.1/SVD transfer   FDP_ACF.1/SVD transfer   FDP_ACC.1/SVD transfer   FDP_ACC.1/SVD transfer   FDP_ACC.1/SCD import   FDP_ACC.1/SCD import   FDP_ACF.1/SCD import   FDP_ACF.1/SCD import   FDP_ACF.1/SCD import   FDP_ACC.1/SCD import   FMT_MSA.3/KeyImport   FDP_ACC.1/SCD import   FMT_MSA.3/KeyImport   FMT_MSA.1/AdminKI   FMT_		` - '	
FDP_ACC.1/SVD transfer         (FDP_ACF.1)         FDP_ACF.1/SVD transfer           FDP_ACF.1/SVD transfer         (FDP_ACC.1) and (FMT_MSA.3)         FDP_ACC.1/SVD transfer, FMT_MSA.3/KeyGen           FDP_ACF.1/SCD import         (FDP_ACF.1)         FDP_ACF.1/SCD import           FDP_ACF.1/SCD import         (FDP_ACC.1) and (FMT_MSA.3)         FDP_ACC.1/SCD import, FMT_MSA.3/KeyImport           FDP_DAU.2/SVD         FIA_UID.1         FIA_UID.1/SIG           FDP_ITC.1/SCD         (FDP_ACC.1 or FDP_IFC.1) and (FMT_MSA.3/KeyImport         FDP_ACC.1/SCD import, FMT_MSA.3/KeyImport           FDP_RIP.1         No dependencies         FDP_ACC.1/SCD import, FMT_MSA.3/KeyImport           FDP_SDI.2/Persistent         No dependencies           FDP_SDI.2/Persistent         No dependencies           FDP_UIT.1/DTBS         [FDP_ACC.1 or FDP_IFC.1], FDP_ACC.1/Signature_Creation, FTP_ITC.1/DTBS           FDP_UIT.1/DTBS         [FDP_ACC.1 or FTP_TRP.1] FTP_ITC.1/DTBS           FDP_UCT.1/SCD         (FTP_ITC.1 or FTP_TRP.1) FTP_ITC.1/DTBS           FDP_ACC.1/SCD import, FDP_ACC.1/SCD import, FDP_ACC.1/SCD import, FDP_ACC.1/SCD import, FDP_ACC.1/SCD import, FDP_ACC.1/SCD import, FDP_ACC.1/SCD/SCD import, FIA_UAU.1/PERSO           FIA_UAU.1/PERSO         (FIA_UID.1)         FIA_UAU.1/PERSO           FIA_UID.1/PERSO         No dependencies         n/a           FIA_UID.1/PERSO         No dependencies	FDP_ACF.1/SCD/SVD_Generation	(FDP_ACC.1) and (FMT_MSA.3)	<u> </u>
FDP_ACF.1/SVD transfer         (FDP_ACC.1) and (FMT_MSA.3)         FDP_ACC.1/SVD transfer, FMT_MSA.3/keyGen           FDP_ACC.1/SCD import         (FDP_ACF.1)         FDP_ACF.1/SCD import           FDP_ACF.1/SCD import         (FDP_ACC.1) and (FMT_MSA.3)         FDP_ACC.1/SCD import, FMT_MSA.3/keyImport           FDP_DAU.2/SVD         FIA_UID.1         FIA_UID.1/SIG           FDP_ITC.1/SCD         (FDP_ACC.1 or FDP_IFC.1) and (FMT_MSA.3)         FDP_ACC.1/SCD import, FMT_MSA.3/KeyImport           FDP_RIP.1         No dependencies         FDP_ACC.1/SCD import, FMT_MSA.3/KeyImport           FDP_SDI.2/Persistent         No dependencies           FDP_SDI.2/Persistent         No dependencies           FDP_UIT.1/DTBS         [FDP_ACC.1 or FDP_IFC.1], FDP_ACC.1/Signature_Creation, FTP_ITC.1/DTBS           FDP_UIT.1/SCD         (FTP_ITC.1 or FTTP_TRP.1) FTP_ITC.1/DTBS         FTP_ITC.1/DTBS           FDP_UCT.1/SCD         (FTP_ITC.1 or FTP_TRP.1) FTP_ITC.1/DTBS         FTP_ITC.1/DTBS           FIA_AFL.1/PERSO         (FIA_UAU.1) FIA_UAU.1/PERSO         FIA_UAU.1/PERSO           FIA_UAU.1/PERSO         (FIA_UAU.1) FIA_UAU.1/PERSO         FIA_UID.1/PERSO           FIA_UID.1/PERSO         (FIA_UID.1) FIA_UID.1/SIG         FIA_UID.1/SIG           FIA_UID.1/SIG         No dependencies         n/a           FMT_MOF.1         (FMT_SMF.1) and (FMT_SMR.1) FMT_SMR.1, FMT_SMF.1	FDP_ACC 1/SVD transfer	(FDP ACE 1)	
FMT_MSA.3/KeyGen		, – ,	
FDP_ACC.1/SCD import         (FDP_ACF.1)         FDP_ACF.1/SCD import           FDP_ACF.1/SCD import         (FDP_ACC.1) and (FMT_MSA.3)         FDP_ACC.1/SCD import, FMT_MSA.3/KeyImport           FDP_DAU.2/SVD         FIA_UID.1         FIA_UID.1/SIG           FDP_ITC.1/SCD         (FDP_ACC.1 or FDP_IFC.1) and (FMT_MSA.3)         FDP_ACC.1/SCD import, FMT_MSA.3/KeyImport           FDP_RIP.1         No dependencies         FDP_ACC.1/SCD import, FMT_MSA.3/KeyImport           FDP_SDI.2/Persistent         No dependencies           FDP_SDI.2/DTBS         No dependencies           FDP_UIT.1/DTBS         [FDP_ACC.1 or FDP_IFC.1], FDP_ACC.1/Signature_Creation, FTP_ITC.1 or FTP_TRP.1)         FTP_ITC.1/DTBS           FDP_UCT.1/SCD         (FTP_ITC.1 or FTP_TRP.1) FTP_ITC.1)         FTP_ITC.1/SCD import, FDP_ACC.1/SCD import, FDP_ACC.1/SCD/SVD_Generation FDP_ACC.1/SCD/SVD_Generation FMT_SMF.1           FMT_MSA.1/AdminKI         (FDP_ACC.1 or FDP_IFC.1) and (FMT_SMR.1) FMT_SMR.1, FMT_SMR.1         FDP_ACC.1/SCD Import, FMT_SMR.1, FMT_SMR.1	T DI _AOI : 1/0 V D transier	(1 21 _, 100.1) and (1 1111 _ 1110/1110)	· · · · · · · · · · · · · · · · · · ·
FMT_MSA.3/KeyImport	FDP_ACC.1/SCD import	(FDP_ACF.1)	
FDP_DAU.2/SVD         FIA_UID.1         FIA_UID.1/SIG           FDP_ITC.1/SCD         (FDP_ACC.1 or FDP_IFC.1) and (FMT_MSA.3)         FDP_ACC.1/SCD import, FMT_MSA.3/KeyImport           FDP_RIP.1         No dependencies           FDP_SDI.2/Persistent         No dependencies           FDP_SDI.2/DTBS         No dependencies           FDP_UIT.1/DTBS         [FDP_ACC.1 or FDP_IFC.1], [FDP_ACC.1/Signature_Creation, FTP_ITC.1/DTBS]           FDP_UCT.1/SCD         (FTP_ITC.1 or FTP_TRP.1) FTP_ITC.1/DTBS           FDP_UCT.1/SCD         (FTP_ITC.1 or FTP_TRP.1) FTP_ITC.1/SCD_import, FDP_ACC.1/SCD import, FIA_UAU.1/PERSO           FIA_AFL.1/SIG         (FIA_UAU.1)         FIA_UAU.1/PERSO           FIA_UAU.1/PERSO         (FIA_UB.1)         FIA_UB.1/PERSO           FIA_UAU.1/SIG         (FIA_UID.1)         FIA_UID.1/SIG           FIA_UID.1/PERSO         No dependencies         n/a           FIA_UID.1/SIG         No dependencies         n/a           FIA_UID.1/SIG         No dependencies         n/a           FMT_MOF.1         (FMT_SMF.1) and (FMT_SMR.1)         FMT_SMR.1, FMT_SMF.1           FMT_MSA.1/AdminKI         (FDP_ACC.1 or FDP_IFC.1) and (FMT_SMR.1)         FDP_ACC.1/SCD Import, FMT_SMR.1, FMT_SMR.1, FMT_SMR.1	FDP_ACF.1/SCD import	(FDP_ACC.1) and (FMT_MSA.3)	FDP_ACC.1/SCD import,
FDP_ITC.1/SCD         (FDP_ACC.1 or FDP_IFC.1) and (FMT_MSA.3)         FDP_ACC.1/SCD import, FMT_MSA.3/KeyImport           FDP_RIP.1         No dependencies           FDP_SDI.2/Persistent         No dependencies           FDP_SDI.2/DTBS         No dependencies           FDP_UIT.1/DTBS         [FDP_ACC.1 or FDP_IFC.1], [FTP_ITC.1/STBS]           FDP_UCT.1/SCD         (FTP_ITC.1 or FTP_TRP.1] FTP_ITC.1/SCD_import, FTP_ITC.1/SCD_import, FDP_ACC.1/SCD import, FDP_ACC.1/SCD/SVD_Generation FMT_MOF.1           FIA_UID.1/SIG         No dependencies         n/a           FIA_UID.1/SIG         No dependencies         n/a           FIA_UID.1/SIG         No dependencies         n/a           FIA_UID.1/SIG         No dependencies         n/a           FMT_MOF.1         (FMT_SMF.1) and (FMT_SMR.1)         FMT_SMR.1, FMT_SMR.1           FMT_MSA.1/AdminKI         (FDP_ACC.1 or FDP_IFC.1) and (FMT_SMR.1)         FDP_ACC.1/SCD Import, FMT_SMR.1, FMT_SMR.			FMT_MSA.3/KeyImport
FMT_MSA.3  FMT_MSA.3/KeyImport	FDP_DAU.2/SVD	_	_
FDP_RIP.1         No dependencies           FDP_SDI.2/Persistent         No dependencies           FDP_SDI.2/DTBS         No dependencies           FDP_UIT.1/DTBS         [FDP_ACC.1 or FDP_IFC.1], [FTP_ITC.1/DTBS]           FDP_UCT.1/SCD         (FTP_ITC.1 or FTP_TRP.1) [FTP_ITC.1/SCD_import, FDP_ACC.1/SCD import, FIA_UAU.1/PERSO           FIA_AFL.1/SIG         (FIA_UAU.1)         FIA_UAU.1/PERSO           FIA_UAU.1/PERSO         (FIA_UID.1)         FIA_UID.1/PERSO           FIA_UAU.1/SIG         (FIA_UID.1)         FIA_UID.1/SIG           FIA_UID.1/PERSO         No dependencies         n/a           FIA_UID.1/SIG         No dependencies         n/a           FIA_UID.1/SIG         No dependencies         n/a           FMT_MOF.1         (FMT_SMF.1) and (FMT_SMR.1)         FMT_SMR.1, FMT_SMF.1           FMT_MSA.1/AdminKG         (FDP_ACC.1 or FDP_IFC.1) and (FMT_SMR.1)         FDP_ACC.1/SCD/SVD_Generation FMT_SMF.1           FMT_MSA.1/AdminKI         (FDP_ACC.1 or FDP_IFC.1) and (FMT_SMR.1)         FDP_ACC.1/SCD Import, FMT_SMR.1, FMT_	FDP_ITC.1/SCD		
FDP_SDI.2/Persistent         No dependencies           FDP_SDI.2/DTBS         No dependencies           FDP_UIT.1/DTBS         [FDP_ACC.1 or FDP_IFC.1], FDP_ACC.1/Signature_Creation, FTP_ITC.1/DTBS           FDP_UCT.1/SCD         (FTP_ITC.1 or FTP_TRP.1) FTP_ITC.1/SCD_import, FDP_ACC.1/SCD import, FIA_UAU.1/PERSO           FIA_AFL.1/SIG         (FIA_UAU.1)         FIA_UAU.1/PERSO           FIA_UAU.1/PERSO         (FIA_UID.1)         FIA_UID.1/PERSO           FIA_UID.1/SIG         (FIA_UID.1)         FIA_UID.1/SIG           FIA_UID.1/SIG         No dependencies         n/a           FMT_MOF.1         (FMT_SMF.1) and (FMT_SMR.1)         FMT_SMR.1, FMT_SMF.1           FMT_MSA.1/AdminKG         (FDP_ACC.1 or FDP_IFC.1) and (FMT_SMR.1)         FDP_ACC.1/SCD/SVD_Generation FMT_SMF.1           FMT_MSA.1/AdminKI         (FDP_ACC.1 or FDP_IFC.1) and (FMT_SMR.1)         FDP_ACC.1/SCD Import, FMT_SMR.1, FM	EDD DID 4		FMT_MSA.3/KeyImport
FDP_SDI.2/DTBS         No dependencies           FDP_UIT.1/DTBS         [FDP_ACC.1 or FDP_IFC.1], FDP_ACC.1/Signature_Creation, FTP_ITC.1/DTBS           FDP_UCT.1/SCD         (FTP_ITC.1 or FTP_TRP.1) FTP_ITC.1/SCD_import, FDP_ACC.1/SCD import, FIA_UAU.1/PERSO           FIA_AFL.1/PERSO         (FIA_UAU.1) FIA_UAU.1/PERSO           FIA_UAU.1/PERSO         (FIA_UID.1) FIA_UID.1/PERSO           FIA_UAU.1/SIG         (FIA_UID.1) FIA_UID.1/SIG           FIA_UID.1/PERSO         No dependencies           FIA_UID.1/SIG         No dependencies           FMT_MOF.1         (FMT_SMF.1) and (FMT_SMR.1)         FMT_SMR.1, FMT_SMF.1           FMT_MSA.1/AdminKG         (FDP_ACC.1 or FDP_IFC.1) and (FMT_SMR.1)         FDP_ACC.1/SCD/SVD_Generation FMT_SMF.1           FMT_MSA.1/AdminKI         (FDP_ACC.1 or FDP_IFC.1) and (FMT_SMR.1)         FDP_ACC.1/SCD Import, FMT_SMF.1			
FDP_UIT.1/DTBS		'	
FTP_ITC.1 or FTP_TRP.1]   FTP_ITC.1/DTBS		-	FDD ACC 4/Cignotius Creation
FDP_UCT.1/SCD         (FTP_ITC.1 or FTP_TRP.1) (FDP_ACC.1/SCD_import, FDP_ACC.1/SCD import, FDP_ACC.1/SCD/SVD_Generation FMT_MSA.1/AdminKI           FDP_ACC.1 or FDP_IFC.1 and (FMT_SMR.1)         FDP_ACC.1/SCD/SVD_Generation FMT_SMR.1, FMT_SMF.1           FMT_MSA.1/AdminKI         (FDP_ACC.1 or FDP_IFC.1) and (FMT_SMR.1)         FDP_ACC.1/SCD Import, FMT_SMR.1, FMT_SMR.1, FMT_SMR.1, FMT_SMR.1, FMT_SMF.1	FDP_UII.I/DTBS		FDP_ACC. I/Signature_Creation, FTP_ITC.1/DTBS
(FDP_ACC.1 or FDP_IFC.1)         FDP_ACC.1/SCD import,           FIA_AFL.1/PERSO         (FIA_UAU.1)         FIA_UAU.1/PERSO           FIA_AFL.1/SIG         (FIA_UAU.1)         FIA_UAU.1/SIG           FIA_UAU.1/PERSO         (FIA_UID.1)         FIA_UID.1/PERSO           FIA_API.1         No dependencies         n/a           FIA_UID.1/PERSO         No dependencies         n/a           FIA_UID.1/SIG         No dependencies         n/a           FMT_MOF.1         (FMT_SMF.1) and (FMT_SMR.1)         FMT_SMR.1, FMT_SMF.1           FMT_MSA.1/AdminKG         (FDP_ACC.1 or FDP_IFC.1) and (FMT_SMR.1)         FMT_SMR.1, FMT_SMR.1, FMT_SMR.1, FMT_SMR.1, FMT_SMR.1           FMT_MSA.1/AdminKI         (FDP_ACC.1 or FDP_IFC.1) and (FMT_SMR.1)         FDP_ACC.1/SCD Import, FMT_SMR.1, FMT_SMR.1, FMT_SMR.1, FMT_SMR.1, FMT_SMR.1, FMT_SMR.1, FMT_SMR.1, FMT_SMR.1	FDP_UCT.1/SCD		_
FIA_AFL.1/SIG         (FIA_UAU.1)         FIA_UAU.1/SIG           FIA_UAU.1/PERSO         (FIA_UID.1)         FIA_UID.1/PERSO           FIA_UAU.1/SIG         (FIA_UID.1)         FIA_UID.1/SIG           FIA_API.1         No dependencies         n/a           FIA_UID.1/PERSO         No dependencies         n/a           FIA_UID.1/SIG         No dependencies         n/a           FMT_MOF.1         (FMT_SMF.1) and (FMT_SMR.1)         FMT_SMR.1, FMT_SMF.1           FMT_MSA.1/AdminKG         (FDP_ACC.1 or FDP_IFC.1) and (FMT_SMR.1)         FMT_SMR.1, FMT_SMR.1, FMT_SMR.1           FMT_MSA.1/AdminKI         (FDP_ACC.1 or FDP_IFC.1) and (FMT_SMR.1)         FDP_ACC.1/SCD Import, FMT_SMR.1, FMT_SMR.1, FMT_SMR.1,			
FIA_UAU.1/PERSO         (FIA_UID.1)         FIA_UID.1/PERSO           FIA_UAU.1/SIG         (FIA_UID.1)         FIA_UID.1/SIG           FIA_API.1         No dependencies         n/a           FIA_UID.1/PERSO         No dependencies         n/a           FIA_UID.1/SIG         No dependencies         n/a           FMT_MOF.1         (FMT_SMF.1) and (FMT_SMR.1)         FMT_SMR.1, FMT_SMF.1           FMT_MSA.1/AdminKG         (FDP_ACC.1 or FDP_IFC.1) and (FMT_SMR.1)         FDP_ACC.1/SCD/SVD_Generation FMT_SMR.1, FMT_SMF.1           FMT_MSA.1/AdminKI         (FDP_ACC.1 or FDP_IFC.1) and (FMT_SMR.1)         FDP_ACC.1/SCD Import, FMT_SMR.1, FMT_SMR.1,	FIA_AFL.1/PERSO	(FIA_UAU.1)	FIA_UAU.1/PERSO
FIA_UAU.1/SIG         (FIA_UID.1)         FIA_UID.1/SIG           FIA_API.1         No dependencies         n/a           FIA_UID.1/PERSO         No dependencies         n/a           FIA_UID.1/SIG         No dependencies         n/a           FMT_MOF.1         (FMT_SMF.1) and (FMT_SMR.1)         FMT_SMR.1, FMT_SMF.1           FMT_MSA.1/AdminKG         (FDP_ACC.1 or FDP_IFC.1) and (FMT_SMR.1)         FDP_ACC.1/SCD/SVD_Generation FMT_SMR.1, FMT_SMF.1           FMT_MSA.1/AdminKI         (FDP_ACC.1 or FDP_IFC.1) and (FMT_SMR.1)         FDP_ACC.1/SCD Import, FMT_SMR.1, FMT_SMR.1,	FIA_AFL.1/SIG	(FIA_UAU.1)	_
FIA_API.1         No dependencies         n/a           FIA_UID.1/PERSO         No dependencies         n/a           FIA_UID.1/SIG         No dependencies         n/a           FMT_MOF.1         (FMT_SMF.1) and (FMT_SMR.1)         FMT_SMR.1, FMT_SMF.1           FMT_MSA.1/AdminKG         (FDP_ACC.1 or FDP_IFC.1) and (FMT_SMR.1)         FDP_ACC.1/SCD/SVD_Generation FMT_SMR.1, FMT_SMF.1           FMT_MSA.1/AdminKI         (FDP_ACC.1 or FDP_IFC.1) and (FMT_SMR.1)         FDP_ACC.1/SCD Import, FMT_SMR.1, FMT_SMR.1,	FIA_UAU.1/PERSO	(FIA_UID.1)	FIA_UID.1/PERSO
FIA_UID.1/PERSO  No dependencies  n/a  FIA_UID.1/SIG  No dependencies  n/a  FMT_MOF.1  FMT_SMF.1) and (FMT_SMR.1)  FMT_SMR.1, FMT_SMF.1  FMT_MSA.1/AdminKG  (FDP_ACC.1 or FDP_IFC.1) and (FMT_SMR.1)  FMT_SMF.1) and (FMT_SMR.1)  FMT_SMF.1  FMT_SMF.1  FMT_SMF.1  FMT_SMF.1  FMT_SMR.1, FMT_SMF.1  FMT_SMF.1  FMT_SMF.1) and (FMT_SMR.1)  FMT_SMR.1, FMT_SMR.1	FIA_UAU.1/SIG	(FIA_UID.1)	FIA_UID.1/SIG
FIA_UID.1/SIG         No dependencies         n/a           FMT_MOF.1         (FMT_SMF.1) and (FMT_SMR.1)         FMT_SMR.1, FMT_SMF.1           FMT_MSA.1/AdminKG         (FDP_ACC.1 or FDP_IFC.1) and (FMT_SMR.1)         FDP_ACC.1/SCD/SVD_Generation FMT_SMR.1, FMT_SMF.1           FMT_MSA.1/AdminKI         (FDP_ACC.1 or FDP_IFC.1) and (FMT_SMR.1)         FDP_ACC.1/SCD Import, FMT_SMR.1, FMT_SMR.1,			
FMT_MOF.1 (FMT_SMF.1) and (FMT_SMR.1) FMT_SMR.1, FMT_SMF.1  FMT_MSA.1/AdminKG (FDP_ACC.1 or FDP_IFC.1) and (FMT_SMR.1) FMT_SMR.1, FMT_SMF.1  FMT_MSA.1/AdminKI (FDP_ACC.1 or FDP_IFC.1) and (FMT_SMF.1) and (FMT_SMF.1) and (FMT_SMR.1) FMT_SMR.1, FMT_SMR.1		<u>'</u>	
FMT_MSA.1/AdminKG  (FDP_ACC.1 or FDP_IFC.1) and (FMT_SMR.1)  FMT_SMF.1) and (FMT_SMR.1)  FMT_MSA.1/AdminKI  (FDP_ACC.1 or FDP_IFC.1) and (FMT_SMF.1)  (FDP_ACC.1 or FDP_IFC.1) and (FMT_SMR.1)  FMT_SMR.1,  FMT_SMR.1,  FMT_SMR.1,		•	
(FMT_SMF.1) and (FMT_SMR.1) FMT_SMR.1, FMT_SMF.1  FMT_MSA.1/AdminKI (FDP_ACC.1 or FDP_IFC.1) and (FMT_SMF.1) and (FMT_SMR.1) FMT_SMR.1, FMT_SMR.1,		, , ,	
FMT_SMF.1  FMT_MSA.1/AdminKI (FDP_ACC.1 or FDP_IFC.1) and (FMT_SMF.1) and (FMT_SMR.1)  FMT_SMF.1 FDP_ACC.1/SCD Import, FMT_SMR.1,	FMT_MSA.1/AdminKG	_ ,	
FMT_MSA.1/AdminKI (FDP_ACC.1 or FDP_IFC.1) and (FMT_SMR.1) FDP_ACC.1/SCD Import, FMT_SMR.1,		(FIXIT_SIME.1) and (FMT_SMR.1) 	
(FMT_SMF.1) and (FMT_SMR.1) FMT_SMR.1,	FMT MSA 1/AdminKI	(EDB ACC 1 or EDB IEC 1) and	
	TIVIT_IVISA. I/AUIIIIIIKI		
			FMT_SMF.1

© Copyright Thales Page : 61 / 70

Requirements	CC Dependencies	Satisfied Dependencies
FMT_MSA.1/Signatory	(FDP_ACC.1 or FDP_IFC.1) and (FMT_SMF.1) and (FMT_SMR.1)	FDP_ACC.1/Signature-creation, FMT_SMR.1, FMT_SMF.1
FMT_MSA.2	(FDP_ACC.1 or FDP_IFC.1) and (FMT_MSA.1) and (FMT_SMR.1)	FDP_ACC.1/SCD/SVD_Generation FDP_ACC.1/Signature-creation, FMT_MSA.1/AdminKG, FMT_MSA.1/AdminKI FMT_MSA.1/Signatory, FMT_SMR.1
FMT_MSA.3/KeyGen	(FMT_MSA.1) and (FMT_SMR.1)	FMT_MSA.1/AdminKG, FMT_MSA.1/Signatory, FMT_SMR.1
FMT_MSA.3/KeyImport	(FMT_MSA.1) and (FMT_SMR.1)	FMT_MSA.1/AdminKI, FMT_MSA.1/Signatory, FMT_SMR.1
FMT_MSA.4/KeyGen	(FDP_ACC.1 or FDP_IFC.1)	FDP_ACC.1/SCD/SVD_Generation FDP_ACC.1/Signature-creation
FMT_MSA.4/KeyImport	(FDP_ACC.1 or FDP_IFC.1)	FDP_ACC.1/SCD Import, FDP_ACC.1/Signature-creation
FMT_MTD.1/Admin	(FMT_SMF.1) and (FMT_SMR.1)	FMT_SMR.1, FMT_SMF.1
FMT_MTD.1/Signatory	(FMT_SMF.1) and (FMT_SMR.1)	FMT_SMR.1, FMT_SMF.1
FMT_SMF.1	No dependencies	
FMT_SMR.1	(FIA_UID.1)	FIA_UID.1/SIG
FPT_EMS.1	No dependencies	
FPT_FLS.1	No dependencies	
FPT_PHP.1	No dependencies	
FPT_PHP.3	No dependencies	
FPT_TST.1	No dependencies	
FTP_ITC.1/SCD_import	No dependencies	
FTP_ITC.1/SVD	No dependencies	n/a
FTP_ITC.1/VAD	No dependencies	n/a
FTP_ITC.1/DTBS	No dependencies	n/a

Table 16: Dependency rationale

## 7.3.3 Security Assurance Requirements Rationale

EAL5 was chosen because it provides a high level of independently assured security in a planned development. It requires a rigorous development approach without incurring unreasonable costs attributable to specialist security engineering techniques.

The selection of the component ALC\_DVS.2 provides a higher assurance of the security of the SSCD's development and manufacturing especially for the secure handling of the SSCD's material.

The selection of the component AVA\_VAN.5 provides a higher assurance of the security by vulnerability analysis to assess the resistance to penetration attacks performed by an attacker possessing a high attack potential.

© Copyright Thales Page : 62 / 70

## 7.3.4 Compatibility between SFR of [ST-IAS] and [ST-PLTF]

We can therefore conclude that the SFR of [ST-IAS] and [ST-PLTF] are consistent.

Requirements	IP_SFR	RP_SFR-SERV (*)	RP_SFR-MECH
FDP_ACC.2/FIREWALL			X FDP_ACC.1/Signature_Creation FDP_ACC.1/SCD/SVD_Generation FDP_ACC.1/SVD_Transfer
FDP_ACF.1/FIREWALL			X FDP_ACF.1/Signature_Creation FDP_ACF.1/SCD/SVD_Generation FDP_ACF.1/SVD_Transfer
FDP_IFC.1/JCVM		X FMT_MSA.4/Keygen FDP_UCT.1/SCD FMT_MSA.4/KeyImport	
FDP_IFF.1/JCVM	Х		
FDP_RIP.1/OBJECTS		X SFR FDP_RIP.1	
FMT_MSA.1/JCRE	X		
FMT_MSA.1/JCVM	Х		
FMT_MSA.2/FIREWALL_JCVM	X		
FMT_MSA.3/FIREWALL	X		
FMT_MSA.3/JCVM	Х		
FMT_SMR.1/JCRE	Х		
FMT_SMF.1/CORE_LC	Х		
FCS_CKM.1		X FCS_CKM.1/SCD FCS_CKM.1/Session	
FCS_CKM.2	Х		
FCS_CKM.3	Х		
FCS_CKM.4		X FCS_CKM.4/SCD FCS_CKM.4/Session	
FCS_COP.1		X FCS_COP.1/DSC FCS_COP.1/Session	
FDP_RIP.1/ABORT		X FDP_RIP.1	
FDP_RIP.1/APDU		X FDP_RIP.1	
FDP_RIP.1/GlobalArray		X FDP_RIP.1	
FDP_RIP.1/bArray		X FDP_RIP.1	
FDP_RIP.1/KEYS		X FDP_RIP.1	

© Copyright Thales Page : 63 / 70

Requirements	IP_SFR	RP_SFR-SERV (*)	RP_SFR-MECH
FDP_RIP.1/TRANSIENT		X FDP_RIP.1	
FDP_ROL.1/FIREWALL	X		
FAU_ARP.1	X		
FDP_SDI.2/DATA		X FDP_SDI.2/Persistent FDP_SDI.2/DTBS	
FPR_UNO.1	X		
FPT_FLS.1/JCS			X FPT_FLS.1
FPT_TDC.1	X		
FIA_ATD.1/AID	X		
FIA_UID.2/AID	X		
FIA_USB.1/AID	X		
FMT_MTD.1/JCRE	X		
FMT_MTD.3/JCRE	X		
FDP_ITC.2/Installer	X		
FMT_SMR.1/Installer	Х		
FPT_FLS.1/Installer	Х		
FPT_RCV.3/Installer	Х		
FDP_ACC.2/ADEL	Х		
FDP_ACF.1/ADEL	Х		
FDP_RIP.1/ADEL	X		
FMT_MSA.1/ADEL	X		
FMT_MSA.3/ADEL	X		
FMT_SMF.1/ADEL	X		
FMT_SMR.1/ADEL	X		
FPT_FLS.1/ADEL	X		
FDP_RIP.1/ODEL		X FDP_RIP.1	
FPT_FLS.1/ODEL		X FPT_FLS.1	
FCO_NRO.2/CM	X		
FDP_IFC.2/CM	X		
FDP_IFF.1/CM	X		
FDP_UIT.1/CM	X		
FIA_UAU.1/CM	X		
FIA_UID.1/CM	X		
FMT_MSA.1/CM	X		
FMT_MSA.3/CM	X		
FMT_SMF.1/CM	Х		Page : 64/

© Copyright Thales Page : 64 / 70

Requirements	IP_SFR	RP_SFR-SERV (*)	RP_SFR-MECH
FMT_SMR.1/CM	X		
FTP_ITC.1/CM	X		
FPT_TST.1/SCP		X FPT_TST.1	
FPT_PHP.3/SCP		X FPT_PHP.3 FPT_PHP.1	
FPT_RCV.4/SCP	X		
FDP_ACC.1/CMGR	X		
FDP_ACF.1/CMGR	X		
FMT_MSA.1/CMGR	X		
FMT_MSA.3/CMGR	X		
FPT_FLS.1/SpecificAPI		X FPT_FLS.1	
FPT_ITT.1/SpecificAPI	X		
FPR_UNO.1/SpecificAPI	X		
FCS_RNG.1			X FCS_RNG.1
FDP_ACC.1/OS-UPDATE	X		
FDP_ACF.1/OS-UPDATE	X		
FIA_ATD.1/OS-UPDATE	X		
FMT_MSA.3/OS-UPDATE	X		
FMT_SMR.1/OS-UPDATE	X		
FMT_SMF.1/OS-UPDATE	X		
FTP_TRP.1/OS-UPDATE	X		
FCS_COP.1/OS-UPDATE-DEC	X		
FCS_COP.1/OS-UPDATE-VER	X		
FPT_FLS.1/OS-UPDATE	Х		

Table 17: SFRs Dependencies from Platform

(\*) RP\_SFR-SERV group definition:

© Copyright Thales Page : 65 / 70

Requirements	IP_SFR	RP_SFR-SERV (*)	RP_SFR-MECH
FCS_CKM.1/DH_PACE		X	
FCS_CKM.1/PERSO		X	
FCS_CKM.4/PACE		X	
FCS_COP.1/PACE_ENC		X	
FCS_COP.1/PACE_MAC		X	
FCS_COP.1/PACE_CAM		X	
FCS_COP.1/PERSO		X	
FCS_RNG.1/PACE			X
FIA_AFL.1/PERSO			X
FIA_AFL.1/PACE			X
FIA_UID.1/PERSO		X	
FIA_UAU.1/PERSO		X	
FIA_UID.1/PACE		X	
FIA_UAU.1/PACE		Х	
FIA_UAU.4/PACE		X	
FIA_UAU.5/PACE		X	
FIA_UAU.6/PACE		X	
FDP_RIP.1/PACE			X
FTP_ITC.1/PACE		X	
FMT_SMF.1/PACE	X		
FMT_SMF.1/PERSO	X		
FMT_SMR.1/PACE		Х	
FMT_SMR.1/PERSO		X	
FMT_LIM.1/PERSO		X	
FMT_LIM.2/PERSO		X	
FMT_MTD.1/INI_ENA		X	
FMT_MTD.1/INI_DIS		X	
FMT_MTD.1/KEY_READ		X	
FMT_MTD.1/Initialize_PINPUK	X		
FMT_MTD.1/Resume_PINPUK	X		
FMT_MTD.1/Change_PIN	X		
FMT_MTD.1/Unblock_ PIN	X		
FPT_EMS.1			X
FPT_TST.1		Х	
FPT_FLS.1			X
FPT_PHP.3		Х	

Table 18: SFRs Dependencies from PACE

© Copyright Thales Page : 66 / 70

## 8. TOE SUMMARY SPECIFICATION

#### 8.1 TOE SECURITY FUNCTIONS

TOE Security Functions are provided by the IAS application with its OS, and by the chip. The security functions provided by the platform are described in [ST-PLTF].

### 8.1.1 SF provided by IAS Application

This section presents the security functions provided by the IAS application.

Identification	Name
SF.AUTHENTICATION	Authentication management
SF.CRYPTO	Cryptography management
SF.INTEGRITY	Integrity monitoring
SF.MANAGEMENT	Operation management and access control
SF.SECURE_MESSAGING	Secure messaging management
SF.CSM	Card Security Management

Table 19: TOE security functions list

SF.AUTHENTICATION provides the authentication management on the TOE. It encompasses:

- Signatory authentication failure as defined in FIA AFL.1/SIG,
- Timing of signatory identification and authentication as defined in FIA\_UID.1/SIG and FIA\_UAU.1/SIG,
- Authentication of proof of identity & identity guarantor FIA\_API.1 & FDP\_DAU.2/SVD
- Pre-personaliser authentication failure as defined in FIA\_AFL.1/PERSO,
- Timing of pre-personaliser identification and authentication as defined in FIA\_UID.1/PERSO and FIA\_UAU.1/PERSO.

SF.CRYPTO provides the crypto management on the TOE. It encompasses:

- The generation of SCD/SVD and session keys as defined in FCS\_CKM.1/SCD and FCS\_CKM.1/Session,
- The destruction of SCD and session keys as defined in FCS\_CKM.4/SCD and FCS\_CKM.4/Session,
- The usage of SCD and session keys as defined in FCS COP.1/DSC and FCS COP.1/Session

SF.INTEGRITY provides the integrity monitoring on the TOE. It encompasses:

 The integrity of sensitive data as defined in FDP\_SDI.2/Persistent and FDP\_SDI.2/DTBS, and also FDP\_UIT.1/DTBS

SF.MANAGEMENT provides operation management and access control. It encompasses:

- Access management as defined in FDP\_ACC.1/Signature-creation, FDP\_ACF.1/Signature-creation, FDP\_ACC.1/SCD/SVD\_Generation, FDP\_ACF.1/SCD/SVD\_Generation, FDP\_ACC.1/SVD transfer, FDP\_ACC.1/SVD transfer, FDP\_ACC.1/SCD import, FDP\_ACF.1/SCD import SFR,
- Data input and output as defined in FDP\_ITC.1/SCD,
- Management of functions as defined in FMT\_MOF.1 and FMT\_SMF.1,
- Management of security attributes FMT\_MSA.1/AdminKG, FMT\_MSA.1/AdminKI, FMT\_MSA.1/Signatory, FMT\_MSA.2, FMT\_MSA.3/KeyImport, FMT\_MSA.3/KeyGen, FMT\_MSA.4/KeyImport, FMT\_MSA.4/KeyGen,
- Management of TSF data as defined in FMT\_MTD.1/Admin and FMT\_MTD.1/Signatory,
- Management of roles as defined in FMT SMR.1,

SF.SECURE\_MESSAGING provides secure messaging for the TOE. It encompasses:

- Data exchange integrity and confidentiality as defined in FDP\_UCT.1/SCD,
- Secure channel and secure path as defined in FTP\_ITC.1/SCD\_import, in FTP\_ITC.1/SVD, in FTP\_ITC.1/VAD, in FTP\_ITC.1/DTBS,

SF.CSM provides cards security protection. It encompasses:

• Protection against physical attacks as defined in FPT\_EMS.1, FPT\_FLS.1, FPT\_PHP.1, and FPT\_PHP.3,

© Copyright Thales Page : 67 / 70

- Testing of the card as defined in FPT\_TST.1,
- Secure unavailability of sensitive data as defined in FDP\_RIP.1.

## 8.1.2 TSFs provided by the platform

The evaluation is a composite evaluation and uses the results of the Platform CC.

SF	Description
SF_FW	Firewall
SF_API	Application Programming Interface
SF.CSM	Card Security Management
SF.AID	AID Management
SF.INST	Installer
SF.ADEL	Applet Deletion
SF.ODEL	Object Deletion
SF.CAR	Secure Carrier
SF.SCP	Smart Card Platform
SF.CMG	Card Manager
SF.APIS	Specific API
SF.RND	RNG
SF.OSAGILITY	OS Agility Management

Table 20: Security Functions provided by the MultiApp V5.1 Platform

These SF are described in [ST-PLTF].

## 8.2 TOE SUMMARY SPECIFICATION RATIONALE

## 8.2.1 TOE security functions rationale

Requirements	SF.Authentication	SF.Crypto	SF.Integrity	SF.Management	SF.Secure_Messaging	SF.CSM
FCS_CKM.1/SCD		Χ				
FCS_CKM.1/Session		Χ				
FCS_CKM.4/SCD		Χ				
FCS_CKM.4/Session		Χ				
FCS_COP.1/DSC		Χ				
FCS_COP.1/Session		Χ				
FDP_ACC.1/Signature-creation				Χ		
FDP_ACF.1/Signature-creation				Х		
FDP_ACC.1/SCD/SVD_Generation				Х		
FDP_ACF.1/SCD/SVD_Generation				Χ		
FDP_ACC.1/SVD transfer				Χ		
FDP_ACF.1/SVD transfer				Χ		
FDP_ACC.1/SCD import				Χ		
FDP_ACF.1/SCD import				Χ		
FDP_ITC.1/SCD				Χ		
FDP_RIP.1						Χ
FDP_SDI.2/Persistent			Χ			
FDP_SDI.2/DTBS			Χ			
FDP_UIT.1/DTBS			Χ			

© Copyright Thales Page : 68 / 70

Requirements	SF.Authentication	SF.Crypto	SF.Integrity	SF.Management	SF.Secure_Messaging	SF.CSM
FDP_DAU.2/SVD	Χ					
FDP_UCT.1/SCD					Х	
FIA_AFL.1/SIG	Х					
FIA_API.1	Χ					
FIA_UAU.1/SIG	Χ					
FIA_UID.1/SIG	Χ					
FIA_AFL.1/PERSO	Χ					
FIA_UID.1/PERSO	Χ					
FIA_UAU.1/PERSO	Χ					
FMT_MOF.1				Χ		
FMT_MSA.1/AdminKG				Χ		
FMT_MSA.1/AdminKI				Χ		
FMT_MSA.1/Signatory				Χ		
FMT_MSA.2				Χ		
FMT_MSA.3/KeyImport				Χ		
FMT_MSA.3/KeyGen				Χ		
FMT_MSA.4/KeyImport				Χ		
FMT_MSA.4/KeyGen				Χ		
FMT_MTD.1/Admin				Χ		
FMT_MTD.1/Signatory				Χ		
FMT_SMF.1				Χ		
FMT_SMR.1				Χ		
FPT_EMS.1						Χ
FPT_FLS.1						Χ
FPT_PHP.1						Χ
FPT_PHP.3						Χ
FPT_TST.1						Χ
FTP_ITC.1/SCD_import					Χ	
FTP_ITC.1/SVD					Χ	
FTP_ITC.1/VAD					Χ	
FTP_ITC.1/DTBS					Χ	

Table 21: Rationale table of functional requirements and security functions

**FCS-CKM.1/SCD** requires the generation of the SCD/SVD pair. This requirement is fulfilled by SF.CRYPTO "Cryptography management" that manages the cryptographic operations the TOE.

**FCS-CKM.1/Session** requires the generation of the session keys. This requirement is fulfilled by SF.CRYPTO "Cryptography management" that manages the cryptographic operations the TOE.

**FCS-CKM.4/SCD** requires the destruction of the previous SCD/SVD pair in case of re-generation or import of SCD. This requirement is fulfilled by SF.CRYPTO "Cryptography management" that manages the cryptographic operations the TOE.

**FCS-CKM.4/Session** requires the destruction of the session keys. This requirement is fulfilled by SF.CRYPTO "Cryptography management" that manages the cryptographic operations the TOE.

© Copyright Thales Page : 69 / 70

- **FCS\_COP.1/DSC** requires the availability of cryptographic operations to support the electronic signature application. This requirement is fulfilled by SF.CRYPTO "Cryptography management" that manages the cryptographic operations the TOE.
- **FCS\_COP.1/Session** requires the availability of cryptographic operations for secure messaging. This requirement is fulfilled by SF.CRYPTO "Cryptography management" that manages the cryptographic operations the TOE.
- **FDP\_ACC.1** and **FDP\_ACF** require access control on operations covered by the SFP. These requirements are fulfilled by SF.MANAGEMENT "Operation management and access control".
- **FDP\_ITC.1/SCD** controls transfer of SCD into the TSF. This requirement is fulfilled by SF.MANAGEMENT "Operation management and access control".
- **FDP\_RIP.1** requires that any residual information content of a resource is made unavailable upon de-allocation of this resource. This requirement is fulfilled by SF.CSM "Card Security Management".
- **FDP\_SDI.2/Persistent FDP\_SDI.2/DTBS** and **FDP\_UIT.1/DTBS** require the integrity of stored sensitive data. These requirements are fulfilled by SF.Integrity "Integrity monitoring".
- **FDP\_UCT.1/SCD** requires the confidentiality and integrity of the SCD during its transfer into the TSF. This requirement is fulfilled by SF.SECURE\_MESSAGING "Secure messaging management".
- FIA\_AFL.1/PERSO, FIA\_UAU.1/PERSO, FIA\_UID.1/PERSO, FIA\_AFL.1/SIG, FIA\_UAU.1/SIG, FIA\_UID.1/SIG,FIA\_API.1 and FDP\_DAU.2/SVD require authentication management. These requirements are fulfilled by SF\_AUTHENTICATION "Authentication management".
- FMT\_MOF.1, FMT\_MSA.1, FMT\_MSA.2, FMT\_MSA.3, FMT\_MSA.4, FMT\_MTD.1, FMT\_SMF.1, and FMT\_SMR.1 require several functions for the management of TSF data. These requirements are fulfilled by SF\_MANAGEMENT" Operation management and access control".
- **FPT\_EMS.1** requires counter-measures to avoid access via emanations using TOE interfaces. This requirement is fulfilled by SF.CSM "Card Security Management".
- **FPT\_FLS.1**, **FPT\_PHP.1**, and **FPT\_PHP.3** require physical protection of the TOE. These requirements are fulfilled by SF.CSM "Card Security Management".
- FPT\_TST.1 requires testing the TSF. This requirement is fulfilled by SF.CSM "Card Security Management".
- **FTP\_ITC.1/SCD\_import** requires trusted channel between SCA and the TOE. This requirement is fulfilled by SF.SECURE\_MESSAGING "Secure messaging management".
- **FTP\_ITC.1/SVD** requires trusted channel between CGA and the TOE. This requirement is fulfilled by SF.SECURE\_MESSAGING "Secure messaging management".
- **FTP\_ITC.1/VAD** requires trusted channel between HID of CGA and the TOE. This requirement is fulfilled by SF.SECURE\_MESSAGING "Secure messaging management".
- **FTP\_ITC.1/DTBS** requires trusted channel between HID of CGA and the TOE. This requirement is fulfilled by SF.SECURE\_MESSAGING "Secure messaging management".

#### **END OF DOCUMENT**

© Copyright Thales Page : 70 / 70