
COMMON CRITERIA CERTIFICATION REPORT

EMC VPLEX® v5.5

Version 1.0 11 May 2016







FOREWORD

This certification report is an UNCLASSIFIED publication, issued under the authority of the Chief, Communications Security Establishment (CSE). Suggestions for amendments should be forwarded through departmental communications security channels to your Client Services Representative at CSE.


The Information Technology (IT) product identified in this certification report, and its associated certificate, has been evaluated at an approved evaluation facility – established under the Canadian Common Criteria Scheme – using the Common Methodology for Information Technology Security Evaluation, Version 3.1 Revision 4, for conformance to the Common Criteria for Information Technology Security Evaluation, Version 3.1 Revision 4. This certification report, and its associated certificate, applies only to the identified version and release of the product in its evaluated configuration. The evaluation has been conducted in accordance with the provisions of the Canadian CC Scheme, and the conclusions of the evaluation facility in the evaluation report are consistent with the evidence adduced. This report, and its associated certificate, are not an endorsement of the IT product by the Communications Security Establishment, or any other organization that recognizes or gives effect to this report, and its associated certificate, and no warranty for the IT product by the Communications Security Establishment, or any other organization that recognizes or gives effect to this report, and its associated certificate, is either expressed or implied.

If your department has identified a requirement for this certification report based on business needs and would like more detailed information, please contact:

ITS Client Services

Telephone: (613) 991-7654

E-mail: itsclientservices@cse-cst.gc.ca



OVERVIEW

The Canadian Common Criteria Scheme provides a third-party evaluation service for determining the trustworthiness of Information Technology (IT) security products. Evaluations are performed by a commercial Common Criteria Evaluation Facility (CCEF) under the oversight of the Certification Body, which is managed by the Communications Security Establishment.

A CCEF is a commercial facility that has been approved by the Certification Body to perform Common Criteria evaluations; a significant requirement for such approval is accreditation to the requirements of ISO/IEC 17025:2005, the General Requirements for the Competence of Testing and Calibration Laboratories. Accreditation is performed under the Program for the Accreditation of Laboratories - Canada (PALCAN), administered by the Standards Council of Canada.

The CCEF that carried out this evaluation is EWA-Canada.


By awarding a Common Criteria certificate, the CCS Certification Body asserts that the product complies with the security requirements specified in the associated security target. A security target is a requirements specification document that defines the scope of the evaluation activities. The consumer of certified IT products should review the security target, in addition to this certification report, in order to gain an understanding of any assumptions made during the evaluation, the IT product's intended environment, the evaluated security functionality, and the testing and analysis conducted by the CCEF.

The certification report, certificate of product evaluation and security target are posted to the Certified Products list (CPL) for the Canadian CC Scheme, and to the Common Criteria portal (the official website of the International Common Criteria Project).



TABLE OF CONTENTS

| | ntification of Target of Evaluation | 0 |
|-------|--|--|
| l.1 | Common Criteria Conformance | 6 |
| 1.2 | TOE description | 6 |
| 1.3 | TOE architecture | 6 |
| Sec | urity policy | 7 |
| Ass | umptions and Clarifications of Scope | 8 |
| 3.1 | Usage and Environmental assumptions | 8 |
| Eva | luated Configuration | 9 |
| 1.1 | Documentation | 9 |
| Eva | luation Analysis Activities | 10 |
| 5.1 | Development | . 10 |
| 5.2 | Guidance Documents | . 10 |
| 5.3 | Life-cycle Support | . 10 |
| Tes | ting Activities | 11 |
| 5.1 | Assessment of Developer Tests | . 11 |
| 5.2 | Conduct of Testing | . 11 |
| 5.3 | Independent Functional Testing | . 11 |
| 5.4 | Independent Penetration Testing | . 12 |
| Res | ults of the Evaluation | 13 |
| Sup | porting Content | 14 |
| 3.1 | List of Abbreviations | . 14 |
| 3.2 | References | . 15 |
| ST | OF FIGURES | |
| | | |
| ure 1 | TOE Architecture | 6 |
| ST | OF TABLES | |
| | | 6 |
| | 2 3 Sec Ass 3.1 Eva 3.1 5.2 5.3 Tes 5.3 5.4 Res Sup 3.1 3.2 | .2 TOE description3 TOE architecture Security policy |



EXECUTIVE SUMMARY


EMC VPLEX® v5.5 (hereafter referred to as the Target of Evaluation (TOE)), from EMC Corporation, was the subject of this Common Criteria evaluation. The results of this evaluation demonstrate that TOE meets the requirements of the conformance claim listed in Table 1 for the evaluated security functionality.

The TOE is an appliance-based solution which connects to Fibre Channel Storage Area Network interfaces or Ethernet switches. The TOE federates data that is located on heterogeneous storage arrays to create distributed and available data centers. Federation allows for transparent data mobility between storage arrays. Administrators interact with VPLEX via a web-based Graphical User Interface (GUI) or a Command Line Interface.

EWA-Canada is the CCEF that conducted the evaluation. This evaluation was completed on 11 May 2016 and was carried out in accordance with the rules of the Canadian Common Criteria Scheme.

The scope of the evaluation is defined by the security target, which identifies assumptions made during the evaluation, the intended environment for TOE, and the security functional/assurance requirements. Consumers are advised to verify that their operating environment is consistent with that specified in the security target, and to give due consideration to the comments, observations and recommendations in this certification report.

Communications Security Establishment, as the Certification Body, declares that the TOE evaluation meets all the conditions of the Arrangement on the Recognition of Common Criteria Certificates and that the product will be listed on the Certified Products list (CPL) and the Common Criteria portal (the official website of the International Common Criteria Project).



1 IDENTIFICATION OF TARGET OF EVALUATION

The Target of Evaluation (TOE) is identified as follows:

Table 1 TOE Identification

| TOE Name and Version | EMC VPLEX® v5.5 |
|----------------------|--------------------|
| Developer | EMC Corporation |
| Conformance Claim | EAL 2+ (ALC_FLR.2) |

1.1 COMMON CRITERIA CONFORMANCE

The evaluation was conducted using the Common Methodology for Information Technology Security Evaluation, Version 3.1 Revision 4, for conformance to the Common Criteria for Information Technology Security Evaluation, Version 3.1 Revision 4.

1.2 TOE DESCRIPTION

The TOE is an appliance-based solution which connects to Fibre Channel Storage Area Network interfaces or Ethernet switches. The TOE federates data that is located on heterogeneous storage arrays to create distributed and available data centers. Federation allows for transparent data mobility between storage arrays. Administrators interact with VPLEX via a web-based Graphical User Interface (GUI) or a Command Line Interface.

1.3 TOE ARCHITECTURE

A diagram of the TOE architecture is as follows:





Figure 1 TOE Architecture

2 **SECURITY POLICY**

The TOE implements policies pertaining to the following security functional classes:

- **Security Audit**
- **User Data Protection**
- **Identification and Authentication**
- Security Management
- **TOE Access**



3 ASSUMPTIONS AND CLARIFICATIONS OF SCOPE

Consumers of the TOE should consider assumptions about usage and environmental settings as requirements for the product's installation and its operating environment. This will ensure the proper and secure operation of the TOE.

3.1 USAGE AND ENVIRONMENTAL ASSUMPTIONS

The following assumptions are made regarding the use and deployment of the TOE:

- There will be one or more competent individuals assigned to manage the TOE and the security of the information it contains.
- The TOE components, front-end hosts, back-end storage and management workstations will be interconnected by a segregated network that protects the traffic from disclosure to or modification by untrusted systems or users.
- The authorized administrators are not careless, willfully negligent, or hostile, and will follow and abide by the instructions provided by the TOE documentation.
- The hardware and software critical to TOE security policy enforcement will be protected from unauthorized physical modification.



4 EVALUATED CONFIGURATION


The evaluated configuration for the TOE comprises EMC VPLEX V5.5 software build 5.5.1.01.00.5 running on the following hardware components:

- EMC VPLEX VS2 Management Server
- EMC VPLEX VS2 Engine

4.1 DOCUMENTATION

The following documents are provided to the consumer to assist in the configuration and installation of the TOE:

- a. EMC® VPLEX™ Hardware Installation Guide (Rev A01)
- b. EMC® VPLEX™ Site Preparation Guide (Rev 06)
- c. EMC® VPLEX® GeoSynchrony Configuration Guide (Rev 07)
- d. EMC VPLEX® GeoSynchrony Version 5.5 Administration Guide (Rev 01)
- e. EMC VPLEX® GeoSynchrony Version 5.5 CLI Reference Guide (Rev 01)
- f. EMC® VPLEX® Security Configuration Guide (Rev 12)
- g. EMC® VPLEX® Version 5.5 Product Guide (Rev 01)
- h. Unisphere for VPLEX Online Help (5.5.0.00.00.11)
- i. EMC VPLEX® v5.5 Common Criteria Supplement (v0.4)



5 EVALUATION ANALYSIS ACTIVITIES

The evaluation analysis activities involved a structured evaluation of the TOE. Documentation and process dealing with Development, Guidance Documents, and Life-Cycle Support were evaluated.

5.1 DEVELOPMENT

The evaluators analyzed the TOE functional specification and design documentation; they determined that the design completely and accurately describes the TOE security functionality (TSF) interfaces, the TSF subsystems and how the TSF implements the security functional requirements (SFRs). The evaluators analyzed the TOE security architectural description and determined that the initialization process is secure, that the security functions are protected against tamper and bypass, and that security domains are maintained. The evaluators also independently verified that the correspondence mappings between the design documents are correct.

5.2 GUIDANCE DOCUMENTS

The evaluators examined the TOE preparative user guidance and operational user guidance and determined that it sufficiently and unambiguously describes how to securely transform the TOE into its evaluated configuration and how to use and administer the product. The evaluators examined and tested the preparative and operational guidance, and determined that they are complete and sufficiently detailed to result in a secure configuration.


Section 4.1 provides details on the guidance documents.

5.3 LIFE-CYCLE SUPPORT

An analysis of the TOE configuration management system and associated documentation was performed. The evaluators found that the TOE configuration items were clearly marked.

The evaluators examined the delivery documentation and determined that it described all of the procedures required to maintain the integrity of the TOE during distribution to the consumer.

The evaluators reviewed the flaw remediation procedures used by developer for the TOE. During a site visit, the evaluators also examined the evidence generated by adherence to the procedures. The evaluators concluded that the procedures are adequate to track and correct security flaws, and distribute the flaw information and corrections to consumers of the TOE.



6 TESTING ACTIVITIES

Testing consists of the following three steps: assessing developer tests, performing independent functional tests, and performing penetration tests.

6.1 ASSESSMENT OF DEVELOPER TESTS

The evaluators verified that the developer has met their testing responsibilities by examining their test evidence, and reviewing their test results, as documented in the ETR.

The evaluators analyzed the developer's test coverage analysis and found it to be complete and accurate. The correspondence between the tests identified in the developer's test documentation and the functional specification was complete.

6.2 CONDUCT OF TESTING

The TOE was subjected to a comprehensive suite of formally documented, independent functional and penetration tests. The detailed testing activities, including configurations, procedures, test cases, expected results and observed results are documented in a separate Test Results document.

6.3 INDEPENDENT FUNCTIONAL TESTING

During this evaluation, the evaluator developed independent functional tests by examining design and guidance documentation.

All testing was planned and documented to a sufficient level of detail to allow repeatability of the testing procedures and results. The following testing activities were performed:

- a. Repeat of Developer's Tests: The evaluator repeated a subset of the developers tests;
- b. Account Management: The objective of this test goal is to demonstrate that password rules are enforced for user accounts;
- c. Session Timeout: The objective of this test goal is to demonstrate that the TOE enforces session timeout limits;
- d. Audit Log: The objective of this test goal is to demonstrate that the TOE logs configuration changes; and
- e. User Privileges: The objective of this test goal is to demonstrate the permissions associated with administrator and user roles;

6.3.1 FUNCTIONAL TEST RESULTS

The developer's tests and the independent functional tests yielded the expected results, providing assurance that the TOE behaves as specified in its ST and functional specification.

6.4 INDEPENDENT PENETRATION TESTING

Subsequent to the independent review of public domain vulnerability databases and all evaluation deliverables, limited independent evaluator penetration testing was conducted. The penetration tests focused on:

- a. Automated vulnerability scanning: The evaluator used a variety of automated vulnerability scanning tools to discover potential network, platform and application layer vulnerabilities, such as Heartbleed, Shellshock, FREAK, POODLE, and GHOST.
- b. Information Leakage: The objective of this test goal is to attempt to capture sensitive information during TOE start up, shutdown, and login.

6.4.1 PENETRATION TEST RESULTS

The independent penetration testing did not uncover any exploitable vulnerabilities in the intended operating environment.

7 RESULTS OF THE EVALUATION

This evaluation has provided the basis for the conformance claim documented in Table 1. The overall verdict for the evaluation is **PASS**. These results are supported by evidence in the ETR.

The IT product identified in this report has been evaluated at an approved evaluation facility established under the Canadian Common Criteria Evaluation and Certification Scheme using the Common Methodology for IT Security Evaluation, Version 3.1 Revision 4, for conformance to the Common Criteria for IT Security Evaluation, Version 3.1 Revision 4. These evaluation results apply only to the specific version and release of the product in its evaluated configuration and in conjunction with the complete certification report.

The evaluation has been conducted in accordance with the provisions of the Canadian Common Criteria Evaluation and Certification Scheme and the conclusions of the evaluation facility in the evaluation report are consistent with the evidence adduced. This is not an endorsement of the IT product by CSE or by any other organization that recognizes or gives effect to this certificate, and no warranty of the IT product by CSE or by any other organization that recognizes or gives effect to this certificate, is expressed or implied.



8

SUPPORTING CONTENT

8.1 LIST OF ABBREVIATIONS

| Term | Definition |
|--------|--|
| CAVP | Cryptographic Algorithm Validation Program |
| CCEF | Common Criteria Evaluation Facility |
| CCS | Canadian Common Criteria Evaluation and Certification Scheme |
| CM | Configuration Management |
| CMVP | Cryptographic Module Validation Program |
| CSE | Communications Security Establishment |
| EAL | Evaluation Assurance Level |
| ETR | Evaluation Technical Report |
| GC | Government of Canada |
| GUI | Graphical User Interface |
| IT | Information Technology |
| ITS | Information Technology Security |
| ITSET | Information Technology Security Evaluation and Testing |
| PALCAN | Program for the Accreditation of Laboratories – Canada |
| PP | Protection Profile |
| SFR | Security Functional Requirement |
| ST | Security Target |
| TOE | Target of Evaluation |
| TSF | TOE Security Function |



8.2 **REFERENCES**

Reference

CCS Publication #4, Technical Oversight, Version 1.8, October 2010.

Common Criteria for Information Technology Security Evaluation, Version 3.1 Revision 4, September 2012.

Common Methodology for Information Technology Security Evaluation, CEM, Version 3.1 Revision 4, September 2012.

EMC VPLEX® v5.5 Security Target, Version: 0.8, 18 April 2016

Evaluation Technical Report for EAL 2+ Evaluation of EMC Corporation VPLEX® v5.5, Version 1.2, May 11, 2016