

Centre de la sécurité des télécommunications

CANADIAN CENTRE FOR CYBER SECURITY

COMMON CRITERIA CERTIFICATION REPORT

Belkin F1DN002MOD-KM-4, F1DN004MOD-KM-4
and F1DN-FLTR-HID-4 Firmware Version 40404OE7 Peripheral Sharing Devices
24 January 2022

535-EWA



This document is the property of the Government of Canada. It shall not be altered, distributed beyond its intended audience, produced, reproduced or published, in whole or in any substantial part thereof, without the express permission of CSE.





FOREWORD

This certification report is an UNCLASSIFIED publication, issued under the authority of the Chief, Communications Security Establishment (CSE).

The Information Technology (IT) product identified in this certification report, and its associated certificate, has been evaluated at an approved testing laboratory established under the Canadian Centre for Cyber Security (a branch of CSE). This certification report, and its associated certificate, applies only to the identified version and release of the product in its evaluated configuration. The evaluation has been conducted in accordance with the provisions of the Canadian Common Criteria Program, and the conclusions of the testing laboratory in the evaluation report are consistent with the evidence adduced.

This report, and its associated certificate, are not an endorsement of the IT product by Canadian Centre for Cyber Security, or any other organization that recognizes or gives effect to this report, and its associated certificate, and no warranty for the IT product by the Canadian Centre for Cyber Security, or any other organization that recognizes or gives effect to this report, and its associated certificate, is either expressed or implied.

If your organization has identified a requirement for this certification report based on business needs and would like more detailed information, please contact:

Canadian Centre for Cyber Security

Contact Centre and Information Services

<u>contact@cyber.qc.ca</u> | 1-833-CYBER-88 (1-833-292-3788)



OVERVIEW

The Canadian Common Criteria Program provides a third-party evaluation service for determining the trustworthiness of Information Technology (IT) security products. Evaluations are performed by a commercial Common Criteria Testing Laboratory (CCTL) under the oversight of the Certification Body, which is managed by the Canadian Centre for Cyber Security.

A CCTL is a commercial facility that has been approved by the Certification Body to perform Common Criteria evaluations; a significant requirement for such approval is accreditation to the requirements of ISO/IEC 17025, the General Requirements for the Competence of Testing and Calibration Laboratories.

By awarding a Common Criteria certificate, the Certification Body asserts that the product complies with the security requirements specified in the associated security target. A security target is a requirements specification document that defines the scope of the evaluation activities. The consumer of certified IT products should review the security target, in addition to this certification report, in order to gain an understanding of any assumptions made during the evaluation, the IT product's intended environment, the evaluated security functionality, and the testing and analysis conducted by the CCTL.

The certification report, certificate of product evaluation and security target are posted to the Common Criteria portal (the official website of the International Common Criteria Project).



TABLE OF CONTENTS

E	XECUTI	VE SUMMARY	6
1	Ident	tification of Target of Evaluation	7
	1.1	Common Criteria Conformance	7
	1.2	TOE Description	7
	1.3	TOE Architecture	8
2	Secu	ırity Policy	10
3	Assu	ımptions and Clarification of Scope	11
	3.1	Usage and Environmental Assumptions	11
	3.2	Clarification of Scope	11
4	Evalu	uated Configuration	12
	4.1	Documentation	12
5	Evalu	uation Analysis Activities	13
	5.1	Development	13
	5.2	Guidance Documents	13
	5.3	Life-Cycle Support	13
6	Test	ing Activities	14
	6.1	Assessment of Developer tests	14
	6.2	Conduct of Testing	14
	6.3	Independent Testing	14
	6.3.1	Independent Testing Results	14
	6.4	Vulnerability Analysis	15
	6.4.1	Vulnerability Analysis Results	15
7	Resu	ılts of the Evaluation	16
	7.1	Recommendations/Comments	16
8	Supp	porting Content	17
	8.1	List of Abbreviations	17
	8.2	References	18

LIST OF FIGURES

Figure 1:	TOE Architecture (Switches)	. 8
Figure 2:	TOE Architecture (Filter)	.9
LIST	OF TABLES	
Table 1:	TOE Identification	. 7



EXECUTIVE SUMMARY

Belkin F1DN002MOD-KM-4, F1DN004MOD-KM-4 and F1DN-FLTR-HID-4 Firmware Version 40404-0E7 Peripheral Sharing Devices (hereafter referred to as the Target of Evaluations, or TOE), from Belkin International, Inc., was the subject of this Common Criteria evaluation. A description of the TOE can be found in Section 1.2. The results of this evaluation demonstrate that the TOE meets the requirements of the conformance claim listed in Section 1.1 for the evaluated security functionality.

EWA-Canada is the CCTL that conducted the evaluation. This evaluation was completed on 24 January 2022 and was carried out in accordance with the rules of the Canadian Common Criteria Program.

The scope of the evaluation is defined by the Security Target, which identifies assumptions made during the evaluation, the intended environment for the TOE, and the security functional/assurance requirements. Consumers are advised to verify that their operating environment is consistent with that specified in the security target, and to give due consideration to the comments, observations, and recommendations in this Certification Report.

The Canadian Centre for Cyber Security, as the Certification Body, declares that this evaluation meets all the conditions of the Arrangement on the Recognition of Common Criteria Certificates and that the product is listed on the Certified Products list (CPL) for the Canadian Common Criteria Program and the Common Criteria portal (the official website of the International Common Criteria Program).



IDENTIFICATION OF TARGET OF EVALUATION

The Target of Evaluation (TOE) is identified as follows:

Table 1: TOE Identification

TOE Name and Version	Belkin F1DN002MOD-KM-4, F1DN004MOD-KM-4 and F1DN-FLTR-HID-4 Firmware Version 40404-0E7 Peripheral Sharing Devices
Developer	Belkin International, Inc.

1.1 COMMON CRITERIA CONFORMANCE

The evaluation was conducted using the Common Methodology for Information Technology Security Evaluation, Version 3.1 Revision 5, for conformance to the Common Criteria for Information Technology Security Evaluation, Version 3.1 Revision 5.

The TOE claims the following conformance:

Exact conformance with the NIAP PP-Configuration for Peripheral Sharing Device and Keyboard/Mouse Devices, Version 1.0, which comprises the following:

- Protection Profile for Peripheral Sharing Device, Version 4.0; and
- PP-Module for Keyboard/Mouse Devices, Version 1.0.

1.2 TOE DESCRIPTION

The TOE configurations are made up of two types of Peripheral Sharing Devices (PSDs): switches and a filter. The F1DN002MOD-KM-4 and F1DN004MOD-KM-4 Belkin Secure Peripheral Sharing Devices are part of the Modular Secure KM Series product line. These devices are Keyboard Mouse (KM) switches which allow a single keyboard and mouse to be used by one of several connected computers. The F1DN-FLTR-HID-4 is a KM USB filter, which ensures secure unidirectional communications between a keyboard and mouse and a single connected computer.



1.3 TOE ARCHITECTURE

Diagrams of the TOE architectures are as follows:

Figure 1: TOE Architecture (Switches)





Figure 2: TOE Architecture (Filter)





2 SECURITY POLICY

The TOE implements and enforces policies pertaining to the following security functionality:

- User Data Protection
- Protection of the TSF
- TOE Access

Complete details of the security functional requirements (SFRs) can be found in the Security Target (ST) referenced in section 8.2.



3 ASSUMPTIONS AND CLARIFICATION OF SCOPE

Consumers of the TOE should consider assumptions about usage and environmental settings as requirements for the product's installation and its operating environment. This will ensure the proper and secure operation of the TOE.

3.1 USAGE AND ENVIRONMENTAL ASSUMPTIONS

The following assumptions are made regarding the use and deployment of the TOE:

- No TEMPEST: Computers and peripheral devices connected to the PSD are not TEMPEST approved.
- Physical: The environment provides physical security commensurate with the value of the TOE and the data it processes and contains.
- No wireless devices: The environment includes no wireless peripheral devices.
- Trusted admin and configuration: PSD Administrators and users are trusted to follow and apply all guidance in a trusted manner. Personnel configuring the PSD and its operational environment follow the applicable security configuration guidance.

User allowed access: All PSD users are allowed to interact with all connected computers. It is not the role of the PSD to prevent or otherwise control user access to connected computers. Computers or their connected network shall have the required means to authenticate the user and to control access to their various resources.

3.2 CLARIFICATION OF SCOPE

All security features of this product were evaluated.



4 EVALUATED CONFIGURATION

The evaluated configuration for the TOE comprises:

TOE Software/Firmware	Belkin F1DN002MOD-KM-4, F1DN004MOD-KM-4 and F1DN-FLTR-HID-4 Firmware Version 40404-0E7 Peripheral Sharing Devices
Environmental Support	1-4 General purpose computers
	General purpose USB keyboard
	General purpose USB mouse
	Belkin KM Cables

4.1 DOCUMENTATION

The following documents are provided to the consumer to assist in the configuration and installation of the TOE:

- a) Quick Installation Guide 2/4 Port Modular Secure KM Switches, 8820-02950 Rev.A00
- b) Quick Installation Guide USB Blockers and HID or Programmable Filter, 8820-02954 Rev.A00
- c) Belkin Regulatory Information, 8820-02969 Rev. A00

Guidance may be downloaded from the Belkin website (www.belkin.com) in .pdf format.

5 EVALUATION ANALYSIS ACTIVITIES

The evaluation analysis activities involved a structured evaluation of the TOE. Documentation and process dealing with Development, Guidance Documents, and Life-Cycle Support were evaluated.

5.1 DEVELOPMENT

The evaluators analyzed the documentation provided by the vendor; they determined that the design completely and accurately describes the TOE security functionality (TSF) interfaces and how the TSF implements the security functional requirements. The evaluators determined that the initialization process is secure, that the security functions are protected against tamper and bypass, and that security domains are maintained.

5.2 GUIDANCE DOCUMENTS

The evaluators examined the TOE preparative user guidance and operational user guidance and determined that it sufficiently and unambiguously describes how to securely transform the TOE into its evaluated configuration and how to use and administer the product. The evaluators examined and tested the preparative and operational guidance and determined that they are complete and sufficiently detailed to result in a secure configuration.

Section 4.1 provides details on the guidance documents.

5.3 LIFE-CYCLE SUPPORT

An analysis of the TOE configuration management system and associated documentation was performed. The evaluators found that the TOE configuration items were clearly marked.

The evaluators examined the delivery documentation and determined that it described all the procedures required to maintain the integrity of the TOE during distribution to the consumer.



6 TESTING ACTIVITIES

Testing consists of the following three steps: assessing developer tests, performing independent tests, and performing a vulnerability analysis.

6.1 ASSESSMENT OF DEVELOPER TESTS

The evaluators verified that the developer has met their testing responsibilities by examining their test evidence, and reviewing their test results, as documented in the Evaluation Test Report (ETR). The correspondence between the tests identified in the developer's test documentation and the functional specification was complete.

6.2 CONDUCT OF TESTING

The TOE was subjected to a comprehensive suite of formally documented, independent functional and penetration tests. The detailed testing activities, including configurations, procedures, test cases, expected results and observed results are documented in a separate Test Results document.

6.3 INDEPENDENT TESTING

During this evaluation, the evaluator developed independent functional & penetration tests by examining design and quidance documentation.

All testing was planned and documented to a sufficient level of detail to allow repeatability of the testing procedures and results. The following testing activities were performed:

a. PP Assurance Activities: The evaluator performed the assurance activities listed in the claimed PP

6.3.1 INDEPENDENT TESTING RESULTS

The developer's tests and the independent tests yielded the expected results, providing assurance that the TOE behaves as specified in its ST and functional specification.

6.4 VULNERABILITY ANALYSIS

The vulnerability analysis focused on 4 flaw hypotheses.

- Public Vulnerability based (Type 1)
- Technical community sources (Type 2)
- Evaluation team generated (Type 3)
- Tool Generated (Type 4)

The evaluators conducted an independent review of all evaluation evidence, public domain vulnerability databases and technical community sources (Type 1 & 2). Additionally, the evaluators used automated vulnerability scanning tools to discover potential network, platform, and application layer vulnerabilities (Type 4). Based upon this review, the evaluators formulated flaw hypotheses (Type 3), which they used in their vulnerability analysis.

Type 1 & 2 searches were conducted on 1/19/2022 and included the following search terms:

Belkin	Belkin KM	Belkin Firmware
Belkin Peripheral Sharing	HighSecLabs	F1DN002MOD-KM-4
F1DN004MOD-KM-4	F1DN-MOD-REM4	F1DN-FLTR-HID-4
Firmware Version 40404-0E7		

Vulnerability searches were conducted using the following sources:

Check National Vulnerability Database: https://nvd.nist.gov/vuln/search	Check HSL and Belkin support: http://highseclabs.com/ http://belkin.com/us/
Check Common Vulnerabilities and Exposures:	Port, Protocol and Vulnerability Scans:
https://google.ca	Software: Nmap, Wireshark and Nessus

6.4.1 VULNERABILITY ANALYSIS RESULTS

The vulnerability analysis did not uncover any security relevant residual exploitable vulnerabilities in the intended operating environment.

RESULTS OF THE EVALUATION

The Information Technology (IT) product identified in this certification report, and its associated certificate, has been evaluated at an approved testing laboratory established under the Canadian Centre for Cyber Security (CCCS). This certification report, and its associated certificate, apply only to the specific version and release of the product in its evaluated configuration.

This evaluation has provided the basis for the conformance claim documented in Table 1. The overall verdict for this evaluation is **PASS**. These results are supported by evidence in the ETR.

7.1 RECOMMENDATIONS/COMMENTS

It is recommended that all guidance outlined in Section 4.1 be followed to configure the TOE in the evaluated configuration.



SUPPORTING CONTENT

8.1 LIST OF ABBREVIATIONS

8

Term	Definition
CAVP	Cryptographic Algorithm Validation Program
CCTL	Common Criteria Testing Laboratory
СМ	Configuration Management
CMVP	Cryptographic Module Validation Program
CSE	Communications Security Establishment
CCCS	Canadian Centre for Cyber Security
EAL	Evaluation Assurance Level
ETR	Evaluation Technical Report
GC	Government of Canada
IT	Information Technology
ITS	Information Technology Security
KM	Keyboard, Mouse
PP	Protection Profile
PSD	Peripheral Sharing Device
SFR	Security Functional Requirement
ST	Security Target
TOE	Target of Evaluation
TSF	TOE Security Function

8.2 REFERENCES

Reference

Common Criteria for Information Technology Security Evaluation, Version 3.1 Revision 5, April 2017.

Common Methodology for Information Technology Security Evaluation, CEM, Version 3.1 Revision 5, April 2017.

Belkin F1DN002MOD-KM-4, F1DN004MOD-KM-4 and F1DN-FLTR-HID-4 Firmware Version 40404-0E7 Peripheral Sharing Devices Security Target, Version 1.6, 8 November 2021.

Evaluation Technical Report for Common Criteria Evaluation of Belkin F1DN002MOD-KM-4, F1DN004MOD-KM-4 and F1DN-FLTR-HID-4 Firmware Version 40404-0E7 Peripheral Sharing Devices, Version 1.6, 24 January 2022.

Assurance Activity Report Belkin F1DN002MOD-KM-4, F1DN004MOD-KM-4 and F1DN-FLTR-HID-4 Firmware Version 40404-0E7 Peripheral Sharing Devices, Version 1.4, 21 January 2022.