

Centre de la sécurité des télécommunications

# CANADIAN CENTRE FOR CYBER SECURITY

# **COMMON CRITERIA CERTIFICATION REPORT**

**NetApp E-Series & EF-Series with** 

**SANtricity OS 11.70** 

5 November 2021

551-LSS

© Government of Canada

This document is the property of the Government of Canada. It shall not be altered, distributed beyond its intended audience, produced, reproduced or published, in whole or in any substantial part thereof, without the express permission of CSE.



## **FOREWORD**

This certification report is an UNCLASSIFIED publication, issued under the authority of the Chief, Communications Security Establishment (CSE).

The Information Technology (IT) product identified in this certification report, and its associated certificate, has been evaluated at an approved testing laboratory established under the Canadian Centre for Cyber Security (a branch of CSE). This certification report, and its associated certificate, applies only to the identified version and release of the product in its evaluated configuration. The evaluation has been conducted in accordance with the provisions of the Canadian Common Criteria Program, and the conclusions of the testing laboratory in the evaluation report are consistent with the evidence adduced.

This report, and its associated certificate, are not an endorsement of the IT product by Canadian Centre for Cyber Security, or any other organization that recognizes or gives effect to this report, and its associated certificate, and no warranty for the IT product by the Canadian Centre for Cyber Security, or any other organization that recognizes or gives effect to this report, and its associated certificate, is either expressed or implied.

If your organization has identified a requirement for this certification report based on business needs and would like more detailed information, please contact:

Canadian Centre for Cyber Security

Contact Centre and Information Services

<u>contact@cyber.qc.ca</u> | 1-833-CYBER-88 (1-833-292-3788)




## **OVERVIEW**

The Canadian Common Criteria Program provides a third-party evaluation service for determining the trustworthiness of Information Technology (IT) security products. Evaluations are performed by a commercial Common Criteria Testing Laboratory (CCTL) under the oversight of the Certification Body, which is managed by the Canadian Centre for Cyber Security.

A CCTL is a commercial facility that has been approved by the Certification Body to perform Common Criteria evaluations; a significant requirement for such approval is accreditation to the requirements of ISO/IEC 17025, the General Requirements for the Competence of Testing and Calibration Laboratories.

By awarding a Common Criteria certificate, the Certification Body asserts that the product complies with the security requirements specified in the associated security target. A security target is a requirements specification document that defines the scope of the evaluation activities. The consumer of certified IT products should review the security target, in addition to this certification report, in order to gain an understanding of any assumptions made during the evaluation, the IT product's intended environment, the evaluated security functionality, and the testing and analysis conducted by the CCTL.

The certification report, certificate of product evaluation and security target are posted to the Common Criteria portal (the official website of the International Common Criteria Project).



## **TABLE OF CONTENTS**

E	KECUTIV	VE SUMMARY	6
1	Iden	tification of Target of Evaluation	7
	1.1	Common Criteria Conformance	7
	1.2	TOE Description	7
	1.3	TOE Architecture	7
2	Secu	ırity Policy	8
	2.1	Cryptographic Functionality	8
3	Assu	umptions and Clarification of Scope	9
	3.1	Usage and Environmental Assumptions	9
	3.2	Clarification of Scope	10
4	Evalı	uated Configuration	11
	4.1	Documentation	11
5	Evalı	uation Analysis Activities	12
	5.1	Development	12
	5.2	Guidance Documents	12
	5.3	Life-Cycle Support	12
6	Test	ing Activities	13
	6.1	Assessment of Developer tests	13
	6.2	Conduct of Testing	13
	6.3	Independent Functional Testing	13
	6.3.1	1 Functional Test Results	13
	6.4	Independent Penetration Testing	14
	6.4.1	Penetration Test results	14
7	Resu	ults of the Evaluation	15
	7.1	Recommendations/Comments	15
8	Supp	porting Content	16
	8.1	List of Abbreviations	16

## TLP:WHITE

8.2	References
LIST	OF FIGURES
Figure 1:	TOE Architecture
LIST	OF TABLES
Table 1:	TOE Identification
Table 2:	Cryptographic Implementation8



## **EXECUTIVE SUMMARY**

**NetApp E-Series & EF-Series with SANtricity OS 11.70** (hereafter referred to as the Target of Evaluation, or TOE), from **NetApp, Inc.**, was the subject of this Common Criteria evaluation. A description of the TOE can be found in Section 1.2. The results of this evaluation demonstrate that the TOE meets the requirements of the conformance claim listed in Section 1.1 for the evaluated security functionality.

Lightship Security is the CCTL that conducted the evaluation. This evaluation was completed on 5 November 2021 and was carried out in accordance with the rules of the Canadian Common Criteria Program.

The scope of the evaluation is defined by the Security Target, which identifies assumptions made during the evaluation, the intended environment for the TOE, and the security functional/assurance requirements. Consumers are advised to verify that their operating environment is consistent with that specified in the security target, and to give due consideration to the comments, observations, and recommendations in this Certification Report.

The Canadian Centre for Cyber Security, as the Certification Body, declares that this evaluation meets all the conditions of the Arrangement on the Recognition of Common Criteria Certificates and that the product is listed on the Certified Products list (CPL) for the Canadian Common Criteria Program and the Common Criteria portal (the official website of the International Common Criteria Program).



## **IDENTIFICATION OF TARGET OF EVALUATION**

The Target of Evaluation (TOE) is identified as follows:

Table 1: TOE Identification

TOE Name and Version	NetApp E-Series & EF-Series with SANtricity OS 11.70
Developer	NetApp, Inc.

#### 1.1 COMMON CRITERIA CONFORMANCE

The evaluation was conducted using the Common Methodology for Information Technology Security Evaluation, Version 3.1 Revision 5, for conformance to the Common Criteria for Information Technology Security Evaluation, Version 3.1 Revision 5.

The TOE claims the following conformance:

collaborative Protection Profile for Network Devices, v2.2e, 27 March 2020

#### 1.2 TOE DESCRIPTION

The TOE is a network device that provides networked storage for dedicated, high-bandwidth applications such as data analytics, video surveillance, and disk-based backup that require simple, fast, reliable SAN storage.

#### 1.3 TOE ARCHITECTURE

A diagram of the TOE architecture is as follows:




Figure 1: TOE Architecture



## 2 SECURITY POLICY

The TOE implements and enforces policies pertaining to the following security functionality:

- Security Audit
- Cryptographic Support
- Identification and Authentication
- Security Management
- Protection of the TSF
- TOE Access
- Trusted Path/Channels

Complete details of the security functional requirements (SFRs) can be found in the Security Target (ST) referenced in section 8.2.

#### 2.1 CRYPTOGRAPHIC FUNCTIONALITY

The following cryptographic implementation has been evaluated by the CAVP and is used by the TOE:

Table 2: Cryptographic Implementation

Cryptographic Implementation	Certificate Number
Netapp SANtricity System Manager v11.70	C1977

## **ASSUMPTIONS AND CLARIFICATION OF SCOPE**

Consumers of the TOE should consider assumptions about usage and environmental settings as requirements for the product's installation and its operating environment. This will ensure the proper and secure operation of the TOE.

#### 3.1 USAGE AND ENVIRONMENTAL ASSUMPTIONS

3

The following assumptions are made regarding the use and deployment of the TOE:

- The network device is assumed to be physically protected in its operational environment and not subject to physical attacks that compromise the security and/or interfere with the device's physical interconnections and correct operation. This protection is assumed to be sufficient to protect the device and the data it contains. As a result, the cPP will not include any requirements on physical tamper protection or other physical attack mitigations. The cPP will not expect the product to defend against physical access to the device that allows unauthorized entities to extract data, bypass other controls, or otherwise manipulate the device.
- The device is assumed to provide networking functionality as its core function and not provide functionality/services that could be deemed as general-purpose computing. For example, the device should not provide a computing platform for general purpose applications (unrelated to networking functionality).
- A standard/generic network device does not provide any assurance regarding the protection of traffic that traverses it. The intent is for the network device to protect data that originates on or is destined to the device itself, to include administrative data and audit data. Traffic that is traversing the network device, destined for another network entity, is not covered by the ND cPP. It is assumed that this protection will be covered by cPPs for particular types of network devices (e.g., firewall).
- The Security Administrator(s) for the network device are assumed to be trusted and to act in the best interest of security for the organization. This includes being appropriately trained, following policy, and adhering to guidance documentation. Administrators are trusted to ensure passwords/credentials have sufficient strength and entropy and to lack malicious intent when administering the device. The network device is not expected to be capable of defending against a malicious administrator that actively works to bypass or compromise the security of the device.
- For TOEs supporting X.509v3 certificate-based authentication, the Security Administrator(s) are expected to fully validate (e.g., offline verification) any CA certificate (root CA certificate or intermediate CA certificate) loaded into the TOE's trust store (aka 'root store', 'trusted CA Key Store', or similar) as a trust anchor prior to use (e.g., offline verification).
- The network device firmware and software is assumed to be updated by an administrator on a regular basis in response to the release of product updates due to known vulnerabilities.
- The administrator's credentials (private key) used to access the network device are protected by the platform on which they reside.
- The Administrator must ensure that there is no unauthorized access possible for sensitive residual information (e.g., cryptographic keys, keying material, PINs, passwords etc.) on networking equipment when the equipment is discarded or removed from its operational environment.



#### 3.2 CLARIFICATION OF SCOPE

Only the security functions covered in the collaborative Protection Profile for Network Devices, v2.2e, 27 March 2020 are included within the scope of the evaluation. The following functions/features are excluded:

- SSH
- File Disk Encryption
- High Availability between controllers



## 4 EVALUATED CONFIGURATION

The evaluated configuration for the TOE comprises:

TOE Software/Firmware	NetApp E-Series & EF-Series with SANtricity OS 11.70 Build R2 08.70.00.02
TOE Hardware	E2812, E2824, E2860, E5724, E5760, EF280, EF570, EF600, EF300
Environmental Support	Audit Server, LDAP Server

#### 4.1 DOCUMENTATION

The following documents are provided to the consumer to assist in the configuration and installation of the TOE:

- a) NetApp E-Series & EF-Series with SANtricity OS 11.70 Common Criteria Guidance Supplement, v0.8 September 2021
- b) NetApp Installation and Setup Instructions for E-Series E5724, EF570, E2812, E2824, and EF280, 215-15129\_2020-10\_en-us
- c) NetApp Installation and Setup Instructions for E-Series E5760 and E2860, 215-15129\_2020-10\_en-us
- d) NetApp Installation and Setup Instructions for E-SeriesEF600, 210-06791\_2020-10\_en-us
- e) NetApp SANtricity 11.7 Help Dashboard for System Manager, 215-15130\_2020-10\_en-us
- f) NetApp SANtricity 11.7 Help Dashboard for Embedded Command Line Interface, 215-13131\_2020-10\_en-us

The guidance documentation can be downloaded from <a href="https://mysupport.netapp.com/info/web/ECMP1658252.html">https://mysupport.netapp.com/info/web/ECMP1658252.html</a>

## 5 EVALUATION ANALYSIS ACTIVITIES

The evaluation analysis activities involved a structured evaluation of the TOE. Documentation and process dealing with Development, Guidance Documents, and Life-Cycle Support were evaluated.

#### **5.1 DEVELOPMENT**

The evaluators analyzed the documentation provided by the vendor; they determined that the design completely and accurately describes the TOE security functionality (TSF) interfaces and how the TSF implements the security functional requirements. The evaluators determined that the initialization process is secure, that the security functions are protected against tamper and bypass, and that security domains are maintained.

#### 5.2 GUIDANCE DOCUMENTS

The evaluators examined the TOE preparative user guidance and operational user guidance and determined that it sufficiently and unambiguously describes how to securely transform the TOE into its evaluated configuration and how to use and administer the product. The evaluators examined and tested the preparative and operational guidance and determined that they are complete and sufficiently detailed to result in a secure configuration.

Section 4.1 provides details on the guidance documents.

#### 5.3 LIFE-CYCLE SUPPORT

An analysis of the TOE configuration management system and associated documentation was performed. The evaluators found that the TOE configuration items were clearly marked.

The evaluators examined the delivery documentation and determined that it described all the procedures required to maintain the integrity of the TOE during distribution to the consumer.



## 6 TESTING ACTIVITIES

Testing consists of the following three steps: assessing developer tests, performing independent functional tests, and performing penetration tests.

#### 6.1 ASSESSMENT OF DEVELOPER TESTS

The evaluators verified that the developer has met their testing responsibilities by examining their test evidence, and reviewing their test results, as documented in the Evaluation Test Report (ETR). The correspondence between the tests identified in the developer's test documentation and the functional specification was complete.

#### 6.2 CONDUCT OF TESTING

The TOE was subjected to a comprehensive suite of formally documented, independent functional and penetration tests. The detailed testing activities, including configurations, procedures, test cases, expected results and observed results are documented in a separate Test Results document.

#### 6.3 INDEPENDENT FUNCTIONAL TESTING

During this evaluation, the evaluator developed independent functional tests by examining design and guidance documentation.

All testing was planned and documented to a sufficient level of detail to allow repeatability of the testing procedures and results. The following testing activities were performed:

- a. PP Assurance Activities: The evaluator performed the assurance activities listed in the claimed PP; and
- b. Cryptographic Implementation Verification: The evaluator verified that the claimed cryptographic implementation was present in the TOE.

#### 6.3.1 FUNCTIONAL TEST RESULTS

The developer's tests and the independent functional tests yielded the expected results, providing assurance that the TOE behaves as specified in its ST and functional specification.



#### 6.4 INDEPENDENT PENETRATION TESTING

The penetration testing effort focused on 4 flaw hypotheses.

- Public Vulnerability based (Type 1)
- Technical community sources (Type 2)
- Evaluation team generated (Type 3)
- Tool Generated (Type 4)

The evaluators conducted an independent review of all evaluation evidence, public domain vulnerability databases and technical community sources (Type 1 & 2). Additionally, the evaluators used automated vulnerability scanning tools to discover potential network, platform, and application layer vulnerabilities (Type 4). Based upon this review, the evaluators formulated flaw hypotheses (Type 3), which they used in their penetration testing effort.

#### 6.4.1 PENETRATION TEST RESULTS

Type 1 & 2 searches were conducted on **8/4/2021** and included the following search terms:

NetApp E-Series	NetApp EF-Series	SANtricity OS
Bouncy Castle (bc-fips v1.0.2)	Linux kernel 4.19.0-10	SANtricity System Manager
Jetty v 9.4.30.v20200611	SANtricity Web Services	

Vulnerability searches were conducted using the following sources:

NetApp Security Advisories: https://security.netapp.com/advisory/	NIST National Vulnerability Database: <a href="https://web.nvd.nist.gov/view/vuln/search">https://web.nvd.nist.gov/view/vuln/search</a>
US-CERT: http://www.kb.cert.org/vuls/html/search	Community (Symantec) security community: https://www.securityfocus.com/
Offensive Security Exploit Database: <a href="https://www.exploit-db.com/">https://www.exploit-db.com/</a>	Tipping Point Zero Day Initiative:  http://www.zerodayinitiative.com/advisories
OpenSSL Vulnerabilities: <a href="https://www.openssl.org/news/vulnerabilities.html">https://www.openssl.org/news/vulnerabilities.html</a>	Rapid7 Vulnerability Database: https://www.rapid7.com/db/vulnerabilities
Tenable Network Security: <a href="http://nessus.org/plugins/index.php?view=search">http://nessus.org/plugins/index.php?view=search</a>	

The independent penetration testing did not uncover any residual exploitable vulnerabilities in the intended operating environment.



## RESULTS OF THE EVALUATION

The Information Technology (IT) product identified in this certification report, and its associated certificate, has been evaluated at an approved testing laboratory established under the Canadian Centre for Cyber Security (CCCS). This certification report, and its associated certificate, apply only to the specific version and release of the product in its evaluated configuration.

This evaluation has provided the basis for the conformance claim documented in Table 1. The overall verdict for this evaluation is **PASS**. These results are supported by evidence in the ETR.

#### 7.1 RECOMMENDATIONS/COMMENTS

It is recommended that all guidance outlined in Section 4.1 be followed to configure the TOE in the evaluated configuration.

## **SUPPORTING CONTENT**

#### 8.1 LIST OF ABBREVIATIONS

Term	Definition
CAVP	Cryptographic Algorithm Validation Program
CCTL	Common Criteria Testing Laboratory
СМ	Configuration Management
CSE	Communications Security Establishment
CCCS	Canadian Centre for Cyber Security
ETR	Evaluation Technical Report
GC	Government of Canada
IT	Information Technology
ITS	Information Technology Security
PP	Protection Profile
SFR	Security Functional Requirement
ST	Security Target
TOE	Target of Evaluation
TSF	TOE Security Function

#### 8.2 REFERENCES

#### Reference

Common Criteria for Information Technology Security Evaluation, Version 3.1 Revision 5, April 2017.

Common Methodology for Information Technology Security Evaluation, CEM, Version 3.1 Revision 5, April 2017.

NetApp E-Series & EF-Series with SANtricity OS 11.70 Security Target, v1.0, 03 November 2021.

NetApp, Inc. E-Series & EF-Series with SANtricity OS 11.70 Evaluation Technical Report, v0.14, 05 November 2021.

E-Series & EF-Series with SANtricity OS 11.70 Assurance Activity Report, v1.1, 05 November 2021.