



Communications  
Security Establishment

Centre de la sécurité  
des télécommunications

# CANADIAN CENTRE FOR **CYBER SECURITY**

## COMMON CRITERIA CERTIFICATION REPORT

### Cisco Web Security Appliance with AsyncOS 11.8 21 April 2022

**567-LSS**

© Government of Canada

This document is the property of the Government of Canada. It shall not be altered, distributed beyond its intended audience, produced, reproduced or published, in whole or in any substantial part thereof, without the express permission of CSE.

Canada 

# FOREWORD

This certification report is an UNCLASSIFIED publication, issued under the authority of the Chief, Communications Security Establishment (CSE).

The Information Technology (IT) product identified in this certification report, and its associated certificate, has been evaluated at an approved testing laboratory established under the Canadian Centre for Cyber Security (a branch of CSE). This certification report, and its associated certificate, applies only to the identified version and release of the product in its evaluated configuration. The evaluation has been conducted in accordance with the provisions of the Canadian Common Criteria Program, and the conclusions of the testing laboratory in the evaluation report are consistent with the evidence adduced.

This report, and its associated certificate, are not an endorsement of the IT product by Canadian Centre for Cyber Security, or any other organization that recognizes or gives effect to this report, and its associated certificate, and no warranty for the IT product by the Canadian Centre for Cyber Security, or any other organization that recognizes or gives effect to this report, and its associated certificate, is either expressed or implied.

If your organization has identified a requirement for this certification report based on business needs and would like more detailed information, please contact:

Canadian Centre for Cyber Security

Contact Centre and Information Services

[contact@cyber.gc.ca](mailto:contact@cyber.gc.ca) | 1-833-CYBER-88 (1-833-292-3788)



## OVERVIEW

The Canadian Common Criteria Program provides a third-party evaluation service for determining the trustworthiness of Information Technology (IT) security products. Evaluations are performed by a commercial Common Criteria Testing Laboratory (CCTL) under the oversight of the Certification Body, which is managed by the Canadian Centre for Cyber Security.

A CCTL is a commercial facility that has been approved by the Certification Body to perform Common Criteria evaluations; a significant requirement for such approval is accreditation to the requirements of ISO/IEC 17025, the General Requirements for the Competence of Testing and Calibration Laboratories.

By awarding a Common Criteria certificate, the Certification Body asserts that the product complies with the security requirements specified in the associated security target. A security target is a requirements specification document that defines the scope of the evaluation activities. The consumer of certified IT products should review the security target, in addition to this certification report, in order to gain an understanding of any assumptions made during the evaluation, the IT product's intended environment, the evaluated security functionality, and the testing and analysis conducted by the CCTL.

The certification report, certificate of product evaluation and security target are posted to the Common Criteria portal (the official website of the International Common Criteria Program).



# TABLE OF CONTENTS

<b>EXECUTIVE SUMMARY .....</b>	<b>6</b>
<b>1 Identification of Target of Evaluation.....</b>	<b>7</b>
1.1 Common Criteria Conformance.....	7
1.2 TOE Description.....	7
1.3 TOE Architecture .....	8
<b>2 Security Policy.....</b>	<b>9</b>
2.1 Cryptographic Functionality .....	9
<b>3 Assumptions and Clarification of Scope.....</b>	<b>10</b>
3.1 Usage and Environmental Assumptions .....	10
3.2 Clarification of Scope.....	11
<b>4 Evaluated Configuration.....</b>	<b>12</b>
4.1 Documentation.....	12
<b>5 Evaluation Analysis Activities .....</b>	<b>13</b>
5.1 Development.....	13
5.2 Guidance Documents.....	13
5.3 Life-Cycle Support.....	13
<b>6 Testing Activities.....</b>	<b>14</b>
6.1 Assessment of Developer tests.....	14
6.2 Conduct of Testing .....	14
6.3 Independent Testing .....	14
6.3.1 Independent Testing Results.....	14
6.4 Vulnerability Analysis.....	15
6.4.1 Vulnerability Analysis Results.....	16
<b>7 Results of the Evaluation .....</b>	<b>17</b>
7.1 Recommendations/Comments.....	17
<b>8 Supporting Content .....</b>	<b>18</b>
8.1 List of Abbreviations.....	18



8.2 References.....18

## LIST OF FIGURES

Figure 1: TOE Architecture.....8

## LIST OF TABLES

Table 1: TOE Identification .....7

Table 2: Cryptographic Implementation(s).....9



## EXECUTIVE SUMMARY

**Cisco Web Security Appliance with AsyncOS 11.8** (hereafter referred to as the Target of Evaluation, or TOE), from **Cisco Systems, Inc**, was the subject of this Common Criteria evaluation. A description of the TOE can be found in Section 1.2. The results of this evaluation demonstrate that the TOE meets the requirements of the conformance claim listed in Section 1.1 for the evaluated security functionality.

Lightship Security is the CCTL that conducted the evaluation. This evaluation was completed on 21 April 2022 and was carried out in accordance with the rules of the Canadian Common Criteria Program.

The scope of the evaluation is defined by the Security Target, which identifies assumptions made during the evaluation, the intended environment for the TOE, and the security functional/assurance requirements. Consumers are advised to verify that their operating environment is consistent with that specified in the security target, and to give due consideration to the comments, observations, and recommendations in this Certification Report.

The Canadian Centre for Cyber Security, as the Certification Body, declares that this evaluation meets all the conditions of the Arrangement on the Recognition of Common Criteria Certificates and that the product is listed on the Certified Products list (CPL) for the Canadian Common Criteria Program and the Common Criteria portal (the official website of the International Common Criteria Program).

# 1 IDENTIFICATION OF TARGET OF EVALUATION

The Target of Evaluation (TOE) is identified as follows:

**Table 1: TOE Identification**

<b>TOE Name and Version</b>	Cisco Web Security Appliance with AsyncOS 11.8
<b>Developer</b>	Cisco Systems, Inc

## 1.1 COMMON CRITERIA CONFORMANCE


The evaluation was conducted using the Common Methodology for Information Technology Security Evaluation, Version 3.1 Revision 5, for conformance to the Common Criteria for Information Technology Security Evaluation, Version 3.1 Revision 5.

The TOE claims the following conformance:

collaborative Protection Profile for Network Devices (NDcPP) Version 2.2e, 23-March-2020

## 1.2 TOE DESCRIPTION

The TOE is a network device that provides security-related enterprise services. The TOE is deployed between an external network and the customer's internal network. Traffic flowing to and from the external network to the internal network is routed through the TOE where it is processed in real time.



### 1.3 TOE ARCHITECTURE

A diagram of the TOE architecture is as follows:




Figure 1: TOE Architecture



## 2 SECURITY POLICY

The TOE implements and enforces policies pertaining to the following security functionality:

- Security Audit
- Cryptographic Support
- Identification and Authentication
- Security Management
- Protection of the TSF
- TOE Access
- Trusted Path/Channels

Complete details of the security functional requirements (SFRs) can be found in the Security Target (ST) referenced in section 8.2.

### 2.1 CRYPTOGRAPHIC FUNCTIONALITY

The following cryptographic implementations have been evaluated by the CAVP and are used by the TOE:

**Table 2: Cryptographic Implementation(s)**

Cryptographic Module/Algorithm	Certificate Number
Cisco FIPS Object Module (FOM) v6.2	A397, A402, A403, A406

## 3 ASSUMPTIONS AND CLARIFICATION OF SCOPE

Consumers of the TOE should consider assumptions about usage and environmental settings as requirements for the product's installation and its operating environment. This will ensure the proper and secure operation of the TOE.

### 3.1 USAGE AND ENVIRONMENTAL ASSUMPTIONS

The following assumptions are made regarding the use and deployment of the TOE:

- The network device is assumed to be physically protected in its operational environment and not subject to physical attacks that compromise the security and/or interfere with the device's physical interconnections and correct operation. This protection is assumed to be sufficient to protect the device and the data it contains. As a result, the cPP will not include any requirements on physical tamper protection or other physical attack mitigations. The cPP will not expect the product to defend against physical access to the device that allows unauthorized entities to extract data, bypass other controls, or otherwise manipulate the device.
- The device is assumed to provide networking functionality as its core function and not provide functionality/services that could be deemed as general-purpose computing. For example, the device should not provide a computing platform for general purpose applications (unrelated to networking functionality).
- A standard/generic network device does not provide any assurance regarding the protection of traffic that traverses it. The intent is for the network device to protect data that originates on or is destined to the device itself, to include administrative data and audit data. Traffic that is traversing the network device, destined for another network entity, is not covered by the ND cPP. It is assumed that this protection will be covered by cPPs for particular types of Network Devices (e.g., firewall).
- The Security Administrator(s) for the network device are assumed to be trusted and to act in the best interest of security for the organization. This includes being appropriately trained, following policy, and adhering to guidance documentation. Administrators are trusted to ensure passwords/credentials have sufficient strength and entropy and to lack malicious intent when administering the device. The network device is not expected to be capable of defending against a malicious Administrator that actively works to bypass or compromise the security of the device. For TOEs supporting X.509v3 certificate-based authentication, the Security Administrator(s) are expected to fully validate (e.g., offline verification) any CA certificate (root CA certificate or intermediate CA certificate) loaded into the TOE's trust store (aka 'root store', 'trusted CA Key Store', or similar) as a trust anchor prior to use (e.g., offline verification).
- The network device firmware and software is assumed to be updated by an Administrator on a regular basis in response to the release of product updates due to known vulnerabilities.
- The Administrator's credentials (private key) used to access the network device are protected by the platform on which they reside.
- The Administrator must ensure that there is no unauthorized access possible for sensitive residual information (e.g., cryptographic keys, keying material, PINs, passwords etc.) on networking equipment when the equipment is discarded or removed from its operational environment.

## 3.2 CLARIFICATION OF SCOPE

---

Only the security functions covered in the collaborative Protection Profile for Network Devices v2.2e are included within the scope of evaluation. The TOE provides other security features that were not evaluated:

- Operating in Non-FIPS mode
- Use of the AsyncOS API
- Automated and offline software updates
- Talos Security Intelligence, Secure Web Appliance Usage Controls
- Advanced Malware Protection
- Cognitive Threat Analytics
- Application Visibility and Control (AVC)
- Data Loss Prevention (DLP)
- Roaming-User Protection
- Centralized Management and Reporting

## 4 EVALUATED CONFIGURATION

The evaluated configuration for the TOE comprises:

<b>TOE Software/Firmware</b>	Cisco Web Security Appliance (WSA) with AsyncOS build number 11.8.4-004
<b>TOE Hardware Models</b>	S690, S690X, S695, S695F, S680, S390, S380, S395, S190, S195
<b>Environmental Support</b>	<ul style="list-style-type: none"> <li>• Audit Server (must support for SCP over SSHv2)</li> <li>• Cisco Update Server</li> <li>• Certificate Authority and OCSP</li> </ul>

### 4.1 DOCUMENTATION

The following documents are provided to the consumer to assist in the configuration and installation of the TOE:

- a) Cisco Web Security Appliance running Async OS 11.8 Common Criteria Operational User Guidance and Preparative Procedures, Version 1.7, 9 February 2022
- b) User Guide for AsyncOS 11.8 for Cisco Web Security Appliances – GD (General Deployment) First Published: 2020-04-22

## 5 EVALUATION ANALYSIS ACTIVITIES

The evaluation analysis activities involved a structured evaluation of the TOE. Documentation and process dealing with Development, Guidance Documents, and Life-Cycle Support were evaluated.

### 5.1 DEVELOPMENT

The evaluators analyzed the documentation provided by the vendor; they determined that the design completely and accurately describes the TOE security functionality (TSF) interfaces and how the TSF implements the security functional requirements. The evaluators determined that the initialization process is secure, that the security functions are protected against tamper and bypass, and that security domains are maintained.

### 5.2 GUIDANCE DOCUMENTS

The evaluators examined the TOE preparative user guidance and operational user guidance and determined that it sufficiently and unambiguously describes how to securely transform the TOE into its evaluated configuration and how to use and administer the product. The evaluators examined and tested the preparative and operational guidance and determined that they are complete and sufficiently detailed to result in a secure configuration.

Section 4.1 provides details on the guidance documents.

### 5.3 LIFE-CYCLE SUPPORT

An analysis of the TOE configuration management system and associated documentation was performed. The evaluators found that the TOE configuration items were clearly marked.

The evaluators examined the delivery documentation and determined that it described all the procedures required to maintain the integrity of the TOE during distribution to the consumer.



## 6 TESTING ACTIVITIES

Testing consists of the following three steps: assessing developer tests, performing independent tests, and performing a vulnerability analysis.

### 6.1 ASSESSMENT OF DEVELOPER TESTS

The evaluators verified that the developer has met their testing responsibilities by examining their test evidence, and reviewing their test results, as documented in the Evaluation Test Report (ETR). The correspondence between the tests identified in the developer's test documentation and the functional specification was complete.

### 6.2 CONDUCT OF TESTING

The TOE was subjected to a comprehensive suite of formally documented, independent functional and penetration tests. The detailed testing activities, including configurations, procedures, test cases, expected results and observed results are documented in a separate Test Results document.

### 6.3 INDEPENDENT TESTING

During this evaluation, the evaluator developed independent functional & penetration tests by examining design and guidance documentation.

All testing was planned and documented to a sufficient level of detail to allow repeatability of the testing procedures and results. The following testing activities were performed:

- a. PP Assurance Activities: The evaluator performed the assurance activities listed in the claimed PP
- b. Cryptographic Implementation Verification: The evaluator verified that the claimed cryptographic implementations were present in the TOE

#### 6.3.1 INDEPENDENT TESTING RESULTS

The developer's tests and the independent tests yielded the expected results, providing assurance that the TOE behaves as specified in its ST and functional specification.

## 6.4 VULNERABILITY ANALYSIS

The vulnerability analysis focused on 4 flaw hypotheses.

- Public vulnerability based (Type 1)
- Technical community sources (Type 2)
- Evaluation team generated (Type 3)
- Tool generated (Type 4)

The evaluators conducted an independent review of all evaluation evidence, public domain vulnerability databases and technical community sources (Type 1 & 2). Additionally, the evaluators used automated vulnerability scanning tools to discover potential network, platform, and application layer vulnerabilities (Type 4). Based upon this review, the evaluators formulated flaw hypotheses (Type 3), which they used in their vulnerability analysis.

Type 1 & 2 searches were conducted on **9/22/2021** and included the following search terms:

Cisco Web Security Appliance	S395
S190	S690
S195	S690X
S380	S695
S390	S695F
Cisco AsyncOS 11.8	Intel Xeon E5-2620 v3 (Haswell)
OpenSSH 7.3p1	Intel Xeon Gold 5118 (Skylake)
OpenSSL 1.0.2o	Intel Xeon E5-2609 v3 (Haswell)
Intel Xeon E5-2680 v3 (Haswell)	Intel Xeon Silver 4110 (Skylake)
Intel Xeon Gold 6126 (Skylake)	

Vulnerability searches were conducted using the following sources:

National Vulnerability Database: <a href="https://web.nvd.nist.gov/view/vuln/search">https://web.nvd.nist.gov/view/vuln/search</a>	Cisco Security Advisories: <a href="https://tools.cisco.com/security/center/publicationListing.x">https://tools.cisco.com/security/center/publicationListing.x</a>
CVE Details: <a href="https://www.cvedetails.com/">https://www.cvedetails.com/</a>	OpenSSH Release Notes: <a href="https://www.openssh.com/releases.html">https://www.openssh.com/releases.html</a>
OpenSSL Vulnerabilities: <a href="https://www.openssl.org/news/vulnerabilities.html">https://www.openssl.org/news/vulnerabilities.html</a>	

### 6.4.1 VULNERABILITY ANALYSIS RESULTS

The evaluation team found no residual vulnerabilities exist that are exploitable by attackers with Basic Attack Potential in accordance with the guidance in the CEM.





## 7 RESULTS OF THE EVALUATION

The Information Technology (IT) product identified in this certification report, and its associated certificate, has been evaluated at an approved testing laboratory established under the Canadian Centre for Cyber Security (CCCS). This certification report, and its associated certificate, apply only to the specific version and release of the product in its evaluated configuration.

This evaluation has provided the basis for the conformance claim documented in Table 1. The overall verdict for this evaluation is **PASS**. These results are supported by evidence in the ETR.

### 7.1 RECOMMENDATIONS/COMMENTS

It is recommended that all guidance outlined in Section 4.1 be followed to configure the TOE in the evaluated configuration.



## 8 SUPPORTING CONTENT

### 8.1 LIST OF ABBREVIATIONS

Term	Definition
CAVP	Cryptographic Algorithm Validation Program
CCTL	Common Criteria Testing Laboratory
CM	Configuration Management
CMVP	Cryptographic Module Validation Program
CSE	Communications Security Establishment
CCCS	Canadian Centre for Cyber Security
ETR	Evaluation Technical Report
GC	Government of Canada
IT	Information Technology
ITS	Information Technology Security
PP	Protection Profile
SFR	Security Functional Requirement
ST	Security Target
TOE	Target of Evaluation
TSF	TOE Security Function

### 8.2 REFERENCES

Reference
Common Criteria for Information Technology Security Evaluation, Version 3.1 Revision 5, April 2017
Common Methodology for Information Technology Security Evaluation, CEM, Version 3.1 Revision 5, April 2017
Cisco Web Security Appliance Security Target, Version 0.12, 11 April 2022
Cisco Web Security Appliance Evaluation Technical Report, Version 0.11, 20 April 2022
Cisco Web Security Appliance Assurance Activity Report, Version 0.9, 20 April 2022