JK21 on S3CT9KA/KC/KW Security Target Lite

October 21, 2013

IT Research Department

This page left blank on purpose for double-side printing.

[REVISION STATUS]

Revision	Description of Change	Date
1.0	ST v1.7 Summary	
1.1	ST v1.8 Summary	

This page left blank on purpose for double-side printing.

[List of Contents]

1. \$	SECURITY TARGET INTRODUCTION	1
1.1	Security Target Reference	1
1.2	TOE Reference	1
1.3	TOE Overview	2
1.3	3.1 TOE Type	2
1.3	3.2 TOE Usage	3
1.3	3.3 TOE Security Features	4
1.3	3.4 Non-TOE hardware/software/firmware required by the TOE	5
1.4	TOE Description	5
1.4	I.1 TOE Operational Environment	5
1.4	I.2 Physical Scope of TOE	6
1.4	l.3 Logical Scope of TOE	8
1.4	I.4 TOE Life Cycle	12
1.5	Writing Rules	13
1.6	Glossary	13
1.7	Security Target Organization	17
2. (CONFORMANCE CLAIMS	18
2.1	CC Conformance Claim	18
2.2	PP Conformance Claim	18
2.3	Package Conformance	18
2.4	Rationale of Conformance Claim	19
2.4	1.1 Rationale of Protection Profile Conformance	19
2.4	1.2 Rationale of Conformance Claim for Security problem definition	19
2.4	Rationale of Conformance Claim for Security objectives	20
2.4	.4 Rationale of Conformance Claim for Security functional requirements	21
2.4	Rationale of Conformance Claim for Assurance Requirements	23
3. \$	SECURITY PROBLEM DEFINITION	25

2526272729
262727
27 27
27
29
29
30
30
32
33
34
34
34
34
35
36
37
39
44
51
58
62
62
65
66
70
73
73 74

6.3	Security Requirements Rationale	79
6.3.1	Security Functional Requirements Rationale	79
6.3.2	Assurance Requirements Rationale	85
6.4	Dependencies Rationale	85
6.4.1	Dependencies of the Security Functional Requirements	85
6.4.2	Dependencies of the Assurance Requirements	87
7. TC	DE SUMMARY SPECIFICATION	88
7.1	TOE Security Functionality	88
7.1.1	Security Audit	88
7.1.2	Cryptographic Support	88
7.1.3	User Data Protection	88
7.1.4	Identification and Authentication	88
7.1.5	Security Management	88
		20
7.1.6	Privacy	
	Privacy Protection of the TSF	
7.1.7 8. CC	Protection of the TSF DMPATIBILITY BETWEEN THE COMPOSITE ST AND THE PLATFORM ST	90
7.1.7 8. CC	Protection of the TSF	90
7.1.7 8. CC 8.1	Protection of the TSF DMPATIBILITY BETWEEN THE COMPOSITE ST AND THE PLATFORM ST	90
7.1.7 8. CC 8.1 :	Protection of the TSF DMPATIBILITY BETWEEN THE COMPOSITE ST AND THE PLATFORM ST Security Assurance Requirement	90
7.1.7 8. CC 8.1 : 8.2 8.3	Protection of the TSF DMPATIBILITY BETWEEN THE COMPOSITE ST AND THE PLATFORM ST Security Assurance Requirement	909090
7.1.7 8. CC 8.1 : 8.2 8.3 8.4 :	Protection of the TSF DMPATIBILITY BETWEEN THE COMPOSITE ST AND THE PLATFORM ST Security Assurance Requirement	90909091
7.1.7 8. CC 8.1 : 8.2 8.3 8.4 : 8.5	Protection of the TSF DMPATIBILITY BETWEEN THE COMPOSITE ST AND THE PLATFORM ST Security Assurance Requirement	9090909191
7.1.7 8. CC 8.1 \$ 8.2 8.3 8.4 \$ 8.5 8.6 6	Protection of the TSF DMPATIBILITY BETWEEN THE COMPOSITE ST AND THE PLATFORM ST Security Assurance Requirement	909090919192
7.1.7 8. CO 8.1	Protection of the TSF DMPATIBILITY BETWEEN THE COMPOSITE ST AND THE PLATFORM ST Security Assurance Requirement	90909091919293
7.1.7 8. CO 8.1	Protection of the TSF DMPATIBILITY BETWEEN THE COMPOSITE ST AND THE PLATFORM ST Security Assurance Requirement	90909091919293

[List of Figures]

[FIGURE 1] OPERATIONAL ENVIRONMENT OF TOE	6
	_
[FIGURE 2] PHYSICAL SCOPE OF TOE	/
[FIGURE 3] LOGICAL SCOPE OF TOE	9

[List of Tables]

[TABLE 1] ST REFERENCE	1
[TABLE 2] TOE REFERENCE	1
[TABLE 3] TOE IC CHIPS AND CRYPTOGRAPHIC LIBRARIES	2
[TABLE 4] TOE USAGE AND APPLICATION	3
[TABLE 5] TOE SECURITY FEATURES	4
[TABLE 6] IDENTIFICATION OF NON-EVALUATION ELEMENTS	5
[TABLE 7] TOE AND TOE COMPONENT IDENTIFICATION	7
[TABLE 8] SUPPORT ALGORITHM AND USAGE	10
[TABLE 9] TOE LIFE CYCLE	12
TABLE 10] RATIONALE OF CONFORMANCE CLAIM FOR SECURITY PROBLEM DEFINITION- THREATS	19
[TABLE 11] RATIONALE OF CONFORMANCE CLAIM FOR SECURITY PROBLEM DEFINITION -조 보안정책	
TABLE 12] RATIONALE OF CONFORMANCE CLAIM FOR SECURITY PROBLEM DEFINITION - ASSUMPTIONS	20
[TABLE 13] RATIONALE OF CONFORMANCE CLAIM FOR SECURITY OBJECTIVES-TOE SECUR OBJECTIVES	20
[TABLE 14] RATIONALE OF CONFORMANCE CLAIM FOR SECURITY OBJECTIVES - OPERATIO ENVIRONMENT	21
[TABLE 15] RATIONALE OF CONFORMANCE CLAIM FOR SECURITY FUNCTIONAL REQUIREME	
TABLE 16] RATIONALE OF CONFORMANCE CLAIM FOR ASSURANCE REQUIREMENTS[TABLE 17] RELATION BETWEEN SECURITY OBJECTIVES AND THE SECURITY PROBLEM DEFINITION	
[TABLE 18] SUBJECT AND OBJECT, RELATED SECURITY ATTRIBUTE, OPERATION DEFINITIO	N 35
[TABLE 19] SUBJECT AND OBJECT	35
[TABLE 20] SECURITY FUNCTIONAL REQUIREMENTS	36
[TABLE 21] SECURITY VIOLATION EVENTS	38
[TABLE 22] CRYPTOGRAPHIC ALGORITHM OF HARDWARE AND CRYPTO LIBRARY	42
[TABLE 23] LIST OF SUBJECTS AND OBJECTS	44
[TABLE 24] LIST OF OPERATION	44
[TABLE 25] LIST OF SUBJECTS AND OBJECTS	45
[TABLE 26] LIST OF OPERATION	45
[TABLE 27] SECURITY ATTRIBUTE OF SUBJECT AND OBJECT	46
[TABLE 28] VALUES OF SECURITY ATTRIBUTE	46
[TABLE 29] SECURITY ATTRIBUTE BASED ACCESS CONTROL RULES	47
[TABLE 30] SECURITY ATTRIBUTE OF SUBJECT AND OBJECT	48
[TABLE 31] VALUES OF SECURITY ATTRIBUTE	48
[TABLE 32] SECURITY ATTRIBUTE BASED ACCESS CONTROL RULES	48
[TABLE 33] LIST OF OBJECTS	50

[TABLE 34] DATA INTEGRITY MONITORING AND ACTION	50
[TABLE 35] LIST OF AUTHENTICATION EVENTS	51
[TABLE 36] LIST OF ACTIONS	52
[TABLE 37] LIST OF USER SECURITY ATTRIBUTES	52
[TABLE 38] LIST OF USER SECURITY ATTRIBUTES	52
[TABLE 39] LIST OF VERIFICATION OF SECRETS	53
[TABLE 40] LIST OF TSF MEDIATED ACTION	53
[TABLE 41] SCP02 AUTHENTICATION	54
[TABLE 42] LIST OF TSF MEDIATED ACTION	54
[TABLE 43] DAP AUTHENTICATION	54
[TABLE 44] LIST OF TSF MEDIATED ACTION	55
[TABLE 45] DM AUTHENTICATION	55
[TABLE 46] LIST OF TSF MEDIATED ACTION	55
[TABLE 47] LIST OF AUTHENTICATION MECHANISM	56
[TABLE 48] CONDITION OF RE-AUTHENTICATING	56
[TABLE 49] LIST OF TSF MEDIATED ACTION	57
[TABLE 50] SECURITY ATTRIBUTES OF USER-SUBJECT	58
[TABLE 51] LIST OF SECURITY FUNCTIONS	58
[TABLE 52] LIST OF TSF DATA	60
[TABLE 53] LIST OF LIMITS FOR TSF DATA	60
[TABLE 54] LIST OF SECURITY MANAGEMENT FUNCTION OF TSF	61
[TABLE 55] LIST OF SECURITY ROLES	62
[TABLE 56] LIST OF FAILURES/SERVICE DISCONTINUITIES	63
[TABLE 57] LIST OF FAILURES/SERVICE DISCONTINUITIES	63
[TABLE 58] LIST OF SELF TESTS	64
[TABLE 59] ASSURANCE REQUIREMENTS	65
[TABLE 60] MAPPING OF SECURITY FUNCTIONAL REQUIREMENTS AND SECURITY OBJECTIVES	S .79
[TABLE 61] DEPENDENCIES OF THE FUNCTIONAL COMPONENTS	85
[TABLE 62] DEPENDENCIES OF THE ADDED ASSURANCE REQUIREMENTS	87
[TABLE 63] COMPATIBILITY BETWEEN PLATFORM SFR AND COMPOSITE SFR	90
[TABLE 64] COMPATIBILITY BETWEEN PLATFORM SECURITY OBJECTIVES AND COMPOSITE	
SECURITY OBJECTIVES[TABLE 65] COMPATIBILITY BETWEEN SECURITY OBJECTIVES OF PLATFORM OPERATIONAL	91
ENVIRONMENT AND COMPOSITE OPERATIONAL ENVIRONMENT SECURITY OBJECTIVES	92
[TABLE 66] COMPATIBILITY BETWEEN ASSUMPTIONS OF THE PLATFORM AND COMPOSITE	
SECURITY OBJECTIVES	92
[TABLE 67] COMPATIBILITY BETWEEN ORGANIZATIONAL SECURITY POLICIES OF PLATFORM	^^
AND COMPOSITE ORGANIZATIONAL SECURITY POLICIES AND THREATS	
ITABLE 681 COMPATIBILITY BETWEEN PLATFORM THREATS AND COMPOSITE THREATS	93

1. Security Target Introduction

This document is the Security Target (shortly, ST) of KOMSCO JK21 on S3CT9KA/KC/KW product developed by the KOMSCO (Korea Minting, Security Printing & ID Card Operating Corporation). The assurance level of the Security Target is EAL5+.

This section provides the label and description to control and identify the ST and the TOE that the ST refers to. And this section briefly describes the structure of document, the TOE usage, and primary security features.

1.1 Security Target Reference

Security Target is completely identified by information located in the following table.

[Table 1] ST Reference

Title	JK21 V1.0 on S3CT9KA/KC/KW Security Target	
Version	V1.8	
Evaluation criteria	Korea IT Security Evaluation and Certification Scheme (Ministry of Science, ICT and Future Planning Notice No. 2013-51)	
CC version	v3.1r4	
Date	2013-07-09	
Evaluation assurance level	EAL5+(ALC_DVS.2, AVA_VAN.5)	
Author	IT Research Center, Technology Research Institute, KOMSCO	
keyword	Smart Card, Java Card, IC Chip, Smart Card Terminal, Open Platform COS	

1.2 TOE Reference

TOE is completely identified by information located in the following table.

[Table 2] TOE Reference

Developer	IT Research Center, Technology Research Institute, KOMSCO
TOE Name	KOMSCO JK21 V1.0 on S3CT9KA/KC/KW
TOE Version	1.0
TOE Identifier	JK21-140A00-R1, JK21-140C02-R1, JK21-142002-R1
TOE Hardware	S3CT9KA(BSI-DSZ-CC-0719-2011)/ S3CT9KC(ANSSI-CC-2012/70)/S3CT9KW(ANSSI-CC-2012/70) with optional Secure RSA and ECC Library including specific IC Dedicated Software

Note: The followings are the identifier of IC Chips that constitute the TOE. And XX is IC chip revision number.

• the identifier of IC Chips: 140AXX(S3CT9KA), 140CXX(S3CT9KC), 1420XX(S3CT9KW)

1.3 TOE Overview

In this section it identifies the TOE type. It also describes the uses and key security characteristics of TOE and identifies major hardware and software of TOE. The TOE is composed of the Open Platform Chip Operating System(COS) and S3CT9KA/S3CT9KC/S3CT9KW of Samsung Electronics including the hardware component of IC Chip. The TOE is composite TOE based on the certified IC Chip(according to [R31]).

1.3.1 TOE Type

The TOE type is a Smart Card that a Java Card platform developed by KOMSCO is embedded in IC Chips, <u>S3CT9KA/S3CT9KC/S3CT9KW</u>. The IC Chips are CC EAL5+ certified smart card IC chips of Samsung Electronics.

The open platform operating system of TOE is composed of Java Card Platform V2.2.2 and Global Platform V2.1.1 (to be specified as "GP 2.1.1" from below) or Visa Global Platform V2.1.1(to be specified as "VGP 2.1.1" from below) and Chip OS.

The Java Card Platform provides the firewall, memory management, transaction handling and Cryptographic operation for safe interaction of multi-application in a chip. The Java Card Platform is composed of Java Card Runtime Environment 2.2.2[JCRE], Java Card Virtual Machine 2.2.2[JCVM], Java Card Application Programming Interfaces 2.2.2[JCAPI]). GP 2.1.1 or VGP 2.1.1 provides the operating system management like administrator authority authentication, application load/install/delete, and life cycle management for the operating system and application. GP 2.1.1 or VGP 2.1.1 is composed of the Card Manager and VGP APIs 2.1.1. The Chip OS provides memory management, I/O function, low level transaction and Cryptographic algorithms based on software. The hardware of TOE is IC Chips that composed of CPU, co-processor, I/O port, memory(RAM, ROM, EEPROM) and contact/contactless interfaces.

This security target defines security function and warranty requirements for open platform card operating system—embedded in the IC chip as part of TOE's sub-hardware—and the interface between the open platform card operating system and applications to be used there. The interface between the open platform card operating system and applications used consists of JCAPIs 2.2.2 of Java Card Platform V2.2.2 and VGI APIs 2.1.1 of Visa Global Platform V2.2.1.

The IC Chips and Cryptographic libraries of TOE are completely identified by information located in the following table.

[ruble of roc in only and oryptograpme instance		
Contents	Description	
IC chips	The chips used in the TOE are S3CT9KA/S3CT9KC/ S3CT9KW of Samsung Electronics evaluated as equal to the composite TOE (CC EAL5+). S3CT9KA/S3CT9KC/S3CT9KW are certified CC EAL5+ augmented with ALC_DVS.2, AVA_VAN.5.	
	- PP : BSI-PP-0035-2007 - Certification Number : BSI-DSZ-CC-0719-2011 (S3CT9KA) ANSSI-CC-2012/70 (S3CT9KC) ANSSI-CC-2012/70 (S3CT9KW)	
Cryptographic libraries	The Cryptographic libraries are followings. 1. S3CT9KA	
	- TORNADO [™] 2MX2 Secure RSA/ECC library v1.0 - TORNADO [™] 2MX2 TRNG v1.0.d	
	2. S3CT9KC/KW	

[Table 3] TOE IC Chips and Cryptographic libraries

- TORNADO™2MX2 Secure RSA/ECC library v2.2
- TORNADO™2MX2 TRNG v2.0.

1.3.2 TOE Usage

TOE can run all Java applets developed in accordance with the JavaCard v2.2.2 standard. The applets run on the TOE include: public ID card applications such as electronic resident registration card application, financial applications (e.g. cash/credit, electronic wallet, e-commerce), and electronic signature applications (e.g. digital signature). Applications available on the TOE and their uses are outlined in [Table 4].

[Table 4] TOE Usage and Application

Applica	ation Type	Usage	Transaction Type
ID	Electronic resident registration card	IC chip-embedded smart card-type electronic resident registration card that is used to address the weaknesses of conventional resident registration card in the prevention of falsification and privacy protection (The chip contains private authentication certificate for online banking, PIN, health insurance and disability/elderly information)	Identification
	Driver's license	IC chip-embedded smart card-type electronic driver's license that is used to better prevent falsification and improve online utilization	Identification
	Cash card	Designed for direct deposit/withdrawal of bank savings using private information and bank account information saved in the TOE at ATMs or other facilities	Deposit & withdrawal of savings
Finance & Payment	Credit card	Credit card merchants access the main computer of the credit card company online via the credit authorization terminal (CAT) to check a credit card's credit limit and validity and permit post-payment. Bank CDs are designed to read credit card information, check the status of the credit card owners' bank accounts and pay cash.	Payment
	Electronic wallet	A certain level of value is saved in a semiconductor (IC) chip electronically to make payments in the same way as in cash. Unlike in the case of a pre-paid card, a certain amount of money can be redeposited to the bank and be used repeatedly.	Payment
	E-commerce	Designed to trade products on a real-time basis via stores open on the Internet	Payment
Electronic Signature	Digital signature	Used as a sort of electronic signature in the open key cryptographic format (i.e. asymmetric cryptographic system); electronic data attached to or logically combined with data messages that are used to identify signers and represent their authorization on the content of data messages	Identification, prevention of document falsification & denial
Public Transport Card	Public transport card	Designed to read basic user information (i.e. the first six digits of the number displayed on the resident registration card) via the public transport terminal or other devices and exempt people with disabilities and senior citizens from public transport fares (gate opening/closing)	Payment

1.3.3 TOE Security Features

Security Features of TOE are the followings.

[Table 5] TOE Security Features

Security Features	Description
Data confidentiality	The Cryptographic Keys and TSF data are protected from unauthorized disclosure.
User identification and authentication	The TOE is protected from modification and use of resources by unauthorized user.
Data integrity	The Cryptographic Keys and TSF data are protected from unauthorized modification.
atomistic rollback and optimistic backup	The TOE safely protects stored data and provides automated recovery function when power is lost.
firewall access control	By isolating a single applet within the given space through the mechanism of firewall between applets, it prevents data from being leaked out by other applets and provides protection against hacking.
TDES signature – MAC computation	The TOE ensures that it prevents some data modification (delete, adding or data rearrangement) using MAC computation during data transaction.
integrity check of checksummed data	The TOE checks if data are modified by using a checksum function(summed value according as a specific computation rule)
secure state of information	The primary information of TOE is safely stored. The TOE ensures a secure state of information and secure state of TOE when abnormal operation or Power-off, Card Tearing occur by external entity.
non-observability of operations on sensitive information	The TOE ensures non-observability by encrypting the primary TSF data(cryptographic keys and PIN, etc) and verifying integrity using CRC32 or Hash.
unavailability of previous information content	The TOE performs the Zerorization mechanism to prevent reuse of information after it handles the primary TSF data for authentication and identification.
Data Access Control	The TOE checks the authentication by using PIN or other mechanism and checks the verification of authorization request. And the TOE performs data access control through data access about only specific data and specific area.
Secure Channel	When working together with an external system, the TOE performs authentication to identify and authenticate the external system's nodes for the mutual safety of paths and channels and ensures safe channel.

1.3.4 Non-TOE hardware/software/firmware required by the TOE

The IC chip as its sub-hardware and the crypto library that supports cryptographic computation are included in the TOE. Applets installed at the issuance phase are excluded from the TOE.

Applet

Non-evaluation elements in TOE configuration are illustrated in [Table 6].

[Table 6] Identification of non-evaluation elements


Non-evaluation elements	Description
, proc	Applets are applications installed in EEPROM of sub-hardware where the TOE is embedded to use TOE resources and run through the TOE. Applets that can be installed in the TOE are Java Applet execution files compatible with the JavaCard v2.2.2 standard.

1.4 TOE Description

1.4.1 TOE Operational Environment

[Figure 1] visualizes the relationship between the TOE and the service system (i.e. terminal and servers), briefly illustrating the hierarchy and TOE scope of a multi-functional smart card. A smart card exchanges information needed for the service system (i.e. terminal and servers) through contact/contactless communication. As shown in [Figure 1], the IC hardware (i.e. micro-controller), crypto library is included in the composite TOE evaluation elements. Application layers of a TOE-embedded smart card and test software implemented on ROM for testing hardware functions are excluded from the composite TOE evaluation elements. Also the TOE uses IC security countermeasures to carry out its own functions.


In other words, the TOE is the Java Card that includes a smart card operating system and the IC chip and excludes applications installed. Smart card owners and issuers generally work through communication with system via the smart card terminal. The issuers carry out administrative tasks such as application installation, issuance and repair by using the issuance system and the smart card terminal; the owners use smart card functions through communication with operational system via the terminal. Here the smart card terminal, operation servers and application constitute the TOE operational environment.



[Figure 1] Operational Environment of TOE

1.4.2 Physical Scope of TOE

The physical scope of TOE is composed of a software that constitutes the Java Card platform as an open platform card operating system developed by KOMSCO, <u>S3CT9KA/S3CT9KC/S3CT9KW</u>, which are CC EAL5+-certified smart card IC chips, and Cryptographic libraries of Samsung Electronics. The TOE software is compiled with cryptographic library and converted into a binary image. And then the TOE is masked in the ROM area of an IC chip and run with data in EEPROM and RAM. The physical scope of TOE also includes "operational user guidance" and "preparative procedures" that are distributed to end users in the form of electronic document (i.e. CD format) to ensure safe TOE operation.



[Figure 2] Physical Scope of TOE

The physical scope of TOE is conceptually composed of the following six parts:

- Card Manager (CM)
- Java Card Runtime Environment (JCRE) 2.2.2
- Java Card Virtual Machine (JCVM) 2.2.2
- Java Card Application Programming Interfaces (JCAPIs) 2.2.2
- Visa Global Platform Application Programming Interfaces (VGP APIs) 2.1.1
- Chip Operating System (Chip OS)
 - : Crypto Function, Kernel and HAL (I/O, Memory Management)
- Samsung Secure Controller(IC Chip) with Cryptographic library

For the safe management of TOE, the user manual is offered to the end user in the form of (booklet and) electronic document (i.e. CD format). The user manual distributed to the end user is also included in the physical scope of TOE and is identified as follows:

- [JK21-MA-0005] Operational user guidance -v1.4
- [JK21-MA-0006] Preparative procedures -v1.4

TOE and TOE components are completely identified by information located in the following table.

[Table 7] TOE and TOE component identification


content	Name	Identification infomation(including version/build)	remarks
TOE	JK21 V1.0 on S3CT9KA/KC/KW	JK21-140A00-R1 JK21-140C02-R1	Composite TOE
		JK21-142002-R1	

TOE	S3CT9KA	140A00	S3CT9KA Revision 0
component (HW)	Cocronat	1 10/100	(BSI-DSZ-CC-0719- 2011)
,	S3CT9KC	140C02	S3CT9KC Revision 2 (ANSSI-CC-2012/72)
	S3CT9KW	142002	S3CT9KW Revision 2 (ANSSI-CC-2012/72)
TOE	Operating system	JK21-140A00-R1.rom/	ROM information
component	software	JK21-140C02-R1.rom/	(JK21 ROM Code
(SW)		JK21-142002-R1.rom	Revision 1 on S3CT9KA Revision 0/ JK21 ROM Code Revision 1 on S3CT9KC Revision 2/ JK21 ROM Code Revision 1 on S3CT9KW Revision 2)
		JK21-140A00-R1.eep/	EEPROM information
		JK21-140C02-R1.eep/	(JK21 EEPROM Code Revision 1 on
		JK21-142002-R1.eep	S3CT9KA Revision 0/ JK21 EEPROM Code Revision 1 on S3CT9KC Revision 2/ JK21 EEPROM Code Revision 1 on S3CT9KW Revision 2)
TOE component	Operational user guidance	[JK21-MA-0005] Operational user guidance -v1.4	-
(Document)	Preparative procedures	[JK21-MA-0006] Preparative procedures -v1.4	-

<u>Note</u>: The composite evaluation components include CC EAL5+-certified IC Chip and cryptographic library. The TOE does not include the application although it is possible to load the application on the EEPROM of IC Chip. That is out of scope in the ST.

1.4.3 Logical Scope of TOE

The TOE is the JavaCard Platform that supports the analysis of security violation, the cryptographic operation, the access Control, the identification and authentication, the security management, and TSF protection function. The TOE is composed of the following logical scope that described in "Smart Card Open Platform Protection Profile V2.2, 2010.12.20, Korea Internet & Security Agency."



[Figure 3] Logical Scope of TOE

- Card Manger(CM)
- Java Card Runtime Environment (JCRE) 2.2.2
- Java Card Virtual Machine (JCVM) 2.2.2
- Java Card Application Programming Interfaces(JCAPIs) 2.2.2
- Visa Global Platform Application Programming Interfaces(VGP APIs) 2.1.1
- Chip Operating System (Chip OS) with Cryptographic library
 - : Crypto Function, Kernel and HAL(I/O, Memory Management)
- Cryptographic library

1.4.3.1 Card Manager

The Card Manager controls the TOE and applets Life Cycles and provides Key and applet management functions of TOE with administrator authority in the TOE user mode.

The TOE manages applets through applet's load, install, delete functions and life cycle management function of Card Manager. The TOE enforces the security policy of the card issuer, and provides the security services as the secure channel management during data transaction and data access and PIN management for Card holder authentication.

Notes: The Card Manager controls the identification and authentication of TOE, security functions, security attributions, TSF data, and secure roles. And it has the administrator authority in the TOE user mode. The TOE provides SCP02 authentication, DAP authentication, and DM authentication in the user mode. When working together with an external system, the TOE performs SCP02 authentication to identify and authenticate the external system's nodes for the mutual safety of paths and channels and checks if the card issuer is an authorized one and guarantees the safety of channel. It ensures the integrity of messages through secure channels and their confidentiality through message encryption. When authentication protocol is closed, the TOE deletes TSF data and initializes the security level so that the information not be reused. The TOE verifies the integrity of applets and authorizes application providers through DAP authentication based on the public keys of authorized application providers. When the issuer wants to charge the issuance authority to a second issuer, the TOE carries out DM authentication that a second issuer delivers information of given applets to the issuer, receives tokens of these applets, submits them to the TOE and obtaining the issuance authority. This second issuer(commissioned issuer) issues cards through SCP02 authentication or DAP authentication.

1.4.3.2 JCRE(Java Card Runtime Environment)

The JCRE, that is Java Card System Component running in the TOE, is responsible for the resource management during java applet running, the selected applet management, the communication with CAD and the security of applet. And the JCRE performs running applets using JCVM. The JCRE includes the frameworks related to the APDU routing, ISO communication protocol, JCVM and the classes for handling.

The TOE provides the firewall access control through JCRE. By isolating a single applet within the given space through the mechanism of firewall between applets, it prevents data from being leaked out by other applets and provides protection against hacking. In other words, it prevents that the object generated by applet is used by other applet without explicit sharing. And it prevents unauthorized access about field or method of an instance of a class, as well as length or the contents of an array.

Applet Firewall is considered the primary security feature. If necessary, it performs additional mechanisms sharing objects using the concept of the static public variables and the SIO (shareable interface objects).

1.4.3.3 JCVM(Java Card Virtual Machine)

The JCVM has organic relationship with JCVM and executes the CAP file as entity of the applet. It performs byte-code execution, memory allocation management, object management, security features, etc., The JCVM is byte code interpreter based on Java Card Specification 2.2.2 appropriately designed for the smart card system and the Java language subset. The Java Card applet's methods are converted to byte code can be performed on the JCVM. The process that converts it into machine code that can be understood by the hardware referred to as interpreting. TOE can run the applet independent from the hardware through JCVM.

Notes: Because JCRE use JCVM to run the applet, so JCVM may be considered as part of JCRE. JCVM make through the JCRE or JCAPI so that the applet access to resources.

1.4.3.4 JCAPIs(Java Card Application Programming Interfaces)

JCAPI is the set of classes provided for development of application according to Java Specification. JCAPI provides primary APIs and extended APIs packages according to Java Card Application Programming Interfaces(JCAPIs) 2.2.2. JCAPI is the upper layer of JCRE, provides the interface for cryptographic functions and basic functions of application.

TOE performs cryptographic computation such as cryptographic key generation/destruction, encryption, decryption, and electronic signature generation and verification. It also supports hash value generation and random number generation. The TOE provides these functions for applications through the interface of JCAPI 2.2.2. Below is a list of algorithms supported by the TOE:

	<u> </u>
Algorithm	Usage
TDES (112, 168 bits) in ECB/CBC mode	Data Encryption/Decryption, Generation and Verification of signature (S3CT9KA/S3CT9KC/S3CT9KW: provided in IC hardware)
AES(128, 192, 256 bits) in ECB/CBC mode	Data Encryption/Decryption, Generation and Verification of signature (S3CT9KA/S3CT9KC/S3CT9KW: provided in IC hardware)

[Table 8] Support algorithm and usage

RSA (2048 bits)	Data Encryption/Decryption, Generation and Verification of signature (S3CT9KA/S3CT9KC/S3CT9KW: provided in IC hardware and Cryptographic library)
ECC (192, 224, 256, 384, 512 bits)	Generation and Verification of signature (S3CT9KA/S3CT9KC/S3CT9KW: provided in IC hardware and Cryptographic library)
ECDH (192, 224, 256, 384, 512 bits)	Key agreement protocol (S3CT9KA/S3CT9KC/S3CT9KW: provided in IC hardware and Cryptographic library)
SEED (128 bits) in ECB/CBC mode	Data Encryption/Decryption, Generation and Verification of signature (provided in software)
ARIA (128, 192, 256 bits) in ECB/CBC mode	Data Encryption/Decryption, Generation and Verification of signature (provided in software)
CRC32	Integrity of TSF execution code stored in ROM of IC
SHA-224/256/384/512	Generation of signature-creation Hash

<u>Notes</u>: The functions of cryptographic algorithm supported through JCAPI are implemented in the crypto functions in the chip operating system. The details can refer to 1.4.3.6 and 1.4.3.7.

<u>Notes</u>: The signature indicates the MAC for the symmetric algorithm(TDES, AES, SEED and ARIA) and the digital signature for the asymmetric algorithm(ECC and RSA).

1.4.3.5 VGP APIs(Visa Global Platform Application Programming Interfaces)

Visa Global Platform APIs is Java Card Interfaces of Global Platform function. It provides access to the OPEN, services for the application such as cardholder verification, personalization, security services and Card Content Management service such as card locking, application life cycle state update.

1.4.3.6 Chip Operating System

The Chip Operating System is hardware abstraction layer. It is responsible for operating system to run JCVM and JCRE and include low level I/O function, memory management function, low level transaction and crypto functions.

The TOE provides the administrator mode and user mode. The TOE provides initialization authentication, SCP02 authentication in the administrator mode and DAP authentication and DM authentication in the user mode. Through initialization authentication in the administrator mode, it confirms the authorized administrator and initializes the TOE.

Notes: The Crypto functions provide algorithms supported by IC Chip using hardware accelerator. And RSA and ECC are provided through cryptographic libraries implemented using modular multiplication accelerator. Also Crypto functions provide software cryptographic algorithm such as SEED. ARIA.

1.4.3.7 Cryptographic Library

Cryptographic Library belongs to the TOE hardware, certified as CC EAL5+ by IC Chip Manufacturer.

It can refer to [Table 7]. The cryptographic library supports following functions.

RSA, ECC, SHA, TRNG

The primary functions are implemented in the Crypto Functions of the Chip Operating System through cryptographic libraries implemented using modular multiplication accelerator. And They are supported through JCAPIs.

The TRNG library to satisfy AIS31 is used by Cryptographic Library as well as software cryptographic algorithm, cryptographic algorithm using hardware accelerator and self test.

Because the Composite TOE as Java Card shall satisfy the international standard, it provides RSA 1024 bits for compatibility with international standard([R10], [R11]). And RSA 1024 bits is excluded from the scope of certification.

1.4.4 TOE Life Cycle

The lifecycle of the TOE is illustrated in [Table 9].

[Table 9] TOE Life Cycle

Phase	Administrator	Description	Remarks
Development	Developer	① TOE design & development	Necessary standards may be designed in the "initialization & issuance" phase
Manufacturing	Manufacturer	 ② IC chip design/development ③ Masking of the designed TOE on ROM ④ IC chip manufacturing ⑤ IC chip package ⑥ IC card manufacturing (IC chip package embedded in the card) 	IC chip design/development, masking and IC chip manufacturing are done by a single manufacturer, while IC chip package and IC card manufacturing may be conducted by different manufacturers
Initialization & issuance	Developer or issuer	7 Initialization8 Card issuance9 Application installation & issuance	The developer is involved in ⑦ Initialization but not in the subsequent phases; if the issuer wants, however, the authority for ⑦ Initialization can also be transferred to the issuer through security document
Usage	Owner	After card issuance, the owner uses the card normally in line with intended purpose	Necessary standards may be designed in the "initialization & issuance" phase
	Issuer	① Application installation & issuance	
Termination of usage	Issuer	② After the owner's termination of card use, the issuer discontinues the use of the card or collects it for disposal	

In the TOE, developers are directly involved from ① Development through ⑦ Initialization &

Issuance. Among the internal phases, ②, ④, ⑤ which are the areas of manufacturers alone are not directly correlated with the TOE. After ① Development is completed, developers should distribute the TOE to manufacturers for ③ ROM Masking. TOE becomes a product after being initialized by data generated by developers in Phase ⑥ or ⑦, and becomes available for issuers or for users via issuers.

1.5 Writing Rules

The notation, formatting and conventions used in this ST are consistent with the Common Criteria for Information Technology Security Evaluation (hereafter referred to as "CC"). In addition to this, additional writing rules are defined and used to prevent any confusion with operations that are already performed in the Protection Profile conformed to by this security target.

The Common Criteria allows selection, assignment, refinement, and iteration operations which can be executed in the Security Functional requirement. Each operation is used in the ST by the following types.

Iteration

This is used when a component is repeated with varying operations. The result of iteration operation is represented by iteration number with round bracketed, that is, (Iteration number).

Assignment

This is used to assign specific values to unspecified parameters (e.g., password length). The result of an assignment is represented by square brackets, that is, [Assignment Value].

Selection

This is used to select one or more options provided by the CC in stating a requirement. The result of <u>selection</u> operation is represented by <u>underlined italics</u>.

Refinement

This is used that a requirement to be "stricter" than the original by adding detail to a requirement. It therefore restricts a requirement further. The result of a refinement is represented by **bold text**.

1.6 Glossary

The terms used in the Security Target follow those of the Common Criteria in case they are same.

Development environment

Environment in which the TOE is developed

Object

A passive entity in the TOE, that contains or receives information, and upon which subjects perform operations

Attack potential

Measure of the effort to be expended in attacking a TOE, expressed in terms of an attacker's expertise, resources, and motivation

Iteration

Use of the same component to express two or more distinct requirements

Security objective

Statement of intent to counter identified threats and/or satisfy identified organisation security policies and/or assumptions

ST, Security Target

Implementation-dependent statement of security needs for a specific identified TOE

ST Evaluation

Assessment of an ST against defined criteria

Security attribute

Property of subjects, users (including external IT products), objects, information, sessions and/or resources that are used in defining the SFRs and whose values are used in enforcing the SFRs

Assurance

Grounds for confidence that a TOE meets the SFRs

PP, Protection Profile

Implementation-independent statement of security needs for a TOE type

User

See "External Entity"

Selection

Specification of one or more items from a list in a component

Guidance documentation

Documentation that describes the delivery, preparation, operation, management and/or use of the TOE

Smartcard Terminal

A device which has a keypad, display, security module, and Smartcard read/write functions.

Identity

A representation (e.g. a string) uniquely identifying an authorized user, which can either be the full or abbreviated name of that user or a pseudonym.

Trusted path

A means by which a user and a TSF can communicate with the necessary confidence

Secure state

State in which the TSF data are consistent and the TSF continues correct enforcement of the SFRs

Trusted channel

A means by which a TSF (TOE Security Functionality) and another trusted IT product can communicate with necessary confidence

Element

Indivisible statement of a security need

Role

A predefined set of rules establishing the allowed interactions between a user and the TOE

Operation (on a component of the CC)

Modification or repetition of a component. Allowed operations on components are assignment, iteration, refinement, and selection.

Operation (on a subject)

A specific type of action performed by a subject on an object

Operational environment

Environment in which the TOE is operated

External Entity

Entity (human or IT entity) possibly interacting with the TOE from outside of the TOE boundary

Threat Agent

Unauthorized user or external IT entity that makes threat like illegal access, modification and deletion to the asset.

Authorized Issuer

Authorized User who safely operate and manage functions according to TOE Security Policy

Authorized User

TOE user who may, in accordance with the SFRs, perform an operation

Authentication Data

Information used to verify the claimed identity of a user

Assets

Entities that the owner of the TOE presumably places value upon

Refinement

specifies additional details to a component.

Organizational Security Policies

A set of security rules, procedures, practices, or guidelines imposed by an organization upon its operations.

Dependency

Relationship between components such that if a requirement based on the depending component is included in a PP, ST or package, a requirement based on the component that is depended upon must normally also be included in the PP, ST or package

Subject

An active entity in the TOE that performs operations on objects

Augmentation

Addition of one or more requirement (s) to a package

Component

The smallest selectable set of elements on which requirements may be based

Class

A set of CC families that share a common focus

Evaluation

Assessment of a PP, an ST or a TOE, against defined criteria

TOE (Target of Evaluation)

A set of software, firmware and/or hardware possibly accompanied by guidance

EAL (Evaluation Assurance Level)

A set of assurance requirements drawn from CC Part 3, representing a point on the CC predefined assurance scale, that form an assurance package

Family

A set of components that share a similar goal but differ in emphasis or rigour

Package

A named set of either security functional or security assurance requirements (ex: 'EAL 4')

Assignment

The specification of an identified parameter in a component (of the CC) or requirement

Applet

The name is given to a Java Card technology-based user application. An applet is the basic piece of code that can be selected for execution from outside the card. Each applet on the card is uniquely identified by its AID .

EEPROM (Electrically Erasable Programmable Read-Only Memory)

EEPROM is a non-volatile storage chip used in computers and other devices to store small amounts of volatile (configuration) data. When larger amounts of more static data are to be stored (such as in USB flash drives), other memory types like flash memory are more economic. SEEPROM, meaning Serial EEPROM, is an EEPROM chip that uses a serial interface to the circuit board

IC Chip (Integrated Circuit Chip)

A semiconductor for Smartcard functions, and it has mask ROM, EEPROM, RAM and I/O port.

JCAPI (JavaCard Application Programming Interface)

JCAPI is used to compose the application of JavaCard, is the interface for functions defined java framework and extended java package. JCAPI is a subset of the JavaTM programming language.

Package

A Package is a name space within the Java programming language that may contain classes and interfaces. A Package defines either a library or applet definitions and is divided in two sets of files: export files and CAP files.

RAM (Random Access Memory)

A type of computer memory that can be accessed randomly; that is, any byte of memory can be accessed without touching the preceding bytes. There are two basic types of RAM: dynamic RAM (DRAM), static RAM (SRAM). The two types differ in the technology they use to hold data, dynamic RAM being the more common type. Dynamic RAM needs to be refreshed thousands of times per second. Static RAM does not need to be refreshed, which makes it faster; but it is also more expensive than dynamic RAM. Both types of RAM are volatile, meaning that they lose their contents when the power is turned off.

ROM (Read-Only Memory)

A computer memory on which data has been prerecorded. Once data has been written onto a ROM chip, it cannot be removed and can only be read. Unlike main memory (RAM), ROM retains its contents even when the computer is turned off. ROM is referred to as being nonvolatile, whereas RAM is volatile.

TSF, TOE Security Functionality

Combined functionality of all hardware, software, and firmware of a TOE that must be relied upon for the correct enforcement of the SFRs

TOE resource

Anything useable or consumable in the TOE

TOE evaluation

Assessment of a TOE against defined criteria

TSF Data

Data for the operation of the TOE upon which the enforcement of the SFR relies

1.7 Security Target Organization

Section 1 provides security target references, TOE references, overview, and descriptions of TOE.

Section 2 provides the conformance claims that declare conformance for Common Criteria, Protection Profile, and Package and describes rationale of the conformance claims and methodology for conformance to the Protection Profile.

Section 3 describes the security problems and includes security problems of TOE and its operational environment in terms of threat, organizational security policy, and assumption.

Section 4 describes TOE security objectives and security objectives for the operational environment to counter to threats identified in the security problem definition, perform organizational security policies, and supporting assumptions.

Section 5 defines extended components, explaining components extended in Part 2 or Part 3 of the Common Criteria.

Section 6 describes the IT security requirements including the security functional and assurance requirements and rationale of security requirements intended to satisfy security objectives.

Section 7 summarizes TOE specification and explains security functionality implemented in the TOE.

Section 8 compares compatibility between Composite ST and Platform ST.

Section 9 defines the references and abbreviations used in this ST

References provide information on data that this document has referred to for users interested in this security target wishing to obtain further background or relevant information above what is specified here. The list of abbreviations is offered for better understanding of frequently used terms or abbreviations.

2. Conformance claims

This section provides a description of the Common Criteria, Protection Profile and Package that conform to Security Target.

2.1 CC Conformance Claim

This ST conforms to the following Common Criteria.

- Common Criteria Identification
 - Common Criteria for Information Technology Security Evaluation, Part 1: Introduction and general model, Version 3.1, Revision 4, September 2012, CCMB-2012-09-001
 - Common Criteria for Information Technology Security Evaluation, Part 2: Security functional components, Version 3.1, Revision 4, September 2012, CCMB-2012-09-002
 - Common Criteria for Information Technology Security Evaluation, Part 3: Security assurance components, Version 3.1, Revision 4, September 2012, CCMB-2012-09-003
- Conformance to Common Criteria
 - Extended to Conformance to Common Criteria for Information Technology Security Evaluation, Part 2: Security functional components, Version 3.1, Revision 4
 - Conformant to Common Criteria for Information Technology Security Evaluation, Part 3: Security assurance components, Version 3.1, Revision 4

Note: To be specified in parallel as "Common Criteria" from below

2.2 PP Conformance Claim

This ST conforms to the following Protection Profile.

- Protection Profile Identification
 - Smart Card Open Platform Protection Profile v2.2(KECS-PP-0097a-2008), December 20, 2010
- Conformance to Protection Profile
 - Smart Card Open Platform Protection Profile v2.2 "Verifiable Conformance to Protection Profile"

The TOE includes an Integrated Circuit certified with CC EAL5 augmented with ALC_DVS.2 and AVA_VAN.5. The IC Chips conform to "Security IC Platform Protection Profile, Version 1.0, 15 July 2007" (BSI-PP-0035-2007) ("ICPP" from below).

2.3 Package Conformance

This security target adds the following package of assurance requirements. This is added by the conformed Protection Profile.

• EAL5+ augmented with ALC_DVS.2, AVA_VAN.5 as state in Smart Card Open Platform Protection Profile v2.2(KECS-PP-0097a-2008), December 20, 2010

2.4 Rationale of Conformance Claim

This security target conforms to the Protection Profile, as required in Smart Card Open Platform Protection Profile v2.2 (to be specified as "SCOP-PP" from below; the specification of version omitted), as follows:

• Smart Card Open Platform Protection Profile v2.2 "Verifiable Conformance to Protection Profile"

The rationale of Conformance Claim for Protection Profile of this ST is based on the following.

2.4.1 Rationale of Protection Profile Conformance

The conformed Protection Profile is specified in line with "Common Criteria for Information Technology Security Evaluation, Part 1: Introduction and general model, Version 3.1, Revision 2," and this security target is prepared in line with "Common Criteria for Information Technology Security Evaluation, Part 1: Introduction and general model, Version 3.1, Revision 4." However, the types of them remain consistent as no change has been made regarding the consistency of types and structures in the conformed Protection Profile and this security target.

2.4.2 Rationale of Conformance Claim for Security problem definition

This security target defines security problems relating to threats, organizational security policies and assumptions in the same way(or more limited way than) as SCOP-PP does. Therefore, the following tables show that this security target is consistent to SCOP-PP. It redefines added P.IC Chip in more limited way than SCOP-PP.

[Table 10] Rationale of Conformance Claim for Security problem definition-threats

Division	threats	Rationale
	T.Logical Attack	This security target defines same operations allowed in SCOP-PP for threats on the left.
SCOP-PP ACCEPTANCE	T.Abuse Issue	in 3001 -11 for threats on the left.
	T.Unauthorized IFD	
	T.Unauthorized App	
	T.Unexpected Malfunction	
	T.Repeat authentication	
	T.Abnormal Malfunction	
	T.Residue Information	
	T.Information Leakage	

[Table 11] Rationale of Conformance Claim for Security problem definition -조직의 보안정책

Division Organizational security policy	Rationale
---	-----------

SCOP-PP ACCEPTANCE	P.Open Platform	This security target defines same operations allowe in SCOP-PP for organizational security policy on the
	P.Duty separation	left.
ADDITION	P.IC Chip	Because the Composite TOE includes EAL5+ certified IC Chip, It is added. Then the security problem definition of the Composite ST is more limited than SCOP-PP.

[Table 12] Rationale of Conformance Claim for Security problem definition -Assumptions

Division	Assumptions	Rationale
	A.Secure Channel	This security target defines same operations allowed in SCOP-PP for assumptions on the left.
SCOP-PP ACCEPTANCE	A.Application	in ecci i i ioi accamptione on the lott.
	A.TOE management	
	A.TSF data	
EXCEPTION	A.Underlying hardware	Because the Composite TOE includes IC Chip, the security features of IC Chip is excluded from Assumptions. It is redefined as Organizational Security Policy.

2.4.3 Rationale of Conformance Claim for Security objectives

The following tables show that the security objectives of composite security target is consistent to SCOP-PP. This security target redefines O.Information Leakage and adds O.IC Chip in more limited way than SCOP-PP.

[Table 13] Rationale of Conformance Claim for Security objectives-TOE security objectives

Division	TOE Security Objectives	Rationale
	O.Data Protection	This security target defines same in SCOP-PP for TOE security objectives on the left.
SCOP-PP ACCEPTANCE	O.Issue	TOE security objectives on the left.
	O.Identification	
	O.Authorized Repair	
	O.Authentication	
	O.Rollback	
	O.Rem_Residue	
	O.Leak Countermeasure	
	O.Open Platform	

ADDITION O.IC Chip Because the Composite TOE includes IC Chip, security features of IC Chip redefined as TOE security objectives.	the
---	-----

[Table 14] Rationale of Conformance Claim for Security objectives - operational environment

Division	Security objectives for operational environment	Rationale
	OE.Training	This security target defines same in SCOP-PP for TOE security objectives for operational environment
SCOP-PP ACCEPTANCE	OF Coours Communication and the left	
	OE.Application	
	OE.TSFdata	
EXCEPTION	OE.Underlying hardware	Because the Composite TOE includes IC Chip, the security features of IC Chip is excluded from security objectives for operational environment.

2.4.4 Rationale of Conformance Claim for Security functional requirements

The rationale of conformance claims for security functional requirements is provided in [Table 5], which demonstrates that the extended security functional requirements of this security target are equal to (or more limited than) those of SCOP-PP.

[Table 15] Rationale of Conformance Claim for Security functional requirements

Division	Component	Rationale
SCOP-PP	FAU_ARP.1	This security target performs operations allowed in SCOP-
ACCEPTANCE	FAU_SAA.1	PP for functional components suggested on the left.
	FCS_CKM.1(1)	This security target performs operations allowed in SCOP- PP for FCS_CKM.4 among the functional components on
	FCS_CKM.1(2) the left and is thus equal to SCOP-PP. It is more limited than SCOP-PP as it carries out "and "elaboration" operations allowed in the Comm	the left and is thus equal to SCOP-PP.
		and "elaboration" operations allowed in the Common Criteria
	FCS_CKM.4	for FCS_CKM.1(1)~(3) and FCS_COP.1(1) ~(7) and specifies additional cryptographic computation.
SCOP-PP	FCS_COP.1(1)	Also this composite security target additionally defines FCS_CKM.2 for cryptographic key distribution provided by
ACCEPTANCE		cryptographic library. And this composite security target
		additionally defines 1 CS_INVG.1 based of 1C-FF.
	FCS_COP.1(4)	
	FCS_COP.1(5)	
	FCS_COP.1(6)	

	FCS_COP.1(7)	
ADDITION	FCS_CKM.2	
ADDITION	FCS_RNG.1	
7,33,11,611	FDP_ACC.2(1)	This security target performs operations allowed in SCOP-
	PP for FDP_ RIP.1 among the functional cor	PP for FDP_ RIP.1 among the functional components
SCOP-PP	,	suggested on the left and is thus equal to SCOP-PP. It is more limited than SCOP-PP as it carries out "repetition"
ACCEPTANCE	FDP_ACF.1(1)	and "elaboration" operations allowed in the Common Criteria
	FDP_ACF.1(2)	for FDP_ACC.2(1) ~ (2) and FDP_ACF.1(1) ~ (2) and specifies additional requirements for user data protection
	FDP_RIP.1	
	FDP_SDI.2	This security target additionally defines SFRs for the integrity test of saved data, response behaviors and the
ADDITION	FDP_UCT.1	integrity of transmitted data. It is more limited than SCOP-
	FDP_UIT.1	PP as it defines additional security functional requirements for TSF protection.
	FIA_AFL.1 FIA_ATD.1(1) FIA_ATD.1(2)	This security target carries out operations allowed in SCOP-PP for FIA_AFL.1, FIA_SOS.1, FIA_UAU.4, FIA_UAU.6 and FIA_UID.1 among the functional components suggested on the left and is thus equal to SCOP-PP.
	FIA_SOS.1	It is more limited than SCOP-PP as it carries out "repetition"
SCOP-PP	FIA_UAU.1(1)	and "elaboration" operations allowed in the Common Criteria
ACCEPTANCE	FIA_UAU.1(2)	for FIA_ATD.1(1) ~ (2) and FIA_UAU.1(1) ~ (4) among the functional components on the left to specify additional
	FIA_UAU.1(3)	authentication.
	FIA_UAU.1(4)	
	FIA_UAU.4 FIA_UAU.6 FIA_UID.1	
ADDITION	FIA_USB.1	This security target additionally defines SFRs for user- subject binding. It is more limited than SCOP-PP as it defines additional security functional requirements for identification and authentication.
	FMT_MOF.1	This security target performs operations allowed in SCOP-
	FMT_MSA.1(1)	PP for FMT_MOF.1, FMT_MSA.3, FMT_MTD.1, FMT_MTD.2, FMT_SMF.1 and FMT_SMR.1 among the
	FMT_MSA.1(2)	-functional components suggested on the left. It is more
SCOP-PP	FMT_MSA.3	limited than SCOP-PP as it carries out "repetition" and
FMT_MTD.2 FMT_MSA.1(1) ~ (2) among the functional com	"elaboration" operations allowed in the Common Criteria for	
	the left to specify additional security management	
	FMT_SMF.1	requirements.
SCOP-PP	FMT_SMR.1	This coought torget performs energions allowed in COOP
ACCEPTANCE	FPR_UNO.1	This security target performs operations allowed in SCOP-PP for functional components suggested on the left.
	FPT_FLS.1	This security target performs operations allowed in SCOP-
SCOP-PP	ACCEPTANCE FPT_RCV.4 Also this composite security target additionally of the property of the p	PP for functional components suggested on the left.
ACCEPTANCE		-FPT_PHP.3 for resistance to physical attack and is limited
	FPT_TST.1	than SCOP-PP.
ADDITION	FPT_PHP.3	

2.4.5 Rationale of Conformance Claim for Assurance Requirements

The rationale of conformance claims for assurance requirements is specified in [Table 6], which shows that the assurance requirements of this security target are equal to (or more limited than) those of SCOP-PP. The assurance requirements security target meet includes all assurance requirements of SCOP-PP and is added these of EAL5+(augmented ALC_DVS.2, AVA_VAN.5) based on Common Criteria. The added assurance requirements is followings.

- ADV_FSP.5 Complete semi-formal functional specification with additional error information
- ADV_INT.2 Well-structured internals
- ADV_TDS.4 Semiformal modular design
- ALC_DVS.2 Sufficiency of security measures
- ALC_CMS.5 Development tools CM coverage
- ALC_TAT.2 Compliance with implementation standards
- ATE_DPT.3 Testing: modules design
- AVA_VAN.5 Advanced methodical vulnerability analysis

[Table 16] Rationale of Conformance Claim for Assurance requirements

Assurance Class	Assurance Components	Rationale
	ASE_INT.1 ST introduction	This security target provides assurance requirements
	ASE_CCL.1 Conformance claims	equivalent to EAL 5+.
	ASE_SPD.1 Security problem definition	This security target includes all assurance requirements of
ASE: Security Target	ASE_OBJ.2 Security objectives	SCOP-PP and is added ADV_FSP.5, ADV_INT.2,
	ASE_ECD.1 Extended components definition	ADV_TDS.4, ALC_DVS.2 , ALC_CMS.5, ALC_TAT.2,
	ASE REQ.2 Derived security requirements ATE_DPT.3,	ATE_DPT.3, AVA_VAN.5. Then the assurance
	ASE_TSS.1 TOE summary specification	requirements of Composite TOE is more limited than SCOP-PP.
	ADV_ARC.1 Security architecture description	
	ADV_FSP.5 Complete semi-formal functional specification with additional error information	
ADV: Development	ADV: Development ADV_IMP.1 Implementation representation of the TSF ADV_INT.2 Well-structured internals	
	ADV_TDS.4 Semiformal modular design	
AGD: Guidance	AGD_OPE.1 Operational user guidance	
documents	AGD_PRE.1 Preparative procedures	
ALC: Life-cycle support	ALC_CMC.4 Production support, acceptance procedures and automation	

	ALC_CMS.5 Development tools CM coverage
	ALC_DEL.1 Delivery procedures
	ALC_DVS.2 Sufficiency of security measures
	ALC_LCD.1 Developer defined life-cycle model
	ALC_TAT.2 Compliance with implementation standards
ATE: Tests	ATE_COV.2 Analysis of coverage
	ATE_DPT.3 Testing: modules design
	ATE_FUN.1 Functional testing
	ATE_IND.2 Independent testing - sample
AVA: Vulnerability assessment	AVA_VAN.4 Advanced methodical vulnerability analysis

3. Security problem definition

The security problem definition defines the threats, the organizational security policies and the assumptions to be addressed by the TOE and the operational environment of the TOE.

3.1 Assets

TOE is a Java Card platform that is run on the IC chip to manage information and resources. Its assets are divided into "primary assets" and "secondary assets."

The security objective of the TOE is to protect primary assets during the usage phase. The information and tools used in the manufacturing and development of smart cards need to be protected to defend these primary assets, and these information and tools are called secondary assets. In other words, the information generated or utilized in the process of TOE production does not constitute assets that are directly protected by the TOE, but it significantly affects the integrity or confidentiality of the TOE itself. This information is called secondary assets, and the safety of secondary assets is satisfied by EAL4+ assurance requirements.

The primary assets that the TOE needs to protect are data managed in the smart card; they are divided into user data and TSF data. The former refers to data generated for or by the users, while the latter is data generated for or by the TOE. Smart cards are carried and used by users, so they are the subjects that the attackers seek to steal. Therefore, the IC chips themselves are assets that need to be protected from physical threats.

These assets have to do with TOE threats and can be classified as follows:

- TOE including Native Code
- User data
- TSF data

The next section describes in detail the user data and TSF data among primary assets that the TOE needs to protect.

3.1.1 User Data

User data include certain PINs, authentication data, application codes and sensitive application values of applications that need to be protected from unauthorized exposure and modification.

D.APP CODE

This is the code of the applets and libraries loaded on the TOE and shall be protected from unauthorized modification.

D.APP_DATA

This is sensitive data of the applications, like the data contained in an object, a static field of a package, a local variable of the currently executed method, or a position of the operand stack and shall be protected from unauthorized modification.

D.PIN

This is user PIN and shall be protected from unauthorized disclosure and modification.

D.APP_KEYs

This is cryptographic keys owned by the applets and shall be protected from unauthorized disclosure and modification.

3.1.2 TSF Data

TSF data include the initialization data, the configuration data, the cryptographic keys, random for key generation that shall be protected from unauthorized disclosure and modification and all data using by TOE for the security feature of TOE.

D.TS CODE

This is TOE system code and shall be protected from unauthorized disclosure and modification.

D.TS KEYs

This is TOE system key, that is, the cryptographic key used when loading a file into the card and IK, MK for the card initialization

D.TS DATA

This is TOE system data, the internal runtime data areas necessary for the execution of the JCVM and shall be protected from monopolization and unauthorized disclosure or modification

D.SEC DATA

This is the runtime security data of the JCRE of TOE and shall be protected from unauthorized disclosure and Modification

D.CRYPTO

This is cryptographic data used in runtime cryptographic computations, like a seed used to generate a key and shall be protected from unauthorized disclosure and modification.

3.2 Threats

The threat agent is user and external IT entity that attempts illegal access to assets protected by the TOE using physical or logical methods outside the TOE and harm using abnormal method. The threat agent to the TOE requires the middle level of expertise, resources and motivation.

T. Logical Attack

The threat agent may abuse logical interfaces to modify and disclose user data or TSF data.

<u>Application Notes</u>: Logical interfaces are data exchange interfaces between TOE and the smart card terminal, usually referring to commands and responses exchanged between the smart card and the terminal. These commands and responses include international, local, industrial and independent standards. Attackers may abuse sentences or interpretational differences exploiting logical interfaces or abuse commands for certain usage.

T. Abuse Issue

The threat agent may abuse the TOE while the smartcard including the TOE is issued.

T. UnAuthorized IFD

The threat agent may modify and disclose user data or TSF data by abusing an unauthorized terminal.

T. UnAuthorized App

The threat agent may modify and disclose user data or TSF data by unauthorized installation of application program containing malicious code.

T. Unexpected Malfunction

User data or TSF data can be disclosed or damaged by incomplete termination of TSF service due to cut of power supply or an impact during card usage.

T. Repeat authentication

The threat agent may access to the TOE by attempting authentication repeatedly.

T. Abnormal Malfunction

The threat agent may modify and disclose user data or TSF data in case of incomplete termination of a TSF service caused by attacks based on giving physical stress to smartcard.

<u>Application Notes</u>: This threat refers to an attack where the attacker places physical stress such as voltage, frequency and temperature in order to modify or expose TSF data.

T. Residue Information

When the TOE reuses resources, the threat agent may access to unauthorized information in case the object information is not removed adequately.

T. Information Leakage

The threat agent may abuse the information leaked from the TOE during the normal TOE operation.

<u>Application Notes</u>: Information leaked during normal TOE usage refers to electric signals such as power, voltage and current released from the IC circuit of a smart card. This threat is an attack where the attacker can obtain cryptographic keys or major TSF data by analyzing electric signals from the smart card with relevant equipment. Prime examples of this attack include power attack, differential power attack and timing attack.

3.3 Organizational security policies

Organizational security policies described this section must be observed in the TOE following this Security Target.

P. Open platform

The TOE must be developed as an open platform which can load and use multiple applications in an interoperable manner.

P. Duty separation

Role must be assigned to the responsible personnel of each step from manufacturing to using the smartcard and the TOE must be created and managed according to each role in a secure manner.

P. IC Chip

The TOE must ensure secure operation on a tamper-resistant IC chip, and the Underlying hardware of the TOE shall provide means to counter various tampering attacks.

3.4 Assumptions

It is assumed that the following terms exist in the TOE operation environment accepting this Security Target.

A. Secure Channel

There shall be a secure channel between the TOE and the IFD.

A. Application

The application program must follow approved procedure when installed into the TOE. If the application program is installed adequately, it shall not contain malicious code.

A. TOE management

In the steps from manufacturing to using the TOE, there are roles of manufacturers, issuers and holders and training to each role shall be conducted in accordance with defined provisions. And the TOE is handled in a secure manner when repaired or replaced due to breakdown of the TOE or the smartcard.

A. TSF data

TSF data that are exposed to be processed in the course of TOE operation are managed securely.

4. Security objectives

This security target defines security objectives by categorizing them into the TOE and the environment. The security objectives for the TOE are directly handled by the TOE. The security objectives for the environment are handled by technical/process-related means so that TOE exactly provides its security functionality.

4.1 Security objectives for the TOE

The followings are security objectives directly handling by the TOE:

O. Data Protection

The TOE shall be protected stored user data and TSF data from unauthorized disclosure, modification and deletion.

O. Issue

The TOE must ensure that authorized issuer can issue smartcards according to defined procedure.

O. Identification

The TOE must clarify users who can use logical interfaces and their access rights to assets according to roles.

<u>Application Notes:</u> TOE should be able to clearly identify users and assets so that each user can be linked to assets accessible through logical interfaces.

O. Authorized Repair

The TOE must ensure that only an authorized user can conduct fix the failure.

<u>Application Notes:</u> Repairs can be made only by those who can normally use logical interfaces with authorized terminals. Logical interfaces can be implemented with international, local, industrial and independent standards.

O. Authentication

A user must conduct authentication procedure before accessing TOE user data and TSF data.

O. Rollback

The TOE shall be rolled back to a well-defined valid state in case of TSF failure. And the TOE must detect the failure of the TSF and resume TSF service from the state before failure.

O. Rem_Residue

The TOE shall ensure that user data or TSF data stored in memories is protected against an unintended remaining in case of session closed in the work area used by TSF.

O. Leak Countermeasure

The TOE must be designed to prevent normally disclosed information from being abused.

<u>Application Notes:</u> Major TSF data of the TOE, Keys and PIN are encrypted to counter external attacks so that an external entity cannot obtain TOE information.

O.Open Platform

The TOE must be supported as an open platform which can load and use multiple applications in an interoperable manner.

O. IC Chip

The TOE must ensure secure operation on a tamper-resistant IC chip, and the Underlying hardware of the TOE shall provide means to counter various tampering attacks. An IC chip supports cryptographic computation and provides the TOE with SPA/DPA handling techniques in this regard. It also provides the TOE with the functions of ActiveShield and Security Detector for preventing external infiltration in order to examine if the TOE goes beyond its normal scope of operation.

4.2 Security objectives for the operational environment

Below are security objectives that need to be handled with technical/procedural means supported in the operational environment in order for the TOE to accurately provide its security functionality:

OE.Training

Administration training must be conducted for each role of step of manufacturing, issuing, and using.

OE. Secure Communication

A secure communication cannel shall be provided between the TOE and corresponding smartcard accepting device.

OE.Application

The application installation must follow approved procedure, and adequately loaded applications shall not contain malicious code.

OE.TSF data

The TOE must operate the TSF data processed out of the TOE in a secure manner.

4.3 Security Objectives Rationale

The theoretical rationale of security objectives proves that the specified security objectives are adequate, sufficient to deal with security problems, and not excessive but essential.

The theoretical rationale of security objectives demonstrates the followings:

- Each assumption, threat or organizational security policy is handled by at least one security objective.
- Each security objective handles at least one assumption, threat or organizational security policy.

[Table 17] Relation between security objectives and the security problem definition

	Sec	curity		TOE se					onme	nt	tł	rity obj ne oper enviror	ation	al
Security objectives Definition of security problems	O.Data Protection	O.lssuance	O.Identification	O.Authorized Repair	O.Authentication	O.Rollback	O.Rem_Residue	O.Leak Countermeasure	O.Open Platform	O.IC Chip	OE.Training	OE.Safe Communication	OE.Application	OE.TSF Data
T.Logical Attack	X	X	X	X	X									
T.Abuse Issue		X											X	
T.UnAuthorized IFD	X	X	X	Χ	X									
T.UnAuthorized App			X		X									
T.Unexpected Malfunction						X	X			X				
T.Repeat Authentication					X									
T.Abnormal Malfunction										X				
T.Residue Information							X							
T.Information Leakage								X		X				
P.Open Platform									Χ					
P.Duty Separation		X	X	X	X						X			
P.IC Chip								X		X				
A.Secure Channel												X		
A.Application													X	
A.TOE Management											X			
A.TSF Data														X

4.3.1 TOE Security Objectives Rationale

O.Data Protection

This security objective ensures that only authorized users can access and modify user data and TSF data as assets. This security objective is necessary to deal with T.Logical Attack and T.Unauthorized IFD Threat where unauthorized users provoke attacks using smart card commands.

O.Issue

This security objective ensures only authorized personnel can undertake issuance operations upon the issuance of smart cards. This security objective is necessary to: deal with T.Logical Attack, where logical attacks are made; tackle T.UnAuthorized IFD and T.Abuse Issue, where unauthorized users access the terminal and perform issuance operations illicitly; and carry out the organizational security policy, P.Duty Separation.

O.Identification

This security objective ensures that the roles of TOE users and issuers are identified. TSF should clarify users that can use logical interfaces and assets they can utilize. Therefore, this security objective is necessary to deal with threats such as T.Logical Attack, T.UnAuthorized IFD and T.UnAuthorized App and to undertake the organizational security policy, P.Duty Separation.

O.Authorized Repair

This security objective ensures that only authorized issuers can access smart card management functions upon TOE failure. This security objective is necessary to deal with T.UnAuthorized IFD, where the terminal is used illicitly, and T.Logical Attack, where logical attacks such as illicit command use are made, and to carry out the organizational security policy, P.Duty Separation.

O.Authentication

This security objective ensures that the TOE provides means of authorization for identified users. Therefore, this security objective is necessary to deal with threats such as T.Logical Attack, T.UnAuthorized IFD and T.Repeat Authentication and to undertake the organizational security policy, P.Duty Separation.

O.Rollback

This security objective ensures that TOE detects any malfunction during TSF service and resumes the service from the state prior to the detection of malfunction. Therefore, this security objective is necessary to deal with T.Unexpected Malfunction, a threat where TSF service is suspended by unexpected failure during usage.

O.Rem Residue

This security objective ensures that information in resources is removed upon the insecure termination of service and is thus necessary to deal with the threat T.Unexpected Malfunction. It also ensures that user data or TSF data are not left in the work areas where TSF service is used. This is necessary to tackle T.Residue Information, a threat where TSF records information in resources and terminates the use but fails to remove the information properly.

O.Leak Countermeasure

This security objective ensures that even during normal TOE usage, data leaked by using relevant equipment are detected and countermeasures implemented to prevent any abuse of sensitive TSF data. TOE may be attacked in an environment where its physical vulnerabilities are fully exposed and may be potentially abused. Therefore, this security objective is needed to tackle the threat, T.Information Leakage.

O.Open Platform

This security objective ensures that TOE is an open platform where a wide variety of applications can be installed and used. Therefore, this security objective is needed to undertake the organizational security policy, P.Open Platform.

O.IC Chip

4.3.2 Security Objectives Rationale for the operational environment

OE.Training

This security objective for the operational environment ensures that proper training is made by separated role in the process of issuing and using the TOE at the manufacturing phase. Developers should specify in the user manual and the administrator manual that proper training should be given, and evaluators should verify this. Therefore, this security objective is necessary to carry out the organizational security policy, P.Duty Separation, and support the assumption A.TOE Management.

OE.Secure Communication

This security objective for the operational environment should provide a safe path between the TOE and the terminal that it communicates with. Therefore, this security objective is necessary to support the assumption A.Secure Channel.

OE.Application

This security objective for the operational environment ensures that the procedure of installing applications in the TOE is carried out legitimately and that no misconduct is made. The administrator should undergo proper identification and authorization processes and install the applications in line with the approved procedure, and these legitimately installed applications should not include any malicious code. Therefore, this security objective is necessary to tackle the threat T.Abuse Issue and support the assumption A.Secure Channel.

OE.TSF Data

This security objective for the operational environment ensures that in the environment where the TOE is operated, TSF data getting out of the TOE are managed securely even beyond the TOE's control. To achieve this security objective, developers should securely manage data stored in the terminal as the environment where the TOE is used. Therefore, this security objective is necessary to support the assumption A.TSF Data.

5. Extended Components Definition

This section describes the components extended from CC Part 2. The components extended from CC Part 3 do not exist.

5.1 FCS RNG-Random Number Generation

This component is extended from IC-PP which is conformance claimed by the ST of IC Chips.

To define the security functional requirements of the TOE an additional family(FCS_RNG) of the Class FCS(cryptographic support) is defined here. This family describes the functional requirements for random number generation used for cryptographic purposes.

5.1.1 Random Number generation

Family behavior:

This family defines quality requirements for the generation of random numbers which are intended to be used for cryptographic purposes.

Component leveling:

FCS RNG Generation of random numbers		1
--------------------------------------	--	---

FCS_RNG.1 Generation of random numbers requires that random numbers meet a defined quality metric.

Management: FCS_RNG.1

There are no management activities foreseen.

Audit: FCS RNG.1

There are no actions defined to be auditable.

5.1.2 Definition of Extended component FCS_RNG.1

FCS RNG.1 Random number generation

Hierarchical to: No other components Dependencies: No dependencies

FCS_RNG.1.1 The TSF shall provide a [selection: physical, non-physical true, deterministic, hybrid] random number generator that implements: [assignment: list of security capabilities]

FCS_RNG.1.2 The TSF shall provide random numbers that meet [assignment: a defined quality metric].

<u>Application Note</u>: It was chosen to define FCS_RNG.1 explicitly, because Part 2 of the Common Criteria do not contain generic security functional requirements for Random Number generation. This family has been introduced initially by IC manufacturer to offer unpredictable random number generation. It is extended here to the composite TOE.

6. Security Requirements

Security requirements specify function and warranty requirements that are accepted by this security target and should be met on the TOE.

This security target defines all the subjects, objects, operations, security attributes and external entities used in security requirements as follows:

a) Subjects, objects and related security attributes and operations¹

[Table 18] Subject and Object, related security attribute, operation definition

Subject (user)	Subject (user) security attribute	Object (information)	Object (information) security attribute	Operation	
S.APP	Context, Active, Selected	OB.JAVAOB JECT	Sharing, Context, LifeTime	-OP.ARRAY_ACCESS -OP.INSTANCE_FIELD -OP.INVK_VIRTUAL -OP.INVK_INTERFACE -OP.THROW -OP.TYPE_ACCESS	
S.JCRE	None			-OP.JAVA -OP.CREATE (Sharing, LifeTime)	
S.CM	Lifecycle, Security Level, Privilege	OB.APP	Signature, Context	-OP.LOAD -OP.INSTALL -OP.DELETE	
Issuer (Administrat	User identifier, authentication	TSF data	-	-Modification, deletion -Specification of limits -Verification of integrity	
or)	data, role	security attribute	-	-Modification, deletion -Specification of initial values to replace defaults	

<u>Note</u>: In [Table 18], the subjects of an active entity within the TOE during TOE operation are S.APP, S.JCRE and S.CM, and the entity as TOE administrator is the issuer.

[Table 19] Subject and Object

Subject/Object	Description
S.APP	It is the application and the subject that provide services to user using APIs of Java Card Platform or GP. It is selected and executed from the external

¹ Subjects (prefixed with an "S"), objects (prefixed with an "OB") and operations (prefixed with an "OP") are used in this document

35/98

	entity and is identified by unique AID. This subject is S.PACKAGE in the [R7] and access the object of java card according to Java Card Firewall access control.
OB.APP	It is the application based on Java Card Platform and Loaded, Installed, Deleted by Card Manager according to CARD CONTENT MANAGEMENT access control.
S.CM	It is the subject of CARD CONTENT MANAGEMENT access control and performs Load, Install, Delete of applet and access control for lifecycle. It is a special S.APP implemented the Card Issuer Policy based on GP or VGP. In this ST, S.CM is administrator or Card Issuer.
S.JCRE	S.JCRE provides the Java Card runtime environment to select a applet, transmit external command and run a applet. Also it is the subject of Java Card Firewall access control and it performs access control to the object of Java Card.
OB.JAVAOBJECT	It is the object of Java Card and the data belongs to S.APP including initialization data, personalization data, KEY, PIN, array and applet. Also it is accessed by applets according to Java Card Firewall access control.

b) External entities

- SmartCard Terminal

6.1 Security functional requirements

Security functional requirements defined in this security target are expressed by selecting relevant security functional components from Part 2 of the Common Criteria to meet the security objectives identified in the previous section. [Table 20] summarizes security functional components used in this security target.

[Table 20] Security functional requirements

Security Functional Class	Se	ecurity Functional Component	Remarks
Security	FAU_ARP.1	Security alarms	SCOP-PP
Audit	FAU_SAA.1	Potential violation analysis	
	FCS_CKM.1(1)	Cryptographic key generation	
	FCS_CKM.1(2)	Cryptographic key generation	Added (Iteration)
	FCS_CKM.1(3)	Cryptographic key generation	, ,
	FCS_CKM.2	Cryptographic key distribution	Added
	FCS_CKM.4	Cryptographic key destruction	SCOP-PP
Cryptographi c Support	FCS_COP.1(1)	Cryptographic operation	
	FCS_COP.1(2)	Cryptographic operation	Added (Iteration)
Обирроп	FCS_COP.1(3)	Cryptographic operation	
	FCS_COP.1(4)	Cryptographic operation	
	FCS_COP.1(5)	Cryptographic operation	
	FCS_COP.1(6)	Cryptographic operation	
	FCS_COP.1(7)	Cryptographic operation	
	FCS_RNG.1	Random number generation	Added
User Data	FDP_ACC.2(1)	Complete access control	SCOP-PP

Protection	FDP_ACC.2(2)	Complete access control	Added (Iteration)
	FDP_ACF.1(1)	Security attribute based access control	SCOP-PP
	FDP_ACF.1(2)	Security attribute based access control	Added (Iteration)
	FDP_RIP.1	Subset residual information protection	SCOP-PP
	FDP_SDI.2	Stored data integrity monitoring and action	Added
	FDP_UCT.1	Basic data exchange confidentiality	Added
	FDP_UIT.1	Data exchange integrity	Added
	FIA_AFL.1	Authentication failure handling	SCOP-PP
	FIA_ATD.1(1)	User attribute definition	
	FIA_ATD.1(2)	User attribute definition	Added (Iteration)
	FIA_SOS.1	Verification of secrets	SCOP-PP
Identification	FIA_UAU.1(1)	Authentication	
and	FIA_UAU.1(2)	Authentication	Added (Iteration)
Authenticatio	FIA_UAU.1(3)	Authentication	Added (Iteration)
n	FIA_UAU.1(4)	Authentication	Added (Iteration)
	FIA_UAU.4	Single-use authentication mechanisms	SCOP-PP
	FIA_UAU.6	Re-authenticating	
	FIA_UID.1	Identification	
	FIA_USB.1	User-subject binding	Added
	FMT_MOF.1	Management of security functions behavior	SCOP-PP
	FMT_MSA.1(1)	Management of security attributes	
	FMT_MSA.1(2)	Management of security attributes	Added (Iteration)
Security	FMT_MSA.3	Static attribute initialization	SCOP-PP
Management	FMT_MTD.1	MANAGEMENT OF TSF Data	
	FMT_MTD.2	MANAGEMENT OF LIMITS ON TSF Data	
	FMT_SMF.1	Specification of Management Functions	
	FMT_SMR.1	Security roles	
Privacy	FPR_UNO.1	Unobservability	
-	FPT_FLS.1	Failure with preservation of secure state	
Destant	FPT_PHP.3	Resistance to Physical attack	Added
Protection of the TSF	FPT_RCV.3	Automated recovery without undue loss	SCOP-PP
116 13F	FPT_RCV.4	Function recovery	
	FPT_TST.1	TSF testing	
_			

6.1.1 Security Audit

FAU_ARP.1 Security alarms

Hierarchical to: No other components

Dependencies: FAU_SAA.1 Potential violation analysis

FAU_ARP.1.1 The TSF shall take [one of the below *list of actions*] upon detection of a potential security violation.

[

List of actions:

- a) blocks the action that produce the security violation and throws an exception;
- b) locks the card session (to become mute);

- c) reinitializes the Java Card System and its data (reset);
- d) temporarily disables the services of the card until a privileged roles performs a special action;
- e) definitely disables all the services of the card;

]

<u>Application Notes:</u> This functional requirement may define a variety of response functions to protect data in the smart card if TOE detects any potential external security violation event. When an external attack is detected, the response could be the suspension of card functions or the deletion of memory data.

FAU_SAA.1 Potential violation analysis

Hierarchical to: No other components

Dependencies: FAU_GEN.1 Audit data generation

FAU_SAA.1.1 The TSF shall be able to apply a set of rules in monitoring the audited events and based upon these rules indicate a potential violation of the enforcement of the SFRs.

FAU SAA.1.2 The TSF shall enforce the following rules for monitoring audited events.

a) Accumulation or combination of the following known [security violation events] representing potential security violations

[

[Table 21] Security violation events

Security violation events				
Abnormal environmental conditions (frequency, voltage, temperature)				
Physical tampering				
EEPROM failure audited through exceptions in the read/write operations and inconsistency check				
Card Manger life cycle inconsistency audited through the life cycle checks in all administrative operations				
Corruption of check-summed objects				
Applet life cycle inconsistency				
Card tearing (unexpected removal of the Card out of the CAD) and power failure				
Abortion of a transaction in an unexpected context				
Violation of the Firewall or JCVM security policies				
Unavailability of resources				
Array overflow				
Access uninitialized key				
Security exception limit excess				
Abort Transaction limit excess				
Other runtime errors related to applet's failure, like uncaught exceptions				
Randomness test for the random number generator is failed				
The Integrity of the patch code and table is corrupted.				

1

b) [none]

<u>Application Notes:</u> Elaboration operations are undertaken as TOE does not conduct potential violation analysis and auditing record using audited events but utilizes the handling progress of internal events to carry out potential security violation analysis. TSF may perform security alert functions in FAU_ARP.1 through security violation analysis on the check sum values of internal data, errors in resource allocation and authentication failure events.

6.1.2 Cryptographic Support

FCS_CKM.1(1) Cryptographic key generation

Hierarchical to: No other components

Dependencies: [FCS_CKM.2 Cryptographic key distribution, or

FCS_COP.1 Cryptographic operation]

FCS_CKM.4 Cryptographic key destruction

FCS_CKM.1.1 The TSF shall generate cryptographic keys in accordance with a specified cryptographic key generation algorithm [[R10], E.4.1] and specified cryptographic key sizes [112bits, 168bits] that meet the following: [[R10], 8. Secure Communication, [R12], KeyBuilder].

FCS_CKM.1(2) Cryptographic key generation

Hierarchical to: No other components

Dependencies: [FCS_CKM.2 Cryptographic key distribution, or

FCS_COP.1 Cryptographic operation]

FCS_CKM.4 Cryptographic key destruction

FCS_CKM.1.1 The TSF shall generate cryptographic keys in accordance with a specified cryptographic key generation algorithm [[R24], [R25]] and specified cryptographic key sizes [RSA 2048bits] that meet the following: [[R12], *KeyPair*].

FCS_CKM.1(3) Cryptographic key generation

Hierarchical to: No other components

Dependencies: [FCS_CKM.2 Cryptographic key distribution, or

FCS COP.1 Cryptographic operation]

FCS_CKM.4 Cryptographic key destruction

FCS_CKM.1.1 The TSF shall generate cryptographic keys in accordance with a specified cryptographic key generation algorithm [[R26], section A.4.3 Elliptic Curve Key Generation] and specified cryptographic key sizes [ECC 192, 224, 256, 384, 512bits] that meet the following: [[R12], KeyPair].

FCS CKM.2 Cryptographic key distribution

ſ

Hierarchical to: No other components

Dependencies: [FDP_ITC.1 Import of user data without security attributes, or

FDP_ITC.2 Import of user data with security attributes, or

FCS CKM.1 Cryptographic key generation]

FCS_CKM.4 Cryptographic key destruction

FCS_CKM.4.1 The TSF shall distribute cryptographic keys in accordance with a specified cryptographic key distribution method [physical deletion by overwriting the memory data with zero value] that meets the following: [the below list of key distribution standards]

 ANSI X9.63-2001: Key Agreement and Key Transport Using Elliptic Curve Cryptography, approved November 20, 2001 1

FCS_CKM.4 Cryptographic key destruction

Hierarchical to: No other components

Dependencies: [FDP_ITC.1 Import of user data without security attributes, or

FDP_ITC.2 Import of user data with security attributes, or

FCS_CKM.1 Cryptographic key generation]

FCS_CKM.4.1 The TSF shall destroy cryptographic keys in accordance with a specified cryptographic key destruction method [physical deletion by overwriting the memory data with zero value] that meets the following: [none].

FCS_COP.1 (1) Cryptographic operation

Hierarchical to: No other components

Dependencies: [FDP_ITC.1 Import of user data without security attributes, or

FDP_ITC.2 Import of user data with security attributes, or

FCS_CKM.1 Cryptographic key generation]

FCS_CKM.4 Cryptographic key destruction

FCS_COP.1.1 The TSF shall perform [data encryption and decryption and data signature generation/verification] in accordance with a specified cryptographic algorithm [SEED in ECB/CBC mode] and cryptographic key sizes [128 bits] that meet the following: [the below list of SEED standards].

[

TTAS.KO-12.0004: 128-bit Symmetric Block Cipher (SEED)

]

FCS_COP.1 (2) Cryptographic operation

Hierarchical to: No other components

Dependencies: [FDP_ITC.1 Import of user data without security attributes, or

FDP_ITC.2 Import of user data with security attributes, or

FCS_CKM.1 Cryptographic key generation]

FCS_CKM.4 Cryptographic key destruction

FCS_COP.1.1 The TSF shall perform [data encryption and decryption and data signature generation/verification] in accordance with a specified cryptographic algorithm [ARIA in ECB/CBC mode] and cryptographic key sizes [128, 192 or 256 bits] that meet the following: [the below list of ARIA standards].

[

KSX1213 128-bit Symmetric Block Cipher ARIA, May, 2004

1

FCS_COP.1 (3) Cryptographic operation

Hierarchical to: No other components

Dependencies: [FDP_ITC.1 Import of user data without security attributes, or

FDP_ITC.2 Import of user data with security attributes, or

FCS CKM.1 Cryptographic key generation]

FCS_CKM.4 Cryptographic key destruction

FCS_COP.1.1 The TSF shall perform [data encryption/decryption and data signature generation/verification] in accordance with a specified cryptographic algorithm [TDES in ECB/CBC mode] and cryptographic key sizes [112, 168 bits] that meet the following: [the below list of TDES standards and [R12]].

[

- FIPS PUB 46-3, Data Encryption Standard(ANSI X3.92)
- ISO/IEC 9797-1:1999: Information technology Security techniques-Message Authentication Codes(MACs)-Part1:Mechanisms using a block cipher

]

FCS_COP.1 (4) Cryptographic operation

Hierarchical to: No other components

Dependencies: [FDP_ITC.1 Import of user data without security attributes, or

FDP ITC.2 Import of user data with security attributes, or

FCS_CKM.1 Cryptographic key generation]

FCS_CKM.4 Cryptographic key destruction

FCS_COP.1.1 The TSF shall perform [data encryption/decryption and data signature generation/verification] in accordance with a specified cryptographic algorithm [AES in ECB/CBC mode] and cryptographic key sizes [112, 192, 256 bits] that meet the following: [the below list of AES standards and [R12]].

[

FIPS PUB 197(FIPS 197), Advanced Encryption Standard

]

FCS_COP.1 (5) Cryptographic operation

Hierarchical to: No other components

Dependencies: [FDP_ITC.1 Import of user data without security attributes, or

FDP_ITC.2 Import of user data with security attributes, or

FCS_CKM.1 Cryptographic key generation]

FCS CKM.4 Cryptographic key destruction

FCS_COP.1.1 The TSF shall perform [data encryption/decryption and data signature generation/verification] in accordance with a specified cryptographic algorithm [RSA Cipher /Signarue] and cryptographic key sizes [2048 bits] that meet the following: [the below list of RSA standards and [R12]].

[

- PKCS#1 v2.1 : RSA Cryptography Standard, RSA Laboratories, June 14, 2002
- ANSI X9.31, PKCS#2 and IEEE-P13-63

 ISO/IEC 9796-2:2002: Information technology – Security techniques-Digital signature schemes giving message recovery-Part 2: Integer factorization based mechanism

1

FCS_COP.1 (6) Cryptographic operation

Hierarchical to: No other components

Dependencies: [FDP_ITC.1 Import of user data without security attributes, or

FDP_ITC.2 Import of user data with security attributes, or

FCS_CKM.1 Cryptographic key generation]

FCS_CKM.4 Cryptographic key destruction

FCS_COP.1.1 The TSF shall perform [data signature generation and verification] in accordance with a specified cryptographic algorithm [ECC Signature] and cryptographic key sizes [192, 224, 256, 384, 512 bits] that meet the following: [the below list of ECC standards and [R12]].

[

 ANSI X9.62-2005: The Elliptic Curve Digital Signature Algorithm(ECDSA), approved November 16, 2005

1

FCS_COP.1 (7) Cryptographic operation

Hierarchical to: No other components

Dependencies: [FDP_ITC.1 Import of user data without security attributes, or

FDP_ITC.2 Import of user data with security attributes, or

FCS_CKM.1 Cryptographic key generation]

FCS CKM.4 Cryptographic key destruction

FCS_COP.1.1 The TSF shall perform [secure hashing] in accordance with a specified cryptographic algorithm [SHA hash] and cryptographic key sizes [224, 256, 384, 512 bits] that meet the following: [the below list of SHA standards and [R12]].

[

NIST FIPS180-3: Secure Hash Standard, October, 2008

1

<u>Note</u>: The FCS_COP.1(1), FCS_COP.1(2) defines software cryptographic computation functions provided by TOE. The FCS_COP.1(3) ~ FCS_COP.1(7) defines hardware cryptographic computation functions provided by TOE. The below table illustrates cryptographic computation functions supported by the cryptography-dedicated processor and the crypto library for the IC chip.

[Table 22] Cryptographic algorithm of hardware and crypto library

cryptographic algorithm	Standard	Function	key sizes
----------------------------	----------	----------	-----------

TDES in ECB/CBC mode	-FIPS PUB 46-3, Data Encryption Standard(ANSI X3.92) -ISO/IEC 9797-1:1999: Information technology Security techniques- Message Authentication Codes(MACs)-Part1:Mechanisms using a block cipher	data encryption and decryption	112 bits (TDES double key), 168 bits (TDES triple key)
TDES Signature	-FIPS PUB 46-3, Data Encryption Standard(ANSI X3.92) -ISO/IEC 9797-1:1999: Information technology – Security techniques- Message Authentication Codes(MACs)-Part1:Mechanisms using a block cipher	data signature generation and verification (4-bytes or 8-bytes long MAC using TDES in CBC mode)	112 bits (TDES double key), 168 bits (TDES triple key)]
AES in ECB/CBC mode	-FIPS PUB 197(FIPS 197), Advanced Encryption Standard	data encryption and decryption	128, 192, 256 bits
AES Signature	-FIPS PUB 197(FIPS 197), Advanced Encryption Standard	data signature generation and verification	128, 192, 256 bits
RSA Cipher	-PKCS#1 v2.1 : RSA Cryptography Standard, RSA Laboratories, June 14, 2002. -ANSI X9.31, PKCS#2 and IEEE- P13-63	data encryption and decryption	2048 bits for modulus
RSA Signature	-PKCS#1 v2.1 : RSA Cryptography Standard, RSA Laboratories, June 14, 2002. -ISO/IEC 9796-2:2002: Information technology – Security techniques- Digital signature schemes giving message recovery-Part 2: Integer factorization based mechanism	data signature generation and verification(RSA with SHA-224 and SHA- 256)	2048 bits for modulus
ECC Signature	-ANSI X9.62-2005: The Elliptic Curve Digital Signature Algorithm(ECDSA), approved November 16, 2005	data signature generation and verification(ECC with SHA-224, SHA-256, SHA-384 and SHA- 512)	192, 224, 256, 384, 512 bits
ECDH	-ANSI X9.63-2001: Key Agreement and Key Transport Using Elliptic Curve Cryptography, approved November 20, 2001	Diffie-Hellman key agreement	192, 224, 256 , 384, 512 bits
SHA	NIST FIPS 180-3 : Secure Hash Standard, October, 2008	secure hashing	SHA- 224/256/384/512

FCS_RNG.1 Random number generation

[

1

Hierarchical to: No other components Dependencies: No dependencies

FCS_RNG.1.1 The TSF shall provide a [physical] random number generator that implements: [total failure test of the random source]

FCS_RNG.1.2 The TSF shall provide random numbers that meet [AIS 31 version 1 Functional Classes and Evaluation Methodology for Physical Random Number Generators, 25 September 2001, Class P2]

<u>Application Note</u>: You can refer to the [15],[16] for details of this requirement.

6.1.3 User Data Protection

FDP_ACC.2 (1) Complete access control

Hierarchical to: FDP_ACC.1

Dependencies: FDP_ACF.1 Security attribute based access control

FDP_ACC.2.1 The TSF shall enforce the [CARD CONTENT MANAGEMENT access control SFP] on [list of subjects and objects specified in [Table 23] in relation to CARDMANAGER] and all operations among subjects and objects covered by the SFP.

[Table 23] List of subjects and objects

Subject and Object	Description
S.CM	CardManager, which is the security policy of [R10]
OB.APP	This represents the JavaCard Package and is the object of S.CM.

[Table 24] List of Operation

Operation	Description
OP.LOAD	Load Package under the card Lifecycle, Security Level, Privilege, Package AID and Signature [R10]
	Install Package under the card Lifecycle, Security Level, Privilege, Package AID and Signature [R10]
	Delete Package under the card Lifecycle, Security Level, Privilege, Package AID and Signature [R10]

FDP_ACC.2.2 The TSF shall ensure that all operations between any subject controlled by the TSF and any object controlled by the TSF are covered by an access control SFP.

FDP ACC.2(2) Complete access control

Hierarchical to: FDP_ACC.1

Dependencies: FDP_ACF.1 Security attribute based access control

FDP_ACC.2.1 The TSF shall enforce the [FIREWALL access control SFP] on [list of subjects and objects specified in [Table 25] in relation to FIREWALL] and all operations among subjects and objects covered by the SFP.

[

[Table 25] List of subjects and objects

Subject and Object	Description	
S.APP	Any package, which is the security unit of the firewall policy	
S.JCRE	The JCRE. This is the process that manages applet selection and deselection, along with the delivery of APDUs from and to the smart card device. This subject is unique.	
OB.JAVAOBJECT	Any Object. Note that KEYS, PIN, arrays and applet instances are specific objects in the Java programming language.	

[Table 26] List of Operation

Operation	Description	
OP.ARRAY_ACCESS	Read/Write an array component under the Firewall Access Control	
OP.INSTANCE_FIELD	Read/Write a field of an instance of a class in the Java programming language under the Firewall Access Control	
OP.INVK_VIRTUAL	nvoke a virtual method(either on a class instance or an array object) under the Firewall Access Control	
OP.INVK_INTERFACE	Invoke an interface method under the Firewall Access Control	
OP.THROW	Throwing of an object under the Firewall Access Control	
OP.TYPE_ACCESS	Invoke checkcast or instanceof on an object under the Firewall Access Control	
OP.JAVA	Any access in the sense of [R13], §6.2.8. In our Information, this is one of the preceding operations under the Firewall Access Control	
OP.CREATE (Sharing, LifeTime)	Creation of an object(new or makeTransient call) under the Firewall Access Control	

]

FDP_ACC.2.2 The TSF shall ensure that all operations between any subject controlled by the TSF and any object controlled by the TSF are covered by an access control SFP.

FDP_ACF.1(1) Security attribute based access control

Hierarchical to: No other components

Dependencies: FDP_ACC.1 Subset access control

FMT_MSA.3 Static attribute initialization

FDP_ACF.1.1 The TSF shall enforce the [Security attribute of Subject and Object specified in the [Table 28] based CARD CONTENT MANAGEMENT access control SFP] to objects based on the [Security attribute of Subject and Object specified in the [Table 27] in relation to CARDMANAGER]:

[Table 27] Security attribute of Subject and Object

Subject and Object	Security Attribute	
S.CM	Lifecycle, Security Level, Privilege	
OB.APP	Signature, Package AID	

[Table 28] Values of Security attribute

Name	Description	
Lifecycle	Card lifecycle - OP_READY, INITIALIZED, SECURED, CARD_LOCKED, TERMINATED	
Security Level	Secure Channel Protocol- SCP02 authentication of [R10] operates according to the Security Level that is established. The Security level is one of AUTHENTICATED, NO_SECURITY, SCP02_C_MAC.	
Privilege	Privilege - SECURITY_DOMAIN, DAP_VERIFICATION, DELEGATED_MANAGEMENT, CARD_LOCK, CARD_TERMINATE, DEFAULT_SELECTED, CVM_MANAGEMENT, MANDATED_DAP_VERIFICATION	
Signature	SCP02_C_MAC - Signature for each command which includes Package AID, Code and Data by SCP02 authentication of [R10]	
	DM_TOKEN - Signature on Package AID and Information for DM authentication of [R10]	
	DAP block - Signature on Package AID, Code and Data for DAP authentication of [R10]	
Context	Unique identifier for the Package - 5~16bytes value	

FDP_ACF.1.2 The TSF shall enforce the following rules to determine if an operation among controlled subjects and controlled objects is allowed: [Authorizing access rules specified in the [Table 18] and a. Added rules]

a. Added rules

If the Security Level sets C_MAC and SCP02_C_MAC is successfully verified by the key issued by S.CM, then OP.LOAD, OP.INSTALL and OP.DELETE continues.

If the SECURITY_DOMAIN and DELEGATED_MANAGEMENT Privilege is granted, the DM_TOKEN is presented and it is successfully verified by the key issued by S.CM, then OP.LOAD, OP.INSTALL and OP.DELETE continues.

If the SECURITY_DOMAIN and DAP_VERIFICATION or MANDATED_DAP_VERIFICATION Privilege is granted, the DAP block is presented and it is successfully verified by the key issued by S.CM, then OP.LOAD, OP.INSTALL and OP.DELETE continues.

46/98

]

[

]

FDP_ACF.1.3 The TSF shall explicitly authorize access of subjects to objects based on the following additional rules: [none]

FDP_ACF.1.4 The TSF shall explicitly deny access of subjects to objects based on the [Denying access rules specified in the[Table 29]]:

ſ

[Table 29] Security attribute based access control rules

Security attributes	Governing access rules	Authorizing access rules	Denying access rules
Lifecycle	Verify the card lifecycle is OP_READY, INITIALIZED, SECURED, CARD_LOCKED or TERMINATED	If the card lifecycle is OP_READY, INITIALIZED or SECURED. OP.LOAD, OP.INSTALL and OP.DELETE continues.	If the card lifecycle is CARD_LOCKED or TERMINATED. OP.LOAD, OP.INSTALL and OP.DELETE is aborted.
Security Level	Verify the SCP02 authentication of [R10] is successful and the Security Level is AUTHENTICATED or NO_SECURITY	If the SCP02 authentication of [R10] is successful and the Security Level is AUTHENTICATED. OP.LOAD, OP.INSTALL and OP.DELETE continues.	If the SCP02 authentication of [R10] is fail and the Security Level is NO_SECURITY. OP.LOAD, OP.INSTALL and OP.DELETE is aborted.
Package AID	Verify there is other application currently loaded on this TOE with the same	If there is no other application currently loaded on this TOE with the same AID. OP.LOAD and OP.INSTALL continues. OP.DELETE is aborted.	If there is another application currently loaded on this TOE with the same AID. OP.LOAD and OP.INSTALL is aborted. OP.DELETE continues.

1

FDP_ACF.1(2) Security attribute based access control

Hierarchical to: No other components

Dependencies: FDP_ACC.1 Subset access control

FMT MSA.3 Static attribute initialization

FDP_ACF.1.1 The TSF shall enforce the [Security attribute of Subject and Object specified in the [Table 31] based FIREWALL access control SFP] to objects based on the [Security attribute of Subject and Object specified in the [Table 30] in relation to FIREWALL]

[

[Table 30] Security attribute of Subject and Object

Subject and Object	Security Attribute	
S.APP	Context, Active, Selected	
S.JCRE	Context	
OB.JAVAOBJECT	Sharing, Context, LifeTime	

[Table 31] Values of Security attribute

Name	Description	
Context	Context, Active, Selected	
Active	Context	
Selected	Sharing, Context, LifeTime	
Sharing	Standard, SIO, Java Card RE entry point, or global array	
LifeTime	CLEAR_ON_DESELECT (below, COD) or PERSISTENT	

FDP_ACF.1.2 The TSF shall enforce the following rules to determine if an operation among controlled subjects and controlled objects is allowed: [Authorizing access rules specified in the [Table 32]

FDP_ACF.1.3 The TSF shall explicitly authorize access of subjects to objects based on the following additional rules: [a. Added rules]

[

]

a. Added rules

The S.JCRE can freely perform all operations which includes OP.JAVA and OP.CREATE with the exception given in the Denying access rules of the LifeTime (COD) at the below table, provided it is the currently active context.

]

FDP_ACF.1.4 The TSF shall explicitly deny access of subjects to objects based on the [Denying access rules specified in the[Table 32]]:

[

[Table 32] Security attribute based access control rules

Security attributes	Governing access rules	Authorizing access rules	Denying access rules
Context with Sharing(Standard) and LifeTime(PERSISTENT)	Verify the Context of OB.JAVAOBJECT to be accessed by S.APP is the same as the Active Context.	If the Context of OB.JAVAOBJECT to be accessed by S.APP is the same as the Active Context. OP.ARRAY_ACCESS, OP.INSTANCE_FIELD, OP.INVK_VIRTUAL,	If the Context of OB.JAVAOBJECT which is to be accessed by S.APP is not the same as the Active Context. OP.ARRAY_ACCESS, OP.INSTANCE_FIELD,

		OP.INVK_INTERFACE, OP.THROW or OP.TYPE_ACCESS continues.	OP.INVK_VIRTUAL, OP.INVK_INTERFACE, OP.THROW or OP.TYPE_ACCESS is aborted.
Sharing(JCRE entry point or global array)	Verify the Sharing attribute of OB.JAVAOBJECT to be accessed by S.APP is JCRE entry point or Global Array	If the Sharing attribute of OB.JAVAOBJECT to be accessed by S.APP is JCRE entry point or Global Array. OP.ARRAY_ACCESS, OP.INSTANCE_FIELD, OP.INVK_VIRTUAL, OP.INVK_INTERFACE, OP.THROW or OP.TYPE_ACCESS continues.	_
Sharing(SIO)	Verify the Sharing attribute of OB.JAVAOBJECT to be accessed by S.APP is SIO	If the Sharing attribute of OB.JAVAOBJECT to be accessed by S.APP is SIO and the OB.JAVAOBJECT's interface is verified as and extends the Shareable interface. OP.TYPE_ACCESS or OP.INVK_INTERFACE continue.	If the Sharing attribute of OB.JAVAOBJECT to be accessed by S.APP is SIO and the OB.JAVAOBJECT's interface is not verified as or does not extend the Shareable interface. OP.TYPE_ACCESS or OP.INVK_INTERFACE is aborted.
LifeTime(COD)	Verify the LifeTime attribute of OB.JAVAOBJECT to be accessed by S.APP is COD	If the LifeTime attribute of OB.JAVAOBJECT to be accessed by S.APP is COD and its Context is the same as the Selected applet Context. OP.ARRAY_ACCESS, OP.INSTANCE_FIELD, OP.INVK_VIRTUAL, OP.INVK_INTERFACE, OP.THROW or OP.TYPE_ACCESS continues.	If the LifeTime attribute of OB.JAVAOBJECT to be accessed by Any subject is COD and its Context is not the same as the Selected applet Context. OP.JAVA, OP.CREATE is aborted.

FDP_RIP.1 Subset residual information protection

]

Hierarchical to: No other components Dependencies: No dependencies FDP_RIP.1.1 The TSF shall ensure that any previous information content of a resource is made unavailable upon the <u>allocation of the resource to, deallocation of the resource from</u> the [list of objects specified in the [Table 33]]:

[

[Table 33] List of Objects

Objects
Applet instances and package
APDU buffer
Array object
Keys
PIN
Any Java Card transient object
Cryptographic buffer
Any reference to an object instance created during an aborted transaction

]

FDP_SDI.2 Stored data integrity monitoring and action

Hierarchical to: FDP_SDI.1 Stored data integrity monitoring

Dependencies: No dependencies

FDP_SDI.2.1 The TSF shall monitor user data stored in containers controlled by the TSF for [integrity errors] on all objects, based on the [user data attributes specified in the [Table 34]]:

FDP_SDI.2.2 Upon detection of a data integrity error, the TSF shall [action specified in the [Table 34]].

[

[Table 34] Data integrity monitoring and action

Data	Attribute	Action
Package	CRC32	definitely disables all the services of the card
Privilege	CRC32	definitely disables all the services of the card
Card LifeCycle	CRC32	definitely disables all the services of the card
PIN	CRC32	definitely disables all the services of the card
Key	CRC32	definitely disables all the services of the card
Patch Table	Check-Sum	definitely disables all the services of the card

]

FDP_UCT.1 Basic data exchange confidentiality

Hierarchical to: No other components

Dependencies: [FTP_ITC.1 Inter-TSF trusted channel, or

FTP_TRP.1 Trusted path]

[FDP_ACC.1 Subset access control, or

FDP_IFC.1 Subset information flow control]

FDP_UCT.1.1 The TSF shall enforce the [CARD CONTENT MANAGEMENT access control SFP for the SCP02 and DM authentication] to be able to <u>transmit and receive</u> user data in a manner protected from unauthorized disclosure.

FDP_UIT.1 Data exchange integrity

Hierarchical to: No other components

Dependencies: [FDP_ACC.1 Subset access control, or

FDP IFC.1 Subset information flow control]

[FTP_ITC.1 Inter-TSF trusted channel, or

FTP TRP.1 Trusted path]

FDP_UIT.1.1 The TSF shall enforce the [CARD CONTENT MANAGEMENT access control SFP for the SCP02 and DM authentication] to be able to <u>receive</u> user data in a manner protected from <u>modification</u>, <u>deletion</u>, <u>insertion</u>, <u>replay</u> errors.

FDP_UIT.1.1 The TSF shall be able to determine on receipt of user data, whether *modification*, *deletion*, *insertion*, *replay* has occurred.

6.1.4 Identification and Authentication

FIA_AFL.1 Authentication failure handling

Hierarchical to: No other components

Dependencies: FIA UAU.1 Authentication

FIA_AFL.1.1 The TSF shall detect when <u>an administrator configurable positive integer within range of values specified in the [Table 35]</u> unsuccessful authentication attempts occur related to [list of authentication events specified in the [Table 35]].

[Table 35] List of authentication events

List of authentication events	List of thresholds
,	An administrator configurable positive integer within 1 and 255
Authentication of S.CM on behalf of card issuer	255

FIA_AFL.1.2 When the defined number of unsuccessful authentication attempts has been *surpassed*, the TSF shall [list of actions specified in the [Table 36]].

ſ

1

ſ

[Table 36] List of actions

List of authentication events	List of actions
	Temporarily lock the cardholder authentication service, until an unlocking action has been successfully undertaken by a privileged user
Authentication of S.CM on behalf of card issuer	definitely disables all the services of the card

]

FIA_ATD.1(1) User attribute definition

Hierarchical to: No other components Dependencies: No dependencies

FIA_ATD.1.1 The TSF shall maintain the following list of security attributes belonging to individual users.

[

[Table 37] List of user security attributes

User	Security Attribute
	The AID and version number of each package
S.APP	The AID of each registered applet
	Whether a registered applet is currently selected for execution
Card issuer of S.CM	The Card Lifecycle for card content management
	The Security Level for card content management
	The Privilege for card content management

]

FIA_ATD.1(2) User attribute definition

Hierarchical to: No other components Dependencies: No dependencies

FIA_ATD.1.1 The TSF shall maintain the following list of security attributes belonging to individual users.

[

[Table 38] List of user security attributes

User	Security Attribute
Administrator	User Identifier
	Authentication Data

	Role
	1.10.0
L	

FIA_SOS.1 Verification of secrets

Hierarchical to: No other components Dependencies: No dependencies

FIA_SOS.1.1 The TSF shall provide a mechanism to verify that secrets meet [a defined quality metric specified in the [Table 39]].

[

]

[Table 39] List of verification of secrets

secret	List of metric
PIN of any user of S.APP	maximum length (<= 8bytes) of PIN
	PIN value and retry counter is encrypted by an applet specific key
KEY of S.CM on behalf of card issuer	A maximum length (112bits) of TDES and maximum length (1024bits) of RSA
	KEY value is encrypted by an applet specific key

1

<u>Application Notes:</u> The defined allowable standards will be minimum length, combination rule and modification cycle in the case of password authentication mechanism.

FIA_UAU.1(1) Authentication

Hierarchical to: No other components

Dependencies: FIA_UID.1 Identification

FIA_UAU.1.1/SCP02 The TSF shall allow [list of TSF mediated actions specified in the [Table 40] in relation to SCP02] on behalf of the user to be performed before the user is authenticated.

[

[Table 40] List of TSF mediated action

Command	Action
Get Data	reads data that identifies the card or the Card Issuer
Manage Channel	opens a logical channel with the card
Select Applet	selects an application on the card
Initialize Update	opens a secure communication channel with the card
External Authenticate	opens a secure communication channel with the card

[Table 41] SCP02 Authentication

Mechanism	Description
SCP02	Secure Channel Protocol 02 according to [R10]

1

FIA_UAU.1.2 The TSF shall require each user to be successfully authenticated before allowing any other TSF-mediated actions on behalf of that user in addition to FIA_UAU.1.1.

<u>Application Notes:</u> This security functional requirement is authentication performed by S.CM with an aim of compelling CARD CONTENT MANAGEMENT access control SFP. S.CM authenticates external entities through the authentication of this security functional requirement.

FIA_UAU.1(2) Authentication

Hierarchical to: No other components

Dependencies: FIA UID.1 Identification

FIA_UAU.1.1 The TSF shall allow [list of TSF mediated actions specified in the [Table 42] in relation to DAP] on behalf of the user to be performed before the user is authenticated.

[

[Table 42] List of TSF mediated action

Command	Action
Get Data	reads data that identifies the card or the Card Issuer
Manage Channel	opens a logical channel with the card
Select Applet	selects an application on the card
Initialize Update	opens a secure communication channel with the card
External Authenticate	opens a secure communication channel with the card
Load	Loads DAP Blocks for DAP Verification

[Table 43] DAP Authentication

Mechanism	Description
DAP	Data Authentication Pattern according to [R10]

]

FIA_UAU.1.2 The TSF shall require each user to be successfully authenticated before allowing any other TSF-mediated actions on behalf of that user in addition to FIA_UAU.1.1.

<u>Application Notes:</u> This security functional requirement is authentication performed by S.CM with an aim of compelling CARD CONTENT MANAGEMENT access control SFP. S.CM examines and authenticates the integrity of S.APP.

FIA_UAU.1(3) Authentication

Hierarchical to: No other components

Dependencies: FIA_UID.1 Identification

FIA_UAU.1.1 The TSF shall allow [list of TSF mediated actions specified in the [Table 44] in relation to DM] on behalf of the user to be performed before the user is authenticated.

[

[Table 44] List of TSF mediated action

Command	Action
Get Data	reads data that identifies the card or the Card Issuer
Manage Channel	opens a logical channel with the card
Select Applet	selects an application on the card
Initialize Update	opens a secure communication channel with the card
External Authenticate	opens a secure communication channel with the card
Load	Loads Package
Install	Installs Package & Token Verification

[Table 45] DM Authentication

Mechanism	Description
DM	Delegated management according to [R10]

]

FIA_UAU.1.2 The TSF shall require each user to be successfully authenticated before allowing any other TSF-mediated actions on behalf of that user in addition to FIA_UAU.1.1.

<u>Application Notes:</u> This security functional requirement is authentication performed by S.CM with an aim of compelling CARD CONTENT MANAGEMENT access control SFP. S.CM authenticates special S.APP serving the role of S.CM.

FIA_UAU.1(4) Authentication

Hierarchical to: No other components

Dependencies: FIA UID.1 Identification

FIA_UAU.1.1. The TSF shall allow [list of TSF mediated actions specified in the [Table 46] in relation to CVM] on behalf of the user to be performed before the user is authenticated.

[

[Table 46] List of TSF mediated action

Command	Action
Get Data	reads data that identifies the card or the Card Issuer
Manage Channel	opens a logical channel with the card
Select Applet	selects an application on the card

Verify	invokes GPAPI_CVM_Verify according to [R10]
--------	---

1

FIA UAU.1.2/CVM The TSF shall require each user to be successfully authenticated before allowing any other TSF-mediated actions on behalf of that user in addition to FIA UAU.1.1.

Application Notes: This security functional requirement is authentication performed by S.CM.

FIA_UAU.4 Single-use authentication mechanisms

Hierarchical to: No other components Dependencies: No dependencies

FIA UAU.4.1 The TSF shall prevent reuse of authentication data related to [authentication

mechanisms specified in the [Table 47]].

[Table 47] List of authentication mechanism

List of authentication mechanism	Action
SCP02 authentication mechanism	uses random number and clear crypto buffer
DAP authentication mechanism	uses applet AID and clear crypto buffer
DM authentication mechanism	uses applet AID and clear crypto buffer
CVM authentication mechanism	verifies the PIN encrypted by the key specific to an applet and clear crypto buffer

1

Application Notes: Single-use authentication mechanisms can be applied to all users including authorized administrator and may not be used in services available within the range that does not violate the security policy. examples of single-use authentication mechanism are one-time password and encrypted timestamp.

FIA_UAU.6 Re-authenticating

Hierarchical to: No other components Dependencies: No dependencies

FIA_UAU.6.1 The TSF shall re-authenticate the user under the conditions [under which re-

authentication is required specified in the [Table 48]].

[

[Table 48] Condition of Re-authenticating

List	Condition
SCP02	after Card Manager is deselected
	after card session is closed(after card reset)
	SCP02 authentication mechanism is failed
DAP	when any Package is loaded

	DAP authentication mechanism is failed
DM	when any Package is installed DM authentication mechanism is failed
CVM	after applet is deselected after card session is closed(after card reset) CVM authentication mechanism is failed

]

FIA_UID.1 Identification

Hierarchical to: No other components Dependencies: No dependencies

FIA_UID.1.1 The TSF shall allow [list of TSF-mediated actions specified in the [Table 49]] on behalf of the user to be performed before the user is identified.

ſ

[Table 49] List of TSF mediated action

Command	Action
CheckChipData_Command	checks card integrity and gets chip and OS data
Initialize_Card_Command	Injects Implementer data and installs ROM package
Configure_Card_Command	Injects card issuer key and initializes CardManger
Get Data	reads data that identifies the card or the Card Issuer
Manage Channel	opens a logical channel with the card
Select Applet	selects an application on the card

]

FIA_UID.1.2 The TSF shall require each user to be successfully identified before allowing any other TSF-mediated actions on behalf of that user in addition to FIA UID.1.1.

Application Notes: Within the range of TOE, the user is confined to the issuer, who should undergo identification and authentication before accessing TOE and using its functions in a way befitting his/her role.

FIA_USB.1 User-subject binding

Hierarchical to: No other components

Dependencies: FIA_ATD.1 User attribute definition

FIA_USB.1.1 The TSF shall associate the following user security attributes with subjects acting on the behalf of that user: [list of user security attributes specified in the [Table 50]].

ſ

[Table 50] Security attributes of User-subject

User - Security Attribute	Subject - Security Attribute
Any user of S.APP	S.APP
- The AID and version number of each package	- The Context security attribute
- The AID of each registered applet	
- Whether a registered applet is currently selected for execution	
Card issuer of S.CM	S.CM
- The Card Lifecycle for card content management	- The Lifecycle and Security Level and Privilege security attribute
- The Security Level for card content management	
- The Privilege for card content management	

]

FIA_USB.1.2 The TSF shall enforce the following rules on the initial association of user security attributes with subjects acting on the behalf of users: [rules defined in FDP_ACF.1(1).1, FDP_ACF.1(2).1/ and FMT_MSA.3.1].

FIA_USB.1.3 The TSF shall enforce the following rules governing changes to the user security attributes associated with subjects acting on the behalf of users: [rules defined in FMT_MSA.1.1]. <u>Application Notes:</u> The user-subject binding is limited to descriptions on FIA_ATD.1(1) concerning the active entity within the TOE during TOE operation.

6.1.5 Security Management

FMT_MOF.1 Management of security functions behavior

Hierarchical to: No other components

Dependencies: FMT_SMF.1 Specification of Management Functions

FMT_SMR.1 Security roles

FMT_MOF.1.1 The TSF shall restrict the ability to <u>disable</u>, <u>enable</u>, <u>[management]</u> the <u>behavior of</u> the functions [list of functions of S.CM' operation specified in the [Table 51]] to [S.CM].

[Table 51] List of Security Functions

Role	Behavior	Functions
S.CM	Load/Install/Delete	Package Load/Install/Delete
S.CM	Enable/Disable	Card Lock
S.CM	Enable	Card Terminate

1

[

<u>Application Notes:</u> This security functional requirement should be implemented to activate the functions of a smart card always via the issuer when the use of the smart card begins. At the same

time, it should make sure that the issuer suspends the functions of the smart card when discontinuing the use of its functions.

While using the smart card, the issuer may add, delete or modify applications. In this document, the term "package" includes application (or applet), and the modification of applications is confined to certain cases. In other words, it refers to the operation of installing, issuing and recording information on applications, which does not constitute the role of S.CM as it is performed by the issuer and is done using the functions of the given applications.

FMT_MSA.1 (1) Management of security attributes

Hierarchical to: No other components

Dependencies: [FDP_ACC.1 Subset access control, or

FDP_IFC.1 Subset information flow control]

FMT_SMF.1 Specification of Management Functions

FMT_SMR.1 Security roles

FMT_MSA.1.1 The TSF shall enforce the [CARD CONTENT MANAGEMENT access control SFP] to restrict the ability to <u>modify</u> the security attributes [list of security attributes of subjects defined in FDP_ACF.1(1)] to [S.CM roles defined in FMT_SMR.1.1].

FMT_MSA.1 (2) Management of security attributes

Hierarchical to: No other components

Dependencies: [FDP_ACC.1 Subset access control, or

FDP_IFC.1 Subset information flow control]

FMT SMF.1 Specification of Management Functions

FMT_SMR.1 Security roles

FMT_MSA.1.1 The TSF shall enforce the [FIREWALL access control SFP] to restrict the ability to <u>modify</u> the security attributes [list of security attributes of subjects defined in FDP_ACF.1(2)] to [S.JCRE roles defined in FMT_SMR.1.1].

FMT MSA.3 Static attribute initialization

Hierarchical to: No other components

Dependencies: FMT MSA.1 Management of security attributes

FMT_SMR.1 Security roles

FMT_MSA.3.1 The TSF shall enforce the [CARD CONTENT MANAGEMENT access control SFP and FIREWALL access control SFP] to provide <u>restrictive</u> default values for security attributes that are used to enforce the SFP.

FMT_MSA.3.2 The TSF shall allow the [S.CM role and S.JCRE role defined in FMT_SMR.1.1] to specify alternative initial values to override the default values when an object or information is created.

FMT_MTD.1 MANAGEMENT of TSF Data

Hierarchical to: No other components

Dependencies: FMT_SMF.1 Specification of Management Functions

FMT_SMR.1 Security roles

FMT_MTD.1.1 The TSF shall restrict the ability to *modify* the [list of TSF data specified in the [Table 52]] to [list of the authorized roles specified in the [Table 52]].

[

[Table 52] List of TSF data

TSF data	role
Card Life Cycle	S.CM
Privilege	S.CM
KEY (DES-SCP02, DAP)	S.CM
KEY (RSA-DAP, DM)	S.CM
GLOBAL_PIN	S.CM

]

FMT_MTD.2 Management of limits on TSF data

Hierarchical to: No other components

Dependencies: FMT_MTD.1 MANAGEMENT OF TSF Data

FMT_SMR.1 Security roles

FMT_MTD.2.1 The TSF shall restrict the specification of the limits for [list of TSF data specified in the [Table 53]] to [list of the authorized roles specified in the [Table 53]].

FMT_MTD.2.2 The TSF shall take the [action specified in the [Table 53]], if the TSF data are at, or exceed, the indicated limits:

[

[Table 53] List of limits for TSF data

TSF data	Limit	role	Action
Card Life	One of the following	S.CM	Throw an error status word and
Cycle	OP_READY, INITIALIZED, SECURED, CARD_LOCKED, TERMINATED		terminate card
Privilege	One of the following SECURITY_DOMAIN, DAP_VERIFICATION, DELEGATED_MANAGEMENT, CARD_LOCK, CARD_TERMINATE, DEFAULT_SELECTED, CVM_MANAGEMENT, MANDATED_DAP_VERIFICATION	S.CM	Throw an error status word
KEY(TDES-	Authentication Retry Counter	S.CM	Throw an error status word and

]

[

]

SCP02, DAP)	Key Size		close seucre communication channel
KEY(RSA- DAP, DM)	Authentication Retry Counter	S.CM	Throw an error status word and close seucre communication
	Key Size		channel
GLOBAL_PIN	PIN retry counter	S.CM	Throw an error status word and block PIN
	PIN Size		JIOSKY IIV

FMT_SMF.1 Specification of Management Functions

Hierarchical to: No other components Dependencies: No dependencies

FMT_SMF.1.1 The TSF shall be capable of performing the following security management functions: [list of security management functions to be provided by the TSF specified in the [Table 54]].

[Table 54] List of security management function of TSF

FMT_SMR.1 Security roles

Hierarchical to: No other components

Dependencies: FIA_UID.1 Identification

FMT_SMR.1.1 The TSF shall maintain the roles [S.CM, S.APP, S.JCRE specified in the [Table 55]]. [

61/98

[Table 55] List of Security roles

Role	Description
S.CM(Card Manager)	Package Load/Install/Delete
	Card Life Cycle Management
represents the card issuer	Package AID Registration
	Card Security Level Management
	Privilege Management
	Signature Generation
	Key Management
	PIN Management
S.APP represents	Applet Life Cycle Management
the card user	Applet PIN Management
S.JCRE	Context Management
	Object Sharing Management
	Object LifeTime Management

FMT_SMR.1.2 The TSF shall be able to associate users with roles defined in FMT_SMR.1.1.

<u>Application Notes:</u> Described here are the security roles of TOE during operation; TOE's security role as administrator is the issuer, but such is not described in this security role. The smart card issuer plays the overall roles of an administrator for his/her smart card—by installing applications before using the smart card, receiving reports on failures during use and fixing the failures, and discarding the smart card upon the discontinuation of use. In this security target, the roles of the issuer may be transferred to another issuer through privilege management.

6.1.6 Privacy

1

FPR UNO.1 Unobservability

Hierarchical to: No other components Dependencies: No dependencies

FPR_UNO.1.1 The TSF shall ensure that [external entities] are unable to observe the operation [FCS_COP.1 Cryptographic operation, comparison of Keys and PIN] on [Keys and PIN] by [TSF].

Application Notes: An external entity may obtain and abuse cryptographic information from physical phenomena that take place during the cryptographic computation of TOE (e.g. change in current, voltage and electromagnetism). TOE encrypts keys and PINs and uses CRC32 and MAC to verify integrity and provide means to counter attacks like DFA. If this cannot be fully realized as TOE security functional requirement, the TOE operational environment (i.e. the cryptography-dedicated processor of the smart card IC chip, or the crypto library loaded onto the IC chip) may provide means to counter attacks like DPA and SPA.

6.1.7 Protection of the TSF

FPT FLS.1 Failure with preservation of secure state

Hierarchical to: No other components Dependencies: No dependencies

FPT_FLS.1.1 The TSF shall preserve a secure state when the following types of failures occur: [list of types of failures in the TSF].

Note: See the list of potential security violations in FAU_SAA.1 for [List of TSF failure types].

FPT PHP.3 Resistance to physical attack

Hierarchical to: No other components Dependencies: No dependencies

FPT_FLS.1.1 The TSF shall resist [physical manipulation and physical probing] to the [Composite TOE] by responding automatically such that the SRFs are always enforced.

Note: refer to the [R15, R16] for details.

FPT RCV.3 Automated recovery without undue loss

Hierarchical to: FPT_RCV.2 Automated recovery

Dependencies: AGD OPE.1 Operational user guidance

FPT_RCV.3.1 When automated recovery from [list of failures/service discontinuities specified in the [Table 56]] is not possible, the TSF shall enter a maintenance mode where the ability to return to a secure state is provided.

[Table 56] List of failures/service discontinuities

	Security violation events
Security exception limit excess	
Abort Transaction limit excess	

FPT_RCV.3.2 For [list of failures/service discontinuities specified in the [Table 57]], the TSF shall ensure the return of the TOE to a secure state using automated procedures.

[Table 57] List of failures/service discontinuities

Security violation events	Section
Abnormal environmental conditions(frequency, voltage, temperature)	H/W
Physical tampering	H/W
EEPROM failure audited through exceptions in the read/write operations and inconsistency check	H/W
Card Manger life cycle inconsistency audited through the life cycle checks in all administrative operations	S/W
Corruption of check-summed objects	S/W
Applet life cycle inconsistency	S/W
Card tearing(unexpected removal of the Card out of the CAD) and power failure	H/W & S/W
Abortion of a transaction in an unexpected context	S/W
Violation of the Firewall or JCVM security policies	S/W
Unavailability of resources	H/W
Array overflow	S/W
Access uninitialized key	S/W
Security exception limit excess	S/W

Abort Transaction limit excess	S/W
Other runtime errors related to applet's failure, like uncaught exceptions	S/W
Randomness test for the random number generator is failed	S/W
The Integrity of the patch code and table is corrupted.	S/W

FPT_RCV.3.3 The functions provided by the TSF to recover from failure or service discontinuity shall ensure that the secure initial state is restored without exceeding [quantification of TSF data or objects during failures event] for loss of TSF data or objects under the control of the TSF.

FPT_RCV.3.4 The TSF shall provide the capability to determine the objects that were or were not capable of being recovered.

<u>Note</u>: See the list of potential security violations described in FAU_SAA.1 for [List of failures/service discontinuities].

FPT_RCV.4 Function recovery

Hierarchical to: No other components Dependencies: No dependencies

FPT_RCV.4.1 The TSF shall ensure that [Reading from and writing to static and objects' fields interrupted by Card tearing (unexpected removal of the Card out of the CAD) and power failure] have the property that the function either completes successfully, or for the indicated failure scenarios, recovers to a consistent and secure state.

FPT_TST.1 TSF testing

ſ

1

Hierarchical to: No other components Dependencies: No dependencies

FPT_TST.1.1 The TSF shall run a suite of self tests $\underline{\text{during initial start-up, at the conditions[under normal operation]}}$ to demonstrate the correct operation of $\underline{\text{the TSF}}$.

[Table 58] List of self tests

List of Self Tests
Randomness test
Integrity Test

FPT_TST.1.2 The TSF shall provide authorized issuer with the capability to verify the integrity of TSF data.

FPT_TST.1.3 The TSF shall provide authorized issuer with the capability to verify the integrity of [stored TSF executable code].

6.2 Assurance Requirements

The assurance requirements of this Security Target are composed of assurance component in the Common Criteria Part3 and added the following assurance components. [Table 59] shows the assurance components.

- ALC_DVS.2 Sufficiency of security measures
- AVA_VAN.5 Advanced methodical vulnerability analysis

[Table 59] Assurance Requirements

Assurance Class	Assurance Components			
	ASE_INT.1	ST introduction		
	ASE_CCL.1	Conformance claims		
	ASE_SPD.1	Security problem definition		
ASE: Security Target	ASE_OBJ.2	Security objectives		
	ASE_ECD.1	Extended components definition		
	ASE_REQ.2	Derived security requirements		
	ASE_TSS.1	TOE summary specification		
	ADV_ARC.1	Security architecture description		
	ADV_FSP.5	Complete semi-formal functional specification with additional error information		
ADV: Development	ADV_IMP.1	Implementation representation of the TSF		
	ADV_INT.2	Well-structured internals		
	ADV_TDS.4	Semiformal modular design		
AGD: Guidance	AGD_OPE.1	Operational user guidance		
documents	AGD_PRE.1	Preparative procedures		
	ALC_CMC.4	Production support, acceptance procedures and automation		
	ALC_CMS.5	Development tools CM coverage		
ALC: Life-cycle	ALC_DEL.1	Delivery procedures		
support	ALC_DVS.2	Sufficiency of security measures		
	ALC_LCD.1	Developer defined life-cycle model		
	ALC_TAT.2	Compliance with implementation standards		
ATE: Tests	ATE_COV.2	Analysis of coverage		
MIE. IESIS	ATE_DPT.3	Testing: modules design		

	ATE_FUN.1	Functional testing
	ATE_IND.2	Independent testing - sample
AVA: Vulnerability assessment	AVA VANS	Advanced methodical vulnerability analysis

6.2.1 Security Target

ASE INT.1 ST introduction

Dependencies:

No dependencies

Developer action elements:

ASE_INT.1.1D The developer shall provide an ST introduction.

Content and presentation elements:

ASE_INT.1.1C The ST introduction shall contain an ST reference, a TOE reference, a TOE overview and a TOE description.

ASE_INT.1.2C The ST reference shall uniquely identify the ST.

ASE_INT.1.3C The TOE reference shall identify the TOE.

ASE_INT.1.4C The TOE overview shall summarize the usage and major security features of the TOE.

ASE INT.1.5C The TOE overview shall identify the TOE type.

ASE_INT.1.6C The TOE overview shall identify any non-TOE hardware/software/firmware required by the TOE.

ASE_INT.1.7C The TOE description shall describe the physical scope of the TOE.

ASE_INT.1.8C The TOE description shall describe the logical scope of the TOE.

Evaluator action elements:

ASE_INT.1.1E The evaluator *shall confirm* that the information provided meets all requirements for content and presentation of evidence.

ASE_INT.1.2E The evaluator *shall confirm* that the TOE reference, the TOE overview, and the TOE description are consistent with each other.

ASE_CCL.1 Conformance claims

Dependencies:

ASE_INT.1 ST introduction

ASE ECD.1 Extended components definition

ASE_REQ.1 Stated security requirements

Developer action elements:

ASE_CCL.1.1D The developer shall provide a conformance claim.

ASE_CCL.1.2D The developer shall provide a conformance claim rationale.

Content and presentation elements:

ASE_CCL.1.1C The conformance claim shall contain a CC conformance claim that identifies the version of the CC to which the ST and the TOE claim conformance.

ASE_CCL.1.2C The CC conformance claim shall describe the conformance of the ST to CC Part 2 as either CC Part 2 conformant or CC Part 2 extended.

ASE_CCL.1.3C The CC conformance claim shall describe the conformance of the ST to CC Part 3 as either CC Part 3 conformant or CC Part 3 extended.

ASE_CCL.1.4C The CC conformance claim shall be consistent with the extended components definition.

ASE_CCL.1.5C The conformance claim shall identify all PPs and security requirement packages to which the ST claims conformance.

ASE_CCL.1.6C The conformance claim shall describe any conformance of the ST to a package as either package-conformant or package-augmented.

ASE_CCL.1.7C The conformance claim rationale shall demonstrate that the TOE type is consistent with the TOE type in the PPs for which conformance is being claimed.

ASE_CCL.1.8C The conformance claim rationale shall demonstrate that the statement of the security problem definition is consistent with the statement of the security problem definition in the PPs for which conformance is being claimed.

ASE_CCL.1.9C The conformance claim rationale shall demonstrate that the statement of security objectives is consistent with the statement of security objectives in the PPs for which conformance is being claimed.

ASE_CCL.1.10C The conformance claim rationale shall demonstrate that the statement of security requirements is consistent with the statement of security requirements in the PPs for which conformance is being claimed.

Evaluator action elements:

ASE_CCL.1.1E The evaluator *shall confirm* that the information provided meets all requirements for content and presentation of evidence.

ASE_SPD.1 Security problem definition

Dependencies:

No Dependencies

Developer action elements:

ASE SPD.1.1D The developer shall provide a security problem definition.

Content and presentation elements:

ASE_SPD.1.1C The security problem definition shall describe the threats.

ASE_SPD.1.2C All threats shall be described in terms of a threat agent, an asset, and an adverse action.

ASE_SPD.1.3C The security problem definition shall describe the OSPs.

ASE_SPD.1.4C The security problem definition shall describe the assumptions about the operational environment of the TOE.

Evaluator action elements:

ASE_SPD.1.1E The evaluator *shall confirm* that the information provided meets all requirements for content and presentation of evidence.

ASE_OBJ.2 Security objectives

Dependencies:

ASE SPD.1 Security problem definition

Developer action elements:

ASE_OBJ.2.1D The developer shall provide a statement of security objectives.

ASE_OBJ.2.2D The developer shall provide a security objectives rationale.

Content and presentation elements:

ASE_OBJ.2.1C The statement of security objectives shall describe the security objectives for the TOE and the security objectives for the operational environment.

ASE_OBJ.2.2C The security objectives rationale shall trace each security objective for the TOE back to threats countered by that security objective and OSPs enforced by that security objective.

ASE_OBJ.2.3C The security objectives rationale shall trace each security objective for the operational environment back to threats countered by that security objective, OSPs enforced by that security objective, and assumptions upheld by that security objective.

ASE_OBJ.2.4C The security objectives rationale shall demonstrate that the security objectives counter all threats.

ASE_OBJ.2.5C The security objectives rationale shall demonstrate that the security objectives enforce all OSPs.

ASE_OBJ.2.6C The security objectives rationale shall demonstrate that the security objectives for the operational environment uphold all assumptions.

Evaluator action elements:

ASE_OBJ.2.1E The evaluator *shall confirm* that the information provided meets all requirements for content and presentation of evidence.

ASE_ECD.1 Extended components definition

Dependencies:

No Dependencies

Developer action elements:

ASE_ECD.1.1D The developer shall provide a statement of security requirements.

ASE_ECD.1.2D The developer shall provide an extended components definition.

Content and presentation elements:

ASE_ECD.1.1C The statement of security requirements shall identify all extended security requirements.

ASE_ECD.1.2C The extended components definition shall define an extended component for each extended security requirement.

ASE_ECD.1.3C The extended components definition shall describe how each extended component is related to the existing CC components, families, and classes.

ASE_ECD.1.4C The extended components definition shall use the existing CC components, families, classes, and methodology as a model for presentation.

ASE_ECD.1.5C The extended components shall consist of measurable and objective elements such that conformance or nonconformance to these elements can be demonstrated.

Evaluator action elements:

ASE_ECD.1.1E The evaluator *shall confirm* that the information provided meets all requirements for content and presentation of evidence.

ASE_ECD.1.2E The evaluator *shall confirm* that no extended component can be clearly expressed using existing components.

ASE_REQ.2 Derived security requirements

Dependencies:

ASE_OBJ.2 Security objectives

ASE ECD.1 Extended components definition

Developer action elements:

ASE_REQ.2.1D The developer shall provide a statement of security requirements.

ASE_REQ.2.2D The developer shall provide a rational for security requirements.

Content and presentation elements:

ASE_REQ.2.1C The statement of security requirements shall describe the SFRs and the SARs.

ASE_REQ.2.2C All subjects, objects, operations, security attributes, external entities and other terms that are used in the SFRs and the SARs shall be defined.

ASE_REQ.2.3C The statement of security requirements shall identify all operations on the security requirements.

ASE_REQ.2.4C All operations shall be performed correctly.

ASE_REQ.2.5C Each dependency of the security requirements shall either be satisfied, or the security requirements rationale shall justify the dependency not being satisfied.

ASE_REQ.2.6C The security requirements rationale shall trace each SFR back to the security objectives for the TOE.

ASE_REQ.2.7C The security requirements rationale shall demonstrate that the SFRs meet all security objectives for the TOE.

ASE_REQ.2.8C The security requirements rationale shall explain why the SARs were chosen.

ASE REQ.2.9C The statement of security requirements shall be internally consistent.

Evaluator action elements:

ASE_REQ.2.1E The evaluator *shall confirm* that the information provided meets all requirements for content and presentation of evidence.

ASE_TSS.1 TOE summary specification

Dependencies:

ASE INT.1 ST introduction

ASE REQ.1 Stated security requirements

ADV_FSP.1 Basic functional specification

Developer action elements:

ASE_TSS.1.1D The developer shall provide a TOE summary specification.

Content and presentation elements:

ASE_TSS.1.1C The TOE summary specification shall describe how the TOE meets each SFR.

Evaluator action elements:

ASE_TSS.1.1E The evaluator *shall confirm* that the information provided meets all requirements for content and presentation of evidence.

ASE_TSS.1.2E The evaluator *shall confirm* that the TOE summary specification is consistent with the TOE overview and the TOE description.

6.2.2 Development

ADV_ARC.1 Security architecture description

Dependencies:

ADV_FSP.1 Basic functional specification

ADV_TDS.1 Basic design

Developer action elements:

ADV_ARC.1.1D The developer shall design and implement the TOE so that the security features of the TSF cannot be bypassed.

ADV_ARC.1.2D The developer shall design and implement the TSF so that it is able to protect itself from tampering by untrusted active entities.

ADV_ARC.1.3D The developer shall provide a security architecture description of the TSF.

Content and presentation elements:

ADV_ARC.1.1C The security architecture description shall be at a level of detail commensurate with the description of the SFR-enforcing abstractions described in the TOE design document.

ADV_ARC.1.2C The security architecture description shall describe the security domains maintained by the TSF consistently with the SFRs.

ADV_ARC.1.3C The security architecture description shall describe how the TSF initialization process is secure.

ADV_ARC.1.4C The security architecture description shall demonstrate that the TSF protects itself from tampering.

ADV_ARC.1.5C The security architecture description shall demonstrate that the TSF prevents bypass of the SFR-enforcing functionality.

Evaluator action elements:

ADV_ARC.1.1E The evaluator *shall confirm* that the information provided meets all requirements for content and presentation of evidence.

ADV_FSP.5 Complete semi-formal functional specification with additional error information

Dependencies:

ADV TDS.1 Basic design

ADV_IMP.1 Implementation representation of the TSF

Developer action elements:

ADV FSP.5.1D The developer shall provide a functional specification.

ADV_FSP.5.2D The developer shall provide a tracing from the functional specification to the SFRs.

Content and presentation elements:

ADV_FSP.5.1C The functional specification shall completely represent the TSF.

ADV_FSP.5.2C The functional specification shall describe the TSFI using a semi-formal style.

ADV_FSP.5.3C The functional specification shall describe the purpose and method of use for all TSFI.

ADV_FSP.5.4C The functional specification shall identify and describe all parameters associated with each TSFI.

ADV FSP.5.5C The functional specification shall describe all actions associated with each TSFI.

ADV_FSP.5.6C The functional specification shall describe all direct error messages that may result from an invocation of each TSFI.

ADV_FSP.5.7C The functional specification shall describe all error messages that do not result from an invocation of a TSFI.

ADV_FSP.5.8C The functional specification shall provide a rationale for each error message contained in the TSF implementation yet does not result from an invocation of a TSFI.

ADV_FSP.5.9C The tracing shall demonstrate that the SFRs trace to TSFIs in the functional specification.

Evaluator action elements:

ADV_FSP.5.1E The evaluator *shall confirm* that the information provided meets all requirements for content and presentation of evidence.

ADV_FSP.5.2E The evaluator *shall determine* that the functional specification is an accurate and complete instantiation of the SFRs.

ADV_IMP.1 Implementation representation of the TSF

Dependencies:

ADV TDS.3 Basic modular design

ALC_TAT.1 Well-defined development tools

Developer action elements:

ADV_IMP.1.1D The developer shall make available the implementation representation for the entire TSF.

ADV_IMP.1.2D The developer shall provide a mapping between the TOE design description and the sample of the implementation representation.

Content and presentation elements:

ADV_IMP.1.1C The implementation representation shall define the TSF to a level of detail such that the TSF can be generated without further design decisions.

ADV_IMP.1.2C The implementation representation shall be in the form used by the development personnel.

ADV_IMP.1.3C The mapping between the TOE design description and the sample of the implementation representation shall demonstrate their correspondence.

Evaluator action elements:

ADV_IMP.1.1E The evaluator *shall confirm* that, for the selected sample of the implementation representation, the information provided meets all requirements for content and presentation of evidence.

ADV INT.2 Well-structured internals

Dependencies:

ADV IMP.1 Implementation representation of the TSF

ADV_TDS.3 Basic modular design

ALC_TAT.1 Well-defined development tools

Developer action elements:

ADV_INT.2.1D The developer shall design and implement the entire TSF such that it has well-structured internals.

ADV_INT.2.2D The developer shall provide an internals description and justification.

Content and presentation elements:

ADV_INT.2.1C The justification shall describe the characteristics used to judge the meaning of "well-structured".

ADV_INT.2.2C The TSF internals description shall demonstrate that the entire TSF is well-structured.

Evaluator action elements:

ADV_INT.2.1E The evaluator shall confirm that the information provided meets all requirements for content and presentation of evidence.

ADV_INT.2.2E The evaluator shall perform an internals analysis on the TSF.

ADV TDS.3 Semiformal modular design

Dependencies:

information

ADV_FSP.5 Complete semi-formal functional specification with additional error

Developer action elements:

ADV TDS.4.1D The developer shall provide the design of the TOE.

ADV_TDS.4.2D The developer shall provide a mapping from the TSFI of the functional specification to the lowest level of decomposition available in the TOE design.

Content and presentation elements:

ADV_TDS.4.1C The design shall describe the structure of the TOE in terms of subsystems.

ADV_TDS.4.2C The design shall describe the TSF in terms of modules, designating each module as SFR-enforcing, SFR-supporting, or SFR-non-interfering.

ADV TDS.4.3C The design shall identify all subsystems of the TSF.

ADV_TDS.4.4C The design shall provide a semiformal description of each subsystem of the TSF, supported by informal, explanatory text where appropriate.

ADV_TDS.4.5C The design shall provide a description of the interactions among all subsystems of the TSF.

ADV_TDS.4.6C The design shall provide a mapping from the subsystems of the TSF to the modules of the TSF.

ADV_TDS.4.7C The design shall describe each SFR-enforcing and SFR-supporting module in terms of its purpose and relationship with other modules.

ADV_TDS.4.8C The design shall describe each SFR-enforcing and SFR-supporting module in terms of its SFR-related interfaces, return values from those interfaces, interaction with other modules and called SFR-related interfaces to other SFR-enforcing or SFR-supporting modules.

ADV_TDS.4.9C The design shall describe each SFR-non-interfering module in terms of its purpose and interaction with other modules.

ADV_TDS.4.10C The mapping shall demonstrate that all TSFIs trace to the behaviour described in the TOE design that they invoke.

Evaluator action elements:

ADV_TDS.4.1E The evaluator shall confirm that the information provided meets all requirements for content and presentation of evidence.

ADV_TDS.4.2E The evaluator shall determine that the design is an accurate and complete instantiation of all security functional requirements.

6.2.3 Guidance documents

AGD_OPE.1 Operational user guidance

Dependencies:

ADV_FSP.1 Basic functional specification

Developer action elements:

AGD_OPE.1.1D The developer shall provide operational user guidance.

Content and presentation elements:

AGD_OPE.1.1C The operational user guidance shall describe, for each user role, the user-accessible functions and privileges that should be controlled in a secure processing environment, including appropriate warnings.

AGD_OPE.1.2C The operational user guidance shall describe, for each user role, how to use the available interfaces provided by the TOE in a secure manner.

AGD_OPE.1.3C The operational user guidance shall describe, for each user role, the available functions and interfaces, in particular all security parameters under the control of the user, indicating secure values as appropriate.

AGD_OPE.1.4C The operational user guidance shall, for each user role, clearly present each type of security-relevant event relative to the user-accessible functions that need to be performed, including changing the security characteristics of entities under the control of the TSF.

AGD_OPE.1.5C The operational user guidance shall identify all possible modes of operation of the TOE (including operation following failure or operational error), their consequences and implications for maintaining secure operation.

AGD_OPE.1.6C The operational user guidance shall, for each user role, describe the security measures to be followed in order to fulfill the security objectives for the operational environment as described in the ST.

AGD_OPE.1.7C The operational user guidance shall be clear and reasonable.

Evaluator action elements:

AGD_OPE.1.1E The evaluator *shall confirm* that the information provided meets all requirements for content and presentation of evidence.

AGD PRE.1 Preparative procedures

Dependencies:

No Dependencies

Developer action elements:

AGD PRE.1.1D The developer shall provide the TOE including its preparative procedures.

Content and presentation elements:

AGD_PRE.1.1C The preparative procedures shall describe all the steps necessary for secure acceptance of the delivered TOE in accordance with the developer's delivery procedures.

AGD_PRE.1.2C The preparative procedures shall describe all the steps necessary for secure installation of the TOE and for the secure preparation of the operational environment in accordance with the security objectives for the operational environment as described in the ST.

Evaluator action elements:

AGD_PRE.1.1E The evaluator *shall confirm* that the information provided meets all requirements for content and presentation of evidence.

AGD_PRE.1.2E The evaluator shall apply the preparative procedures to confirm that the TOE can be prepared securely for operation.

6.2.4 Life-cycle support

ALC_CMC.4 Production support, acceptance procedures and automation

Dependencies:

ALC_CMS.1 TOE CM coverage

ALC_DVS.1 Identification of security measures

ALC_LCD.1 Developer defined life-cycle model

Developer action elements:

ALC_CMC.4.1D The developer shall provide the TOE and a reference for the TOE.

ALC CMC.4.2D The developer shall provide the CM documentation.

ALC_CMC.4.3D The developer shall use a CM system.

Content and presentation elements:

ALC CMC.4.1C The TOE shall be labeled with its unique reference.

ALC_CMC.4.2C The CM documentation shall describe the method used to uniquely identify the configuration items.

ALC_CMC.4.3C The CM system shall uniquely identify all configuration items.

ALC_CMC.4.4C The CM system shall provide automated measures such that only authorized changes are made to the configuration items.

ALC CMC.4.5C The CM system shall support the production of the TOE by automated means.

ALC CMC.4.6C The CM documentation shall include a CM plan.

ALC_CMC.4.7C The CM plan shall describe how the CM system is used for the development of the TOE.

ALC_CMC.4.8C The CM plan shall describe the procedures used to accept modified or newly created configuration items as part of the TOE.

ALC_CMC.4.9C The evidence shall demonstrate that all configuration items are being maintained under the CM system.

ALC_CMC.4.10C The evidence shall demonstrate that the CM system is being operated in accordance with the CM plan.

Evaluator action elements:

ALC_CMC.4.1E The evaluator *shall confirm* that the information provided meets all requirements for content and presentation of evidence.

ALC CMS.5 Development tools CM coverage

Dependencies:

No Dependencies

Developer action elements:

ALC_CMS.5.1D The developer shall provide a configuration list for the TOE.

Content and presentation elements:

ALC_CMS.5.1C The configuration list shall include the following: the TOE itself; the evaluation evidence required by the SARs; the parts that comprise the TOE; the implementation representation; security flaw reports and resolution status; and development tools and related information.

ALC_CMS.5.2C The configuration list shall uniquely identify the configuration items.

ALC_CMS.5.3C For each TSF relevant configuration item, the configuration list shall indicate the developer of the item.

Evaluator action elements:

ALC_CMS.5.1E The evaluator shall confirm that the information provided meets all requirements for content and presentation of evidence.

ALC_DEL.1 Delivery procedures

Dependencies:

No Dependencies

Developer action elements:

ALC_DEL.1.1D The developer shall document and provide procedures for delivery of the TOE or parts of it to the consumer.

ALC DEL.1.2D The developer shall use the delivery procedures.

Content and presentation elements:

ALC_DEL.1.1C The delivery documentation shall describe all procedures that are necessary to maintain security when distributing versions of the TOE to the consumer.

Evaluator action elements:

ALC_DEL.1.1E The evaluator *shall confirm* that the information provided meets all requirements for content and presentation of evidence.

ALC_DVS.2 Sufficiency of security measures

Dependencies:

No Dependencies

Developer action elements:

ALC_DVS.2.1D The developer shall produce and provide development security documentation.

Content and presentation elements:

ALC_DVS.2.1C The development security documentation shall describe all the physical, procedural, personnel, and other security measures that are necessary to protect the confidentiality and integrity of the TOE design and implementation in its development environment.

ALC_DVS.2.2C The development security documentation shall justify that the security measures provide the necessary level of protection to maintain the confidentiality and integrity of the TOE.

Evaluator action elements:

ALC_DVS.2.1E The evaluator shall confirm that the information provided meets all requirements for content and presentation of evidence.

ALC_DVS.2.2E The evaluator shall confirm that the security measures are being applied.

ALC_LCD.1 Developer defined life-cycle model

Dependencies:

No Dependencies

Developer action elements:

ALC_LCD.1.1D The developer shall establish a life-cycle model to be used in the development and maintenance of the TOE.

ALC_LCD.1.2D The developer shall provide life-cycle definition documentation.

Content and presentation elements:

ALC_LCD.1.1C The life-cycle definition documentation shall describe the model used to develop and maintain the TOE.

ALC_LCD.1.2C The life-cycle model shall provide for the necessary control over the development and maintenance of the TOE.

Evaluator action elements:

ALC_LCD.1.1E The evaluator *shall confirm* that the information provided meets all requirements for content and presentation of evidence.

ALC_TAT.2 Compliance with implementation standards

Dependencies:

ADV IMP.1 Implementation representation of the TSF

Developer action elements:

ALC_TAT.2.1D The developer shall provide the documentation identifying each development tool being used for the TOE.

ALC_TAT.2.2D The developer shall document and provide the selected implementation-dependent options of each development tool.

ALC_TAT.2.3D The developer shall describe and provide the implementation standards that are being applied by the developer.

Content and presentation elements:

ALC_TAT.2.1C Each development tool used for implementation shall be well-defined.

ALC_TAT.2.2C The documentation of each development tool shall unambiguously define the meaning of all statements as well as all conventions and directives used in the implementation.

ALC_TAT.2.3C The documentation of each development tool shall unambiguously define the meaning of all implementation-dependent options.

Evaluator action elements:

ALC_TAT.2.1E The evaluator shall confirm that the information provided meets all requirements for content and presentation of evidence.

ALC_TAT.2.2E The evaluator shall confirm that the implementation standards have been applied.

6.2.5 Tests

ATE COV.2 Analysis of coverage

Dependencies:

ADV_FSP.2 Security-enforcing functional specification

ATE FUN.1 Functional testing

Developer action elements:

ATE_COV.2.1D The developer shall provide an analysis of the test coverage.

Content and presentation elements:

ATE_COV.2.1C The analysis of the test coverage shall demonstrate the correspondence between the tests in the test documentation and the TSFIs in the functional specification.

ATE_COV.2.2C The analysis of the test coverage shall demonstrate that all TSFIs in the functional specification have been tested.

Evaluator action elements:

ATE_COV.2.1E The evaluator *shall confirm* that the information provided meets all requirements for content and presentation of evidence.

ATE_DPT.3 Testing: modular design

Dependencies:

ADV_ARC.1 Security architecture description

ADV_TDS.4 Semiformal modular design

ATE_FUN.1 Functional testing

Developer action elements:

ATE_DPT.3.1D The developer shall provide the analysis of the depth of testing.

Content and presentation elements:

ATE_DPT.3.1C The analysis of the depth of testing shall demonstrate the correspondence between the tests in the test documentation and the TSF subsystems and modules in the TOE design.

ATE_DPT.3.2C The analysis of the depth of testing shall demonstrate that all TSF subsystems in the TOE design have been tested.

ATE_DPT.3.3C The analysis of the depth of testing shall demonstrate that all TSF modules in the TOE design have been tested.

Evaluator action elements:

ATE_DPT.3.1E The evaluator shall confirm that the information provided meets all requirements for content and presentation of evidence.

ATE_FUN.1 Functional tests

Dependencies

ATE_COV.1 Evidence of coverage

Developer action elements:

ATE_FUN.1.1D The developer shall test the TSF and document the results.

ATE FUN.1.2D The developer shall provide test documentation.

Content and presentation elements:

ATE_FUN.1.1C The test documentation shall consist of test plans, expected test results and actual test results.

ATE_FUN.1.2C The test plans shall identify the tests to be performed and describe the scenarios for performing each test. These scenarios shall include any ordering dependencies on the results of other tests.

ATE_FUN.1.3C The expected test results shall show the anticipated outputs from a successful execution of the tests.

ATE_FUN.1.4C The actual test results shall be consistent with the expected test results.

Evaluator action elements:

ATE_FUN.1.1E The evaluator *shall confirm* that the information provided meets all requirements for content and presentation of evidence.

ATE_IND.2 Independent testing - sample

Dependencies:

ADV_FSP.2 Security-enforcing functional specification

AGD_OPE.1 Operational user guidance

AGD PRE.1 Preparative procedures

ATE_COV.1 Evidence of coverage

ATE_FUN.1 Functional testing

Developer action elements:

ATE_IND.2.1D The developer shall provide the TOE for testing.

Content and presentation elements:

ATE IND.2.1C The TOE shall be suitable for testing.

ATE_IND.2.2C The developer shall provide an equivalent set of resources to those that were used in the developer's functional testing of the TSF.

Evaluator action elements:

ATE_IND.2.1E The evaluator *shall confirm* that the information provided meets all requirements for content and presentation of evidence.

ATE_IND.2.2E The evaluator *shall execute* a sample of tests in the test documentation to verify the developer test results.

ATE_IND.2.3E The evaluator *shall test* a subset of the TSF to confirm that the TSF operates as specified.

6.2.6 Vulnerability assessment

AVA VAN.5 Advanced methodical vulnerability analysis

Dependencies:

ADV ARC.1 Security architecture description

ADV_FSP.4 Complete functional specification

ADV_TDS.3 Basic modular design

ADV_IMP.1 Implementation representation of the TSF

AGD_OPE.1 Operational user guidance

AGD_PRE.1 Preparative procedures

ATE_DPT.1 Testing: basic design

Developer action elements:

AVA VAN.5.1D The developer shall provide the TOE for testing.

Content and presentation elements:

AVA_VAN.5.1C The TOE shall be suitable for testing.

Evaluator action elements:

AVA_VAN.5.1E The evaluator shall confirm that the information provided meets all requirements for content and presentation of evidence.

AVA_VAN.5.2E The evaluator shall perform a search of public domain sources to identify potential vulnerabilities in the TOE.

AVA_VAN.5.3E The evaluator shall perform an independent, methodical vulnerability analysis of the TOE using the guidance documentation, functional specification, TOE design, security architecture description and implementation representation to identify potential vulnerabilities in the TOE.

AVA_VAN.5.4E The evaluator shall conduct penetration testing based on the identified potential vulnerabilities to determine that the TOE is resistant to attacks performed by an attacker possessing High attack potential.

6.3 Security Requirements Rationale

This section proves that security requirements are suited to fulfill the security objectives described in section 4 and adequate to handle the security problem.

6.3.1 Security Functional Requirements Rationale

The security requirements rationale proves the followings:

- Each security objective is handled by at least one security functional requirements.
- Each security functional requirements handle at least one security objective.

[Table 60] Mapping of security functional requirements and security objectives

Security Objectives Security Functional requirements	O.Data Protection	O.Issue	O.Identification	O.Authorized Repair	O.Authentication	O.Rollback	O.Rem_Residue	O.Leak Countermeasure	O.Open Platform	O.IC Chip
FAU_ARP.1				Х	Х					
FAU_SAA.1				X	Χ					
FCS_CKM.1(1)					Χ					Х
FCS_CKM.1(2)					Χ					Х
FCS_CKM.1(3)					X					Х
FCS_CKM.2					Х				Х	Х
FCS_CKM.4					X		X			
FCS_COP.1(1)					Х					X
FCS_COP.1(2)					X					X

FCS_COP.1(3)					X					Х
FCS_COP.1(4)					Х					Х
FCS_COP.1(5)					Х					Х
FCS_COP.1(6)					Х					Х
FCS_COP.1(7)					Х					X
FCS_RNG.1					Х					Х
FDP_ACC.2(1)	Х	Х							Х	
FDP_ACC.2(2)	Х								Х	
FDP_ACF.1(1)	Х	Х							Х	
FDP_ACF.1(2)	Х		Х						Х	
FDP_RIP.1							Х		Х	
FDP_SDI.2	Х				Х			Х		
FDP_UCT.1								Х	Х	Х
FDP_UIT.1	Х							Х	X	X
FIA_AFL.1		Х		Х	Х					
FIA_ATD.1(1)		Х	Х	X	Х					
FIA_ATD.1(2)		Х	Х	Х	Х					
FIA_SOS.1					Х					
FIA_UAU.1(1)	Х	Х		X	Х					X
FIA_UAU.1(2)	Х	Х		Х	Х					Х
FIA_UAU.1(3)	Х	Х		X	Х					Х
FIA_UAU.1(4)			Х		Х					
FIA_UAU.4		Х		Х	Х					
FIA_UAU.6		Х		Х	Х					
FIA_UID.1	Х	Х	Х	Х						
FIA_USB.1	Х									
FMT_MOF.1	Х								Х	
FMT_MSA.1(1)	Х	Х								
FMT_MSA.1(2)	Х		Х							
FMT_MSA.3	Х									
FMT_MTD.1		Х								
FMT_MTD.2		Х								
FMT_SMF.1		Х								
FMT_SMR.1		Х	Х	Х	X					
FPR_UNO.1								Х		Х
FPT_FLS.1						Х				Х
FPT_PHP.3										Х
FPT_RCV.3						Х				
FPT_RCV.4						Х				
FPT_TST.1	Х					Х				

FAU_ARP.1 Security alarms

This component ensures that detects potential security violation and performs adequate reactions. Thus it satisfies the security objective of O.Authorized Repair and O.Authentication.

FAU_SAA.1 Potential violation analysis

This component ensures to indicate a security violation and monitor the audited events. Thus it satisfies the security objective of O.Authorized Repair and O.Authentication.

FCS_CKM.1(1) ~ (3) Cryptographic key generation

This component ensures to generate the cryptographic key in accordance with defined cryptographic algorithm and size of key. Thus it satisfies the security objective of O.Authentication and O.IC Chip.

FCS CKM.2 Cryptographic key distribution

This component ensures to distribute the cryptographic key in accordance with defined cryptographic key distribution methods. Thus it satisfies the security objective of O.Authentication, O.Open platform and O.IC Chip.

FCS_CKM.4 Cryptographic key destruction

This component ensures to destroy the cryptographic key in accordance with defined destruction method. Thus it satisfies the security objective of O.Authentication and O.Rem Residue.

FCS_COP.1(1) ~ (7) Cryptographic operation

This component ensures that the cryptographic operation is performed in accordance with defined cryptographic algorithm and size of key. Thus it satisfies the security objective of O.Authentication and O.IC Chip.

FCS RNG.1 Random number generation

This component ensures that random numbers meet a defined quality metric regarding to the generation of random numbers. Thus it satisfies the security objective of O.Authentication and O.IC Chip.

FDP_ACC.2(1) ~ (2) Complete access control

This component ensures to define the security policy for TOE access control and the scope of the security policy. Thus it satisfies the security objective of O.Issue, O.Data Protection and O.Open Platform. FDP_ACC.2(1) is the requirements of access control for Card Content Management and satisfies the security objective of O.Issue, O.Data Protection and O.Open Platform. FDP_ACC.2(2) is the requirements of access control for Firewall Access Control and satisfies the security objective of O.Data Protection and O.Open Platform.

Note: Loading, Installing and Deleting of Package is the part of the issue process.

FDP_ACF.1(1) ~ (2) Security attribute based access control

This component ensures that the security attribute based the access control policy is performed. Thus it satisfies the security objective of O.Data Protection, O.Issue, O.Identification and O.Open Platform. FDP_ACF.1(1) is the security attribute for Card Content Management and satisfies the security objective of O.Data Protection, O.Issue and O.Open Platform. FDP_ACF.1(2) is the security attribute for Firewall Access Control and satisfies the security objective of O.Data Protection, O.Identification and O.Open Platform.

FDP_RIP.1 Subset residual information protection

This component ensures that it is not available the remainder information of all resource related to the defined subset of controlled objects when the TSF perform the allocation and deallocation of resource. Thus it satisfies the security objective of O.Rem_Residue and O.Open Platform.

FDP_SDI.2. Stored data integrity monitoring and action

This component is the stored data integrity monitoring and action and ensures that the TOE monitors user data in the store area controlled by TSF and performs the action that must perform as the result of the error detection. Thus it satisfies the security objective of O.Data Protection, O.Authentication and O.Leak Countermeasure.

FDP_UCT.1 Basic data exchange confidentiality

This component ensures the requirement for the confidentiality of the transferred data for protection from unauthorized disclosure of user data while in transit. Thus it satisfies the security objective of O.Leak Countermeasure, O.Open Platform and O.IC Chip.

FDP_UIT.1 Data exchange integrity

This component ensures the integrity requirement as the integrity of transferred data for detecting the failure against modification, deletion, insertion and reuse of the user data that was transmitted. Thus it satisfies the security objective of O.Data Protection, O.Leak Countermeasure, O.Open Platform and O.IC Chip.

FIA_AFL.1 Authentication failure handling

This component ensures that define the authentication attempt failure number of user and that perform the action when defined limits is surpassed. Thus it satisfies the security objective of O.Issue, O.Authorized Repair and O.Authentication.

FIA ATD.1(1) ~ (2) User attribute definition

This component defines the list of security attribute of each user. Thus it satisfies the security objective of O.Issue, O.Identification, O.Authorized Repair and O.Authentication.

FIA SOS.1 Verification of secrets

This component provides the mechanism to verify that secrets meet defined quality metrics. Thus it satisfies the security objective of O.Authentication.

FIA UAU.1(1) ~ (3) Authentication

This component ensures the ability to authenticate successfully the user. Thus it satisfies the security objective of O.Data Protection, O.Issue, O.Authorized Repair and O.Authentication.

<u>Note</u>: It is the authentication for Card Content Management and satisfy O.Data Protection, O.Issue, O.Authorized Repair and O.Authentication.

FIA_UAU.1 (4) Authentication

This component ensures the ability to authenticate successfully the user. Thus it satisfies the security objective of O.Identification and O.Authentication.

Note: It is the authentication for CVM Management and satisfy O.Identification and O.Authentication. CVM Management control the operation related to Global PIN/PIN management of Card Manager and provide the means to identify and verify the user using PIN. Refer to 7.1.4.2 PIN Authentication for details

FIA_UAU.4 Single-use authentication mechanisms

This component ensures the ability to prevent the reuse of authentication data. Thus it satisfies the security objective of O.Issue, O.Authorized Repair and O.Authentication.

FIA_UAU.6 Re-authenticating

This component ensures the ability to state the event to need the re-authentication of user. Thus it satisfies the security objective of O.Issue, O.Authorized Repair and O.Authentication.

FIA UID.1 Identification

This component allows that user performs any operation before user is identified by the TSF. Thus it satisfies the security objective of O.Data Protection, O.Issue, O.Identification and O.Authorized Repair.

FIA_USB.1 User-subject binding

This component ensures the ability to manage association between the user security attributes and the subjects acting on the behalf of that user. Thus it satisfies the security objective of O.Data Protection.

FMT_MOF.1 Management of security functions behavior

This component ensures the ability that the authorized user manage the security function. Thus it satisfies the security objective of O.Data Protection and O.Open Platform.

FMT MSA.1(1) ~ (2) Management of security attributes

This component ensures that the authorized administrator manage the security attribute for the access control and the information flow control policy. Thus it satisfies the security objective of O.Data Protection, O.Issue and O.Identification. FMT_MSA.1(1) is the management of the security attribute for Card Content Management and satisfies the security objective of O.Data Protection and O.Issue. FMT_MSA.1(2) is the management of the security attribute for Firewall Access Control and satisfies the security objective of O.Data Protection and O.Identification.

FMT MSA.3 Static attribute initialization

This component provides the initial value for the access control and the information flow control policy. Thus it satisfies the security objective of O.Data Protection.

FMT MTD.1 Management of TSF data

This component provides the ability that the authorized administrator manage the TSF data. Thus it satisfies the security objective of O.Issue.

FMT_MTD.2 Management of limits on TSF data

This component ensures that the authorized administrator manage the limits of TSF data and that perform the action when the defined limits is surpassed. Thus it satisfies the security objective of O.Issue.

FMT_SMF.1 Specification of Management Functions

This component requires that specify the security functions that TSF perform and the management functions for the security attribute and the TSF. Thus it satisfies the security objective of O.Issue.

FMT_SMR.1 Security roles

This component ensures that a user relate to the role authorized administrator. Thus it satisfies the security objective of O.Issue, O.Identification, O.Authorized Repair and O.Authentication.

FPR_UNO.1 Unobservability

This component ensures that the external entity cannot discover the information related to cryptogram by abuse the physical phenomena (electric current, voltage, an electromagnetism change) that occur when the TSF performs cryptographic operations. Thus it satisfies the security objective of O.Leak Countermeasure and O.IC Chip.

FPT_FLS.1 Failure with preservation of secure state

This component ensures that TSF preserve the secure state when defined failure occur. Thus it satisfies the security objective of O.Rollback and O.IC Chip.

FPT PHP.3 Resistance to Physical attack

This component ensures that TSF perform the automatic responses to physical manipulation and physical probing. Thus it satisfies the security objective of O.IC Chip.

provides for features that prevent or resist physical tampering with TSF devices and TSF elements.

FPT_RCV.3 Automated recovery without undue loss

This component provides automated recovery function and does not accept undue loss of the protected object. Thus it satisfies the security objective of O.Rollback.

FPT_RCV.4 Function recovery

This component ensures that provide recovery of the special function. And ensure that completes or recovers successfully the TSF data to the secure state. Thus it satisfies the security objective of O.Rollback.

FPT_TST.1 TSF testing

This component ensures self-testing for the correct operation of the TSF and verifying the integrity of the TSF data and TSF executable code. Thus it satisfies the security objective of O.Data Protection and O.Rollback.

6.3.2 Assurance Requirements Rationale

The evaluation assurance level of this security target is EAL5+. Below are the assurance components added:

- ALC_DVS.2 Sufficiency of security measures
- AVA_VAN.5 Advanced methodical vulnerability analysis

EAL5 assurance package requires semi-formal design and test. EAL5 allows a developer to gain maximum assurance from security engineering based on rigorous commercial development practices supported by moderate application of specialist security engineering techniques. The TOE will probably be designed and developed with the intent of achieving EAL5 assurance. It is likely that the additional costs attributable to the EAL5 requirements, relative to rigorous development without the application of specialized techniques, will not be large.

EAL5 is therefore applicable in those circumstances where developers or users require a high level of independently assured security in a planned development and require a rigorous development approach without incurring unreasonable costs attributable to specialist security engineering techniques.

To understand security behaviors, EAL5 assure the TOE through complete analysis of SFR in ST using functions, complete interface specification, design description of TOE, expressions on the implementation. EAL5 requires the TSF module design.

TOE is developed for multi- purpose such as public ID, finance, electronic signature etc. Specially, the public ID such as national ID requires a high level of independently assured security to protect the sensitive information such as personal bio-information. The evaluation assurance level of this security target is EAL5+ for this requirement.

The TOE is developed by using publicly available standard implementation specifications. Therefore, it is easy to obtain information related to design and operation of the TOE. Also, TOE is easily accessed as it is used in open environment and it is difficult to trace an attack. However, it is difficult to understand the hardware architecture of EAL5+ certified IC Chip with a high level security and the software including mechanism of the security countermeasures. It requires a high level of knowledge and advanced specialized equipments and a high level of independently assured security for the TOE.

Therefore, considering the resources, motivation and expertise, the TOE must counter attackers possessing high attack potential. In the EAL5 evaluation level, AVA_VAN.4 is augmented to SCOP-PP considering execution of systematic vulnerability analysis and resistant to attackers possessing moderate attack potential. So AVA_VAN.5 is added to perform the resistance analysis on attackers possessing high attack potential, the dvanced methodical vulnerability analysis of the module design and the implementation expression of TOE.

The TOE is used as a primary security product in the high level secure infra-structure. Therefore, ALC_DVS.2 is augmented to assure high level development security in terms of physical, procedural, personal, and other security measures in the phase of development.

6.4 Dependencies Rationale

6.4.1 Dependencies of the Security Functional Requirements

[Table 61] Dependencies of the functional components

Num.	Functional Component	Dependencies	Num. of Ref.
	Component	-	

2 FAU_SAA.1 FAU_GEN.1 none 3 FCS_CKM.1(1)~(3) FCS_CKM.2 or FCS_COP.1] [4 or 6] 5 FCS_CKM.2 FCS_CKM.4 [- or - or 3], 5 4 FCS_CKM.4 FDP_ITC.1 or FDP_ITC.2 or FCS_CKM.4] 5 FCS_CKM.4 FDP_ITC.1 or FDP_ITC.2 or FCS_CKM.1], FCS_CKM.4 6 FCS_CCP.1(1)~(7) FDP_ITC.1 or FDP_ITC.2 or FCS_CKM.1], FCS_CKM.4 7 FCS_RNG.1	1	FAU ARP.1	FAU_SAA.1	2
FCS_CKM.1(1)-(3)		_		
FCS_CKM.4 FCS_CKM.4 FCS_CKM.4 FCS_CKM.4 FCS_CKM.1 FCS_CKM.4 FCS_CKM.1 FCS_CKM.4 FCS_CKM.4 FCS_CKM.1 FCS_CKM.4 FCS_CKM.4 FCS_CKM.1 FCS_CKM.4 FCS_CKM.1 FCS_CKM.4 FCS_CKM.1 FCS_CKM.1 FCS_CKM.1 FCS_CKM.1 FCS_CKM.1 FCS_CKM.1 FCS_CKM.1 FCS_CKM.4 FCS_CKM.1 FCS_CKM.4 FCS_		FAU_SAA.1	_	
4 FCS_CKM.2 FCS_CKM.1, FCS_CKM.4 [- or - or 3], 5 5 FCS_CKM.4 [FDP_ITC.1 or FDP_ITC.2 or FCS_CKM.1], [- or - or 3], 5 6 FCS_COP.1(1)~(7) [FDP_ITC.1 or FDP_ITC.2 or FCS_CKM.4], FCS_CKM.4 [- or - or 3], 5 7 FCS_RNG.1 - - 8 FDP_ACC.2(1),(2) FDP_ACF.1 9 9 FDP_ACC.1(1),(2) FDP_ACC.1, FMT_MSA.3 8, 24 10 FDP_RIP.1 - - 11 FDP_SDI.2 - - 12 FDP_UCT.1 [FDP_ACC.1 or FDP_IFC.1] 8 [FTP_ITC.1 or FTP_TRP.1] - - 13 FDP_UIT.1 [FDP_ACC.1 or FDP_IFC.1] 8 [FTP_ITC.1 or FTP_TRP.1] - - 14 FIA_AFL.1 FIA_UAU.1 17 15 FIA_ATD.1(1),(2) - - 16 FIA_SOS.1 - - 17 FIA_UAU.1(1)~(4) FIA_UAU.1 20 18 FIA_UAU.4 - -	3	FCS_CKM.1(1)~(3)		
FCS_CKM.1], FCS_CKM.1], FCS_CKM.1], FCS_CKM.1], FCS_CKM.1], FCS_CKM.4	4	FCS_CKM.2	<u> </u>	[- or – or 3], 5
6 FCS_COP.1(1)-(7) FCS_CKM.1], FCS_CKM.4 3], 5 7 FCS_RNG.1 - - 8 FDP_ACC.2(1),(2) FDP_ACF.1 9 9 FDP_ACC.1(1),(2) FDP_ACC.1, FMT_MSA.3 8, 24 10 FDP_RIP.1 - - 11 FDP_DER.1 - - 12 FDP_UCT.1 [FDP_ACC.1 or FDP_IFC.1] 8 [FDP_ACC.1 or FDP_IFC.1] - - 13 FDP_UIT.1 [FDP_ACC.1 or FDP_IFC.1] 8 [FDP_ACC.1 or FTP_TRP.1] - - 14 FIA_AFL.1 FIA_UAU.1 17 15 FIA_AFL.1 FIA_UAU.1 17 15 FIA_ATD.1(1),(2) - - 16 FIA_SOS.1 - - 17 FIA_UAU.4 - - - 19 FIA_UAU.6 - - - 20 FIA_UBS.1 FIA_ATD.1 15 22 FMT_MOF.1 FMT_SMF.1, FMT_SMR.1	5	FCS_CKM.4	FCS_CKM.1],	3]
8 FDP_ACC.2(1),(2) FDP_ACF.1 9 9 FDP_ACF.1(1),(2) FDP_ACC.1, FMT_MSA.3 8, 24 10 FDP_RIP.1 - - 11 FDP_SDI.2 - - 12 FDP_UCT.1 [FDP_ACC.1 or FDP_IFC.1] [FIP_ITC.1 or FTP_TRP.1] - 13 FDP_UIT.1 [FDP_ACC.1 or FDP_IFC.1] [FIP_ITC.1 or FTP_TRP.1] - 14 FIA_AFL.1 FIA_UAU.1 17 15 FIA_AFL.1 FIA_UAU.1 17 15 FIA_ATD.1(1),(2) - - 16 FIA_SOS.1 - - 17 FIA_UAU.1(1)~(4) FIA_UID.1 20 18 FIA_UAU.4 - - 19 FIA_UAU.6 - - 20 FIA_UB.1 15 21 FIA_UB.1 FIA_ATD.1 15 22 FMT_MOF.1 FMT_SMF.1, FMT_SMR.1 27, 28 23 FMT_MSA.1(1),(2) FMT_SMF.1, FMT_SMR.1 27, 28 24 FMT_MTD.1 </td <td>6</td> <td>FCS_COP.1(1)~(7)</td> <td></td> <td></td>	6	FCS_COP.1(1)~(7)		
9 FDP_ACF.1(1),(2) FDP_ACC.1, FMT_MSA.3 8, 24 10 FDP_RIP.1	7	FCS_RNG.1	-	-
10 FDP_RIP.1 - - 11 FDP_SDI.2 - 12 FDP_UCT.1 [FDP_ACC.1 or FDP_IFC.1] [FTP_ITC.1] FIP_TRP.1] 8 13 FDP_UIT.1 [FDP_ACC.1 or FDP_IFC.1] FIP_ITC.1] FIP_ITC.1] 8 14 FIA_AFL.1 FIA_UAU.1 17 15 FIA_ATD.1(1),(2)	8	FDP_ACC.2(1),(2)	FDP_ACF.1	9
11 FDP_SDI.2 - 12 FDP_UCT.1 [FDP_ACC.1 or FDP_IFC.1] [FTP_ITC.1 or FTP_TRP.1] - 13 FDP_UIT.1 [FDP_ACC.1 or FDP_IFC.1] [FTP_ITC.1] [FTP_ITC.1 or FTP_TRP.1] - 14 FIA_AFL.1 FIA_UAU.1 17 15 FIA_ATD.1(1),(2) - - 16 FIA_SOS.1 - - - 17 FIA_UAU.1(1)~(4) FIA_UID.1 20 - 18 FIA_UAU.4 - - - 20 FIA_UID.1 - - - 21 FIA_USB.1 FIA_ATD.1 15 - 22 FMT_MOF.1 FMT_SMF.1, FMT_SMR.1 27, 28 23 FMT_MSA.1(1),(2) FMT_SMF.1, FMT_SMR.1 27, 28 24 FMT_MSA.3 FMT_MSA.1, FMT_SMR.1 27, 28 25 FMT_MTD.1 FMT_SMF.1, FMT_SMR.1 23, 28 25 FMT_MTD.2 FMT_MTD.1, FMT_SMR.1 25, 28 27 FMT_SMF.1 - 28 FMT_SMR.1 FIA_UID.1 20 29 FPR_UNO.1 - 30 FPT_FLS.1 - 31 FPT_PHP.3 -	9	FDP_ACF.1(1),(2)	FDP_ACC.1, FMT_MSA.3	8, 24
Top_uct.1	10	FDP_RIP.1	-	-
12	11	FDP_SDI.2	-	
The content of the	12	FDP_UCT.1	[FTP_ITC.1 or FTP_TRP.1]	-
15 FIA_ATD.1(1),(2) - - 16 FIA_SOS.1 - - 17 FIA_UAU.1(1)~(4) FIA_UID.1 20 18 FIA_UAU.4 - - 19 FIA_UB.6 - - 20 FIA_UID.1 - - 21 FIA_USB.1 FIA_ATD.1 15 22 FMT_MOF.1 FMT_SMF.1, FMT_SMR.1 27, 28 23 FMT_MSA.1(1),(2) [FDP_ACC.1 or FDP_IFC.1] FMT_SMR.1 [8 or -] FMT_SMF.1, FMT_SMR.1 27, 28 24 FMT_MSA.3 FMT_MSA.1, FMT_SMR.1 23, 28 25 FMT_MTD.1 FMT_SMF.1, FMT_SMR.1 27, 28 26 FMT_MTD.2 FMT_MTD.1, FMT_SMR.1 25, 28 27 FMT_SMF.1 - - 28 FMT_SMR.1 FIA_UID.1 20 29 FPR_UNO.1 - - 30 FPT_FLS.1 - - 31 FPT_PLP.3 - - 32 FPT_RCV.3 AGD_OPE.1 - 33 FPT_RCV.4 -	13	FDP_UIT.1		8 -
16 FIA_SOS.1 - - 17 FIA_UAU.1(1)~(4) FIA_UID.1 20 18 FIA_UAU.4 - - 19 FIA_UBU.6 - - 20 FIA_UID.1 - - 21 FIA_USB.1 FIA_ATD.1 15 22 FMT_MOF.1 FMT_SMF.1, FMT_SMR.1 27, 28 23 FMT_MSA.1(1),(2) [FDP_ACC.1 or FDP_IFC.1] FMT_SMF.1, FMT_SMR.1 [8 or -] FMT_SMF.1 27, 28 24 FMT_MSA.3 FMT_SMF.1, FMT_SMR.1 23, 28 25 FMT_MTD.1 FMT_SMF.1, FMT_SMR.1 27, 28 26 FMT_MTD.2 FMT_MTD.1, FMT_SMR.1 25, 28 27 FMT_SMF.1 - - 28 FMT_SMR.1 FIA_UID.1 20 29 FPR_UNO.1 - - 30 FPT_FLS.1 - - 31 FPT_PHP.3 - - 32 FPT_RCV.4 - - -	14	FIA_AFL.1	FIA_UAU.1	17
17 FIA_UAU.1(1)~(4) FIA_UID.1 20 18 FIA_UAU.4 - - 19 FIA_UAU.6 - - 20 FIA_UID.1 - - 21 FIA_USB.1 FIA_ATD.1 15 22 FMT_MOF.1 FMT_SMF.1, FMT_SMR.1 27, 28 23 FMT_MSA.1(1),(2) [FDP_ACC.1 or FDP_IFC.1] FMT_SMR.1 [8 or -] FMT_SMF.1, FMT_SMR.1 27, 28 24 FMT_MSA.3 FMT_MSA.1, FMT_SMR.1 23, 28 25 FMT_MTD.1 FMT_SMF.1, FMT_SMR.1 27, 28 26 FMT_MTD.2 FMT_MTD.1, FMT_SMR.1 25, 28 27 FMT_SMF.1 - - 28 FMT_SMR.1 FIA_UID.1 20 29 FPR_UNO.1 - - 30 FPT_FLS.1 - - 31 FPT_PHP.3 - - 32 FPT_RCV.4 - -	15	FIA_ATD.1(1),(2)	-	-
18 FIA_UAU.4 - - 19 FIA_UAU.6 - - 20 FIA_UID.1 - - 21 FIA_USB.1 FIA_ATD.1 15 22 FMT_MOF.1 FMT_SMF.1, FMT_SMR.1 27, 28 23 FMT_MSA.1(1),(2) [FDP_ACC.1 or FDP_IFC.1] FMT_SMR.1 [8 or -] FMT_SMF.1, FMT_SMR.1 27, 28 24 FMT_MSA.3 FMT_MSA.1, FMT_SMR.1 23, 28 25 FMT_MTD.1 FMT_SMF.1, FMT_SMR.1 27, 28 26 FMT_MTD.2 FMT_MTD.1, FMT_SMR.1 25, 28 27 FMT_SMF.1 - - 28 FMT_SMR.1 FIA_UID.1 20 29 FPR_UNO.1 - - 30 FPT_FLS.1 - - 31 FPT_PHP.3 - - 32 FPT_RCV.3 AGD_OPE.1 EAL5 33 FPT_RCV.4 - -	16	FIA_SOS.1	-	-
19 FIA_UAU.6	17	FIA_UAU.1(1)~(4)	FIA_UID.1	20
20 FIA_UID.1 - 21 FIA_USB.1 FIA_ATD.1 15 22 FMT_MOF.1 FMT_SMF.1, FMT_SMR.1 27, 28 23 FMT_MSA.1(1),(2) [FDP_ACC.1 or FDP_IFC.1] FMT_SMR.1 [8 or -] 27, 28 24 FMT_MSA.3 FMT_MSA.1, FMT_SMR.1 23, 28 25 FMT_MTD.1 FMT_SMF.1, FMT_SMR.1 27, 28 26 FMT_MTD.2 FMT_MTD.1, FMT_SMR.1 25, 28 27 FMT_SMF.1 - - 28 FMT_SMR.1 FIA_UID.1 20 29 FPR_UNO.1 - - 30 FPT_FLS.1 - - 31 FPT_PHP.3 - - 32 FPT_RCV.3 AGD_OPE.1 EAL5 33 FPT_RCV.4 - -	18	FIA_UAU.4	-	-
21 FIA_USB.1 FIA_ATD.1 15 22 FMT_MOF.1 FMT_SMF.1, FMT_SMR.1 27, 28 23 FMT_MSA.1(1),(2) [FDP_ACC.1 or FDP_IFC.1] FMT_SMR.1 [8 or -] 27, 28 24 FMT_MSA.3 FMT_MSA.1, FMT_SMR.1 23, 28 25 FMT_MTD.1 FMT_SMF.1, FMT_SMR.1 27, 28 26 FMT_MTD.2 FMT_MTD.1, FMT_SMR.1 25, 28 27 FMT_SMF.1 - - 28 FMT_SMR.1 FIA_UID.1 20 29 FPR_UNO.1 - - 30 FPT_FLS.1 - - 31 FPT_PHP.3 - - 32 FPT_RCV.3 AGD_OPE.1 EAL5 33 FPT_RCV.4 - -	19	FIA_UAU.6	-	-
22 FMT_MOF.1 FMT_SMF.1, FMT_SMR.1 27, 28 23 FMT_MSA.1(1),(2) [FDP_ACC.1 or FDP_IFC.1] FMT_SMR.1 27, 28 24 FMT_MSA.3 FMT_MSA.1, FMT_SMR.1 23, 28 25 FMT_MTD.1 FMT_SMF.1, FMT_SMR.1 27, 28 26 FMT_MTD.2 FMT_MTD.1, FMT_SMR.1 25, 28 27 FMT_SMF.1	20	FIA_UID.1	-	-
23 FMT_MSA.1(1),(2) [FDP_ACC.1 or FDP_IFC.1] [8 or -] 24 FMT_MSA.3 FMT_MSA.1, FMT_SMR.1 23, 28 25 FMT_MTD.1 FMT_SMF.1, FMT_SMR.1 27, 28 26 FMT_MTD.2 FMT_MTD.1, FMT_SMR.1 25, 28 27 FMT_SMF.1 28 FMT_SMR.1 FIA_UID.1 20 29 FPR_UNO.1 30 FPT_FLS.1 31 FPT_PHP.3 32 FPT_RCV.3 AGD_OPE.1 EAL5 33 FPT_RCV.4	21	FIA_USB.1	FIA_ATD.1	15
23 FMT_MSA.1(1),(2) FMT_SMF.1, FMT_SMR.1 27, 28 24 FMT_MSA.3 FMT_MSA.1, FMT_SMR.1 23, 28 25 FMT_MTD.1 FMT_SMF.1, FMT_SMR.1 27, 28 26 FMT_MTD.2 FMT_MTD.1, FMT_SMR.1 25, 28 27 FMT_SMF.1 28 FMT_SMR.1 FIA_UID.1 20 29 FPR_UNO.1 30 FPT_FLS.1 31 FPT_PHP.3 32 FPT_RCV.3 AGD_OPE.1 EAL5 33 FPT_RCV.4	22	FMT_MOF.1	FMT_SMF.1, FMT_SMR.1	27, 28
25 FMT_MTD.1 FMT_SMF.1, FMT_SMR.1 27, 28 26 FMT_MTD.2 FMT_MTD.1, FMT_SMR.1 25, 28 27 FMT_SMF.1 - - 28 FMT_SMR.1 FIA_UID.1 20 29 FPR_UNO.1 - - 30 FPT_FLS.1 - - 31 FPT_PHP.3 - - 32 FPT_RCV.3 AGD_OPE.1 EAL5 33 FPT_RCV.4 - -	23	FMT_MSA.1(1),(2)		
26 FMT_MTD.2 FMT_MTD.1, FMT_SMR.1 25, 28 27 FMT_SMF.1 - - 28 FMT_SMR.1 FIA_UID.1 20 29 FPR_UNO.1 - - 30 FPT_FLS.1 - - 31 FPT_PHP.3 - - 32 FPT_RCV.3 AGD_OPE.1 EAL5 33 FPT_RCV.4 - -	24	FMT_MSA.3	FMT_MSA.1, FMT_SMR.1	23, 28
27 FMT_SMF.1 - - 28 FMT_SMR.1 FIA_UID.1 20 29 FPR_UNO.1 - - 30 FPT_FLS.1 - - 31 FPT_PHP.3 - - 32 FPT_RCV.3 AGD_OPE.1 EAL5 33 FPT_RCV.4 - -	25	FMT_MTD.1	FMT_SMF.1, FMT_SMR.1	27, 28
28 FMT_SMR.1 FIA_UID.1 20 29 FPR_UNO.1 - - 30 FPT_FLS.1 - - 31 FPT_PHP.3 - - 32 FPT_RCV.3 AGD_OPE.1 EAL5 33 FPT_RCV.4 - -	26	FMT_MTD.2	FMT_MTD.1, FMT_SMR.1	25, 28
29 FPR_UNO.1	27	FMT_SMF.1	-	-
30 FPT_FLS.1	28	FMT_SMR.1	FIA_UID.1	20
31 FPT_PHP.3 - - 32 FPT_RCV.3 AGD_OPE.1 EAL5 33 FPT_RCV.4 - -	29	FPR_UNO.1	-	-
32 FPT_RCV.3 AGD_OPE.1 EAL5 33 FPT_RCV.4	30	FPT_FLS.1	-	-
33 FPT_RCV.4	31	FPT_PHP.3	-	-
	32	FPT_RCV.3	AGD_OPE.1	EAL5
34 FPT TST.1	33	FPT_RCV.4	-	-
	34	FPT_TST.1		-

Dependent upon FAU_SAA.1, FAU_GEN.1 is not satisfied. A smart card does not have enough space for recording security events. Excessive security auditing may put the safety of the card at risk, so security events are not recorded. Therefore, this protection profile does not define the requirements of FAU_GEN.1.

FDP_ACF.1, FMT_MSA.1 is dependent upon FDP_ACC.1, which is satisfied by FDP_ACC.2 in a hierarchical relationship with FDP_ACC.1.

Dependent upon FDP_UCT.1 and FDP_UIT.1, FTP_ITC.1 and FTP_TRP.1 are not included here. FDP_UCT.1 and FDP_UIT.1 require a safe communication channel between the interpretation system and the TOE, but this safe communication is the only channel here and thus does not have to be logically distinguished from other communication channels. For this reason, this security target does not define the requirements of FTP_ITC.1. Also, FDP_ACC.1 and FDP_IFC.1, which are dependent upon FDP_UCT.1 and FDP_UIT.1, are satisfied by FDP_ACC.2 which is in a hierarchical relationship with FDP_ACC.1.

6.4.2 Dependencies of the Assurance Requirements

All the dependencies of the EAL5 assurance package offered in the Common Criteria for the Information Protection System, so the theoretical rationale for this package is not specified here. The dependencies of added assurance requirements are outlined in [Table 62], and this security target meets the dependencies of all the assurance requirements.

[Table 62] Dependencies of the added assurance requirements

Num.	Assurance Component	Dependency	Reference Number
1	ALC_DVS.2	-	-
2	AVA_VAN.5	ADV_ARC.1 ADV_FSP.4 ADV_TDS.3 ADV_IMP.1 AGD_OPE.1 AGD_PRE.1 ATE_DPT.1	EAL4 EAL4 EAL4 EAL4 EAL4 EAL4

7. TOE Summary Specification

This section provides a description of the security functionality of the TOE that met the TOE security requirements.

7.1 TOE Security Functionality

This section describes the security functionality of TOE that meets the security requirements. The security functionality of TOE can be broadly divided into: [Security Audit, Cryptographic Support, User Data Protection, Identification and Authentication, Security Management, Privacy and TSF Protection]. This section describes how the TOE meets its security functionality.

The followings are the security functionality of TOE:

7.1.1 Security Audit

The TOE detects potential security violations such as the check sum values of internal data, errors in resource allocation and authentication failure events, resetting TOE operations or suspending TOE functions either temporarily or permanently.

7.1.2 Cryptographic Support

The TOE provides cryptographic computation such as cryptographic key generation/destruction, encryption, decryption, and electronic signature generation and verification through Cryptographic Function Subsystem and JCAPIs. It also supports hash value generation and random number generation.

7.1.3 User Data Protection

The TOE provides the user data protection through CM, JCRE, Secure Management. The CM provides card content manager and access control policies based on security attributes and management of security attribute. It met for requirement for the user data protection. The TOE provides firewall access control policies for all computations among the Java Card system, applets and data based on the security attribute "Context" with the user data protection.

7.1.4 Identification and Authentication

The TOE provides the identification and authentication through CM. The TOE performs card administrator authentication through Secure Channel Protocol (SCP 02). It also performs authentication of application providers and issuers through data authentication pattern (DAP) authentication and delegated management (DM) authentication. The TOE provides means to authenticate users with PIN and controls Card Manager's operations related to global PIN/PIN management.

7.1.5 Security Management

The TOE provides the security management through CM and JCRE. The CM provides Card Content Management and Access Control based on security attributes and manages the security attributes. The TOE provides firewall access control policies for all computations among the Java

Card system, applets and data based on the security attribute "Context" and manages the security attributes.

7.1.6 Privacy

The TOE provides secure management for resource. The TOE provides the mechanism of the integrity verification and encryption for the cryptographic keys and PIN. It ensure the unobservability against external attacks during operation

7.1.7 Protection of the TSF

The TOE provides TSF protection functions through secure management. It provides the self-test to verify the integrity of TSF data and execution code during power on, and check the integrity of internal sensitive data. Whenever applet is selected, it verifies the integrity of applet. When these verification of integrity is failed, the TOE is stopped through self-test and keep the safe state from external attack and failure.

8. Compatibility between the Composite ST and the Platform ST

In this section, the compatibility between the Composite ST and the Platform ST is examined. it will be shown that there is no conflict between the security environment, the security objectives, and the security requirements of the Composite Security Target and the Platform Security Target.

8.1 Security Assurance Requirement

The Composite TOE conforms the package of assurance requirements that certified as EAL5+ augmented with ALC_DVS.2, AVA_VAN.5. This is consistent to the package of assurance requirements of certified Platform. The assurance requirements of certified Platform(the IC Chip) can refer to [R15, R16].

8.2 Platform SFR

• The compatibility between the Platform SFR and the Composite SFR is specified. The connectivity and limited consistency between the Platform SFR and the Composite SFR are shown in below table.

[Table 63] Compatibility between Platform SFR and Composite SFR

Platform SFR	Composite SFR	Compatibility			
FRU_FLT.2	FPT_FLS.1	The Platform provides the mechanism to deter			
FPT_FLS.1	FFI_FLO.I	abnormal operation.			
FMT_LIM.1	-				
FMT_LIM.2	-	The Platform SFR is not used by the TOE.			
FAU_SAS.1	-				
FPT_PHP.3	FPT_PHP.3	The Platform provides the countermeasure mechanism for the physical manipulation and physical probing.			
FDP_ITT.1	FPR UNO.1	The Platform provides the basic internal transfer protection in the IC Chip using the memory			
FPT_ITT.1	111K_0140.1	encryption.			
FDP_IFC.1	FPR_UNO.1	The Platform provides the mechanism for memory encryption.			
FCS_RNG.1	FCS_RNG.1	The Platform provides random number for cryptographic operation.			
FDP_ACC.1	-	1. 2			
FDP_ACF.1	-				
FMT_MSA.3	-	The Platform SFR is not used by the TOE.			
FMT_MSA.1	-				
FMT_SMF.1	-				
FCS_COP.1/3DES	FCS_COP.1 (3)	The Platform provides the necessary algorithms.			
FCS_COP.1/AES	FCS_COP.1 (4)	The Platform provides the necessary algorithms.			
FCS_COP.1/RSA	FCS_COP.1 (5)	The Platform provides the necessary algorithms.			
FCS_COP.1/ECDSA	FCS_COP.1 (6)	The Platform provides the necessary algorithms.			
FCS_CKM.1/ECDSA	FCS_CKM.1(3)	The Platform provides the necessary algorithms.			
FCS_CKM.1/RSA	FCS_CKM.1(2)	The Platform provides the necessary algorithms.(KC/KW only)			
FCS_COP.1/ECDH	FCS_CKM.2	The Platform provides the necessary algorithms.			
FCS_COP.1/SHA	FCS_COP.1 (7)	The Platform provides the necessary algorithms.			

8.3 Platform Security objectives

It is verified whether the Platform SFR which traces back to the security objectives of the Platform is relevant to the composite SFR. If there is no relevant composite SFR, then the security objective of the Platform is excluded from the scope of analysis. The compatibility between the security objectives of the Platform traced by the Platform SFR which is used by the composite SFR and the composed security objectives is shown in below table.

[Table 64] Compatibility between Platform Security Objectives and Composite Security Objectives

Platform Security Objectives	Composite Security Objectives	Compatibility
O.Leak-Inherent	O. Leak Countermeasure, O.IC Chip	The Platform security objective is equivalent to the Composite security objective and thus compatible.
O.Phys-Probing	O.IC Chip	The Platform security objective is equivalent to the Composite security objective and thus compatible.
O.Malfunction	O.Rollback O.IC Chip	The Platform security objective is equivalent to the Composite security objective and thus compatible.
O.Phys-Manipulation	O.IC Chip	The Platform security objective is equivalent to the Composite security objective and thus compatible.
O.Leak-Forced	O.Rollback, O. Leak Countermeasure, O.IC Chip	The Platform security objective is used to achieve the Composite security objective.
O.Abuse-Func	-	This security objective is related to the Platform SRF, FMT_LIM.1, FMT_LIM.2 and there is no composite SFR relevant to FMT_LIM.1, FMT_LIM.2. Therefore, O.Abuse-Func is excluded from the scope of analysis.
O.Identification	-	This security objective is related to the Platform SRF, FAU_SAS.1 and there is no composite SFR relevant to FAU_SAS.1. Therefore, O.ldentification is excluded from the scope of analysis.
O.RND	O.Authentication, O.IC Chip	The Platform security objective is used to achieve the Composite security objective.
O.Add-Functions	O.Authentication, O.Open Platform O.IC Chip	The Platform security objective is used to achieve the Composite security objective.
O.Mem-Access		The Platform security objective is not relevant to the Composite security objective.

8.4 Security Objectives of Platform operational environment

The Compatibilities of the security objectives of Platform operational environment and the Composite security objectives of operational environment are following.

[Table 65] Compatibility between Security Objectives of Platform operational environment and Composite operational environment Security Objectives

Security Objectives of Platform operational environment	Composite operational environment Security Objectives	Compatibility
OE.Plat-Appl	OE. Secure Communication, OE. Application, OE.TSF data	OE.Resp-Appl is to conform the specification of Platform and to counteract the security objectives of the composite TOE. It is compatible with the composite operational environment security objective.
OE.Resp-Appl	OE.Secure Communication, OE.Application, OE.TSF data	OE.Resp-Appl is the operational environment that user data is handled safely by the composite TOE. It is compatible with the composite operational environment security objective.
OE.Process-Sec-IC	OE.TSF data	OE.Process-Sec-IC is to ensure the integrity during hardware delivery. It is compatible with the composite operational environment security objective.

8.5 Assumptions of the Platform

[Table 66] Compatibility between Assumptions of the Platform and Composite Security Objectives

Assumptions of the Platform	Composite Security Objectives	Compatibility
A.Process-Sec-IC	O.Issue O.Identification, O.Authorized Repair, O.Authentication	It is assumed in the Platform that confidentiality and integrity of the TOE and its manufacturing and testing data is maintained after manufacturing the Platform up to delivery to the end-user. It is covered by the composite security objectives: O.Issue, O.Identification, O.Authorized Repair, O.Authentication.
A.Plat-Appl	O.IC Chip	It is assumed in the Platform that the requirements specified in documents of the Platform are met. It is covered by the composite security objectives: O.IC Chip.
A.Res-Appl	O.Data Protection, O.Authentication, O.Leak Countermeasure, O.Open Platform	It is assumed in the Platform that all user data are owned by the Smartcard Embedded Software. It is covered by the composite security objectives: O.Data Protection, O.Authentication, O.Leak Countermeasure, O.Open Platform.
A.Key-Function	O.Leak Countermeasure	It is assumed in the Platform that functions which use key does not reveal related information. It is covered by the composite security objectives : O.Leak Countermeasure

8.6 Organizational Security Policies for the Platform

[Table 67] Compatibility between Organizational Security Policies of Platform and Composite Organizational Security Policies and Threats

Organizational Security Policies of Platform	Composite Organizational Security Policies and Threats	Compatibility
P.Process-TOE	P. Duty seperation	The organizational security policy of the Platform is relevant to P.Duty separation of the Composite security objective.
P.Add-Functions	P.Duty separation, P.IC Chip, T.Logical Attack, T.Abuse Issue, T.UnAuthorized IFD, T.UnAuthorized App, T.Information Leakage, T.Repeat authentication	The organizational security policy of the Platform is to provide smartcard embedded software with 3DES, AES, RSA, ECC and SHA. It is relevant and not contradictory P.Duty separation, P.IC Chip, T.Logical Attack, T.Abuse Issue, T.UnAuthorized IFD, T.UnAuthorized App, T.Information Leakage, T.Repeat authentication

8.7 Threats of the Platform

[Table 68] Compatibility between Platform Threats and Composite Threats

Platform Threats	Composite Threats	Compatibility
T.Leak-Inherent	T.Information Leakage, T. Unexpected malfunction, T.Abnormal malfunction	The threat of the Platform is compatible with the threats of the Composite Threats.
T.Phys-Probing	T.Information Leakage, T.Abnormal malfunction	The threat of the Platform is compatible with the threats of the Composite Threats.
T.Malfunction	T.Information Leakage, T.Abnormal malfunction	The threat of the Platform is compatible with the threats of the Composite Threats.
T.Phys-Manipulation	T.Information Leakage,	The threat of the Platform is compatible with the threats of the Composite Threats.
T.Leak-Forced	T.Information Leakage, T.Unexpected malfunction, T.Abnormal malfunction	The threat of the Platform is compatible with the threats of the Composite Threats.
T.Abuse-Func	T.Abuse Issue, T.UnAuthorized App	The threat of the Platform is compatible with the threats of the Composite Threats.
T.RND	T.Logical Attack,	The threat of the Platform is compatible with the

	T.UnAuthorized IFD, T. UnAuthorized App, T.Repeat Authentication, T.Abnormal malfunction, T.Information	threats of the Composite Threats.
T.Mem-Access	Leakage, -	The threat of the Platform T.Mem-Access is mapped to the O.Mem-Access of the Platform and there is no Composite security objectives relevant of O.Mem-Access of the Platform. Therefore, T.Mem-Access is excluded from the scope of analysis

9. Annex

9.1 References

- [R1] Korea IT Security Evaluation and Certification Scheme, Ministry of Science, ICT and Future Planning Notice No. 2013-51, 2013. 8. 8
- [R2] Korea IT Security Evaluation and Certification Guidance, Ministry of Science, ICT and Future Planning Notice No. 2013-52, 2013. 8. 8
- [R3] Common Criteria for Information Technology Security Evaluation, Part 1, Version 3.1, Revision 4, September 2012, CCMB-2012-09-001
- [R4] Common Criteria for Information Technology Security Evaluation, Part 2, Version 3.1, Revision 4, September 2012, CCMB-2012-09-002
- [R5] Common Criteria for Information Technology Security Evaluation, Part 3, Version 3.1, Revision 4, September 2012, CCMB-2012-09-003
- [R6] Smart Card Open Platform Protection Profile V2.2, 2010. 12. 20
- [R7] Java Card[™] System Protection Profile Collection Version 1.0b, Sun Microsystems, August 2003
- [R8] Protection Profile Smart Card IC with Multi-Application Secure Platform Version 2.0, European Smart Card Industry Association, November 2000
- [R9] Smart Card Protection Profile Version 3.0(SCSUG-SCPP), Smart Card Security User Group, September 2001
- [R10] GlobalPlatform 2.1.1 Card Specification (March 2003), including Amendment A and Errata Precision List 1.3(December 2004)
- [R11] Visa GlobalPlatform 2.1.1 Card Implementation Requirements, Version 2.0, July 2007
- [R12] Application Programming Interface, Java Card™ Platform, Version 2.2.2, March 2006
- [R13] Runtime Environment Specification, Java Card[™] Platform, Version 2.2.2, March 2006
- [R14] Virtual Machine Specification, Java Card[™] Platform, Version 2.2.2, March 2006
- [R15] Security Target Lite of Samsung S3CT9KW/S3CT9KC/S3CT9K9 16-bit RISC Microcontroller for Smart Card with optional Secure RSA and ECC Library including specific IC Dedicated Software, Version 2.2 26th September, 2012, ANSSI-CC-2012/72
- [R16] Security Target Lite of Samsung S3CT9KA/ S3CT9K7/ S3CT9K3 16-bit RISC Microcontroller for Smart Card with optional Secure RSA and ECC Library including specific IC Dedicated Software, Version 1.0 20th April, 2011, BSI-DSZ-CC-0719-2011
- [R17] FIPS PUB 180-1: FEDERAL INFORMATION PROCESSING STANDARDS PUBLICATION, SECURE HASH STANDARD, 1995 April 17
- [R18] FIPS PUB 180-3: FEDERAL INFORMATION PROCESSING STANDARDS PUBLICATION, SECURE HASH STANDARD, October 2008
- [R19] FIPS PUB 197: Federal Information Processing Standards Publication 197, Announcing the ADVANCED ENCRYPTION STANDARD (AES), November 26, 2001
- [R20] FIPS PUB 46-3: FEDERAL INFORMATION PROCESSING STANDARDS PUBLICATION, DATA ENCRYPTION STANDARD (DES), Reaffirmed 1999 October 25, U.S. DEPARTMENT OF COMMERCE/National Institute of Standards and Technology
- [R21] PKCS #1: RSA Encryption Standard, An RSA Laboratories Technical Note, Version 2.1, June 14, 2002

[R22] ISO/IEC 9796-2:2002: Information technology – Security techniques – Digital signature schemes giving message recovery – Part 2: Integer factorization based mechanisms

[R23] ISO/IEC 9797-1:1999: Information technology – Security techniques – Message Authentication Codes (MACs) – Part 1: Mechanisms using a block cipher

[R24] Bundesanzeiger Nr. 59, Bekanntmachung zur elektronischen Signatur nach dem Signaturgesetz und der Signaturverordnung (Übersicht über geeignete Algorithmen), Regulierungsbehörde für Telekommunikation und Post, 2005-03-30

[R25] Electronic Signatures and Infrastructures (ESI); Algorithms and Parameters for Secure Electronic Signatures; Part 1: Hash functions and asymmetric algorithms, ETSI TS 102 176-1 V1.2.1 (2005-07)

[R26] American National Standard X9.62-2005, Public Key Cryptography for the Financial Services Industry, The Elliptic Curve Digital Signature Algorithm (ECDSA), November 16, 2005.

[R27] American National Standard X9.63-2001, Public Key Cryptography for the Financial Services Industry: Key Agreement and Key Transport Using Elliptic Curve Cryptography, November 20, 2001.

[R28] ISO/IEC 9796-1: Information technology – Security techniques – Digital signature schemes giving message recovery – Part 1: Mechanisms using redundancy

[R29] Visa GlobalPlatform 2.1.1 Card Production Guide Version 1.03, April 2007

[R30] Composite product evaluation for Smart Cards and similar devices, Version 1.0 Revision 1, CCDB-2007-09-001, 2007.09

9.2 Abbreviated terms

AES	Advanced Encryption Standard
AID	Applet Identifier
ANSI	American National Standards Institute
APDU	Application Protocol Data Unit
API	Application Programming Interface
ARIA	Cryptographic Algorithm "Academy, Research Institute, Agency"
CBC	Cipher Block Chaining
CC	Common Criteria
CF	Cryptographic Function
CM	Card Manager
COS	Card Operating System
CPU	Central Processing Unit
DAP	Data Authentication Pattern
DES	Data Encryption Standard
DH	Diffie-Hellman
DM	Delegated Management

[JK21-TR-0001]

EAL Evaluation Assurance Level

ECC Elliptic Curve Cryptography

ECDH Elliptic Curve Diffie-Hellman

ECDSA Elliptic Curve Digital Signature Algorithm

EEPROM Electrically Erasable Programmable Read-Only Memory

GP Global Platform

IC Integrated Circuit

IFD Interface Device

IK Implementor Key

ISO International Organization for Standardization

JCAPI Java Card Application Programming Interface

JCRE Java Card Runtime Environment

JCVM Java Card Virtual Machine

MAC Message Authentication Code

OSP Organizational Security Policy

PCD Proximity Coupling Device

PICC Proximity Card

PP Protection Profile

RF Radio Frequency

RAM Random Access Memory

ROM Read-Only Memory

RNG Random Number Generation

RSA Cryptographic Algorithm "Rivest, Shamir, Adleman"

SCOP Smart Card Open Platform

SFP Security Function Policy

SFR Security Functional Requirement

ST Security Target

TDES Triple-DES

TK Transport Key

TOE Target of Evaluation

TRNG True Random Number Generation

TSF TOE Security Functionality

1-TR-0001]	Security Target-L	∠ite
	F 40 mil 8 mil 9 m	

98/98