

# Acronis SCS

## Acronis Cyber Backup 12.5 SCS Hardened Edition Agent

v12.5

# Security Target

Document Version: 0.11

Prepared for:

The logo for Acronis SCS, featuring the word "Acronis" in blue with a red and white striped graphic to the left of the 'A', followed by "SCS" in blue.

**Acronis SCS**

6370 E. Thomas Road, Suite 250  
Scottsdale, AZ 85251  
United States of America

Phone: +1 781 782 9000

[www.acronisscs.com](http://www.acronisscs.com)

Prepared by:



**Corsec Security, Inc.**

13921 Park Center Road, Suite 460  
Herndon, VA 20171  
United States of America

Phone: +1 703 267 6050

[www.corsec.com](http://www.corsec.com)

# Table of Contents

---

1.	Introduction .....	4
1.1	Purpose .....	4
1.2	Security Target and TOE References .....	4
1.3	Product Overview.....	5
1.3.1	Product Components.....	5
1.4	TOE Overview.....	6
1.4.1	TOE Environment.....	7
1.5	TOE Description.....	8
1.5.1	Physical Scope .....	8
1.5.2	Logical Scope .....	10
1.5.3	Product Physical/Logical Features and Functionality not included in the TOE .....	11
1.5.4	Scope of Evaluation .....	11
2.	Conformance Claims.....	12
3.	Security Problem Definition.....	13
3.1	Threats .....	13
3.2	Assumptions.....	13
3.3	Organizational Security Policies .....	13
4.	Security Objectives .....	14
4.1	Security Objectives for the TOE .....	14
4.2	Security Objectives for the Operational Environment.....	14
4.3	Security Objectives Rationale .....	15
5.	Extended Components .....	16
5.1	Extended TOE Security Functional Components .....	16
5.2	Extended TOE Security Assurance Components.....	16
6.	Security Assurance Requirements .....	17
7.	Security Functional Requirements.....	18
7.1	Conventions .....	18
7.2	Security Functional Requirements .....	18
7.2.1	Class FCS: Cryptographic Support.....	19
7.2.2	Class FDP: User Data Protection.....	22
7.2.3	Class FIA: Identification and Authentication .....	23
7.2.4	Class FMT: Security Management .....	24
7.2.5	Class FPR: Privacy .....	24
7.2.6	Class FPT: Protection of the TSF .....	24
7.2.7	Class FTP: Trusted Path/Channel.....	26
8.	TOE Summary Specification .....	27
8.1	TOE Security Functionality .....	27
8.1.1	Cryptographic Support .....	28
8.1.2	User Data Protection .....	30
8.1.3	Identification and Authentication .....	30
8.1.4	Security Management .....	31
8.1.5	Privacy .....	32
8.1.6	Protection of the TSF.....	32

- 8.1.7 Trusted Path/Channels ..... 33
- 8.2 Timely Security Updates ..... 33
- 9. Rationale ..... 35
  - 9.1 Conformance Claims Rationale ..... 35
    - 9.1.1 Variance Between the PP and this ST ..... 35
    - 9.1.2 Security Assurance Requirements Rationale ..... 35
- 10. Acronyms ..... 36
- Appendix A: Supported Platform APIs ..... 38
- Appendix B: Included Third-party Libraries ..... 39

## List of Figures

- Figure 1 – Physical TOE Boundary .....9

## List of Tables

- Table 1 – ST and TOE References .....4
- Table 2 – Environmental Components .....7
- Table 3 – Guidance Documentation .....9
- Table 4 – CC and PP Conformance ..... 12
- Table 5 – Threats ..... 13
- Table 6 – Assumptions..... 13
- Table 7 – Security Objectives for the TOE ..... 14
- Table 8 – Security Objectives for the Operational Environment..... 15
- Table 9 – Extended TOE Security Assurance Components..... 16
- Table 10 – Security Assurance Requirements ..... 17
- Table 11 – TOE Security Functional Requirements ..... 18
- Table 12 – Mapping of TOE Security Functionality to Security Functional Requirements..... 27
- Table 13 – Cryptographic Algorithms and Key Sizes ..... 28
- Table 14 – Acronyms ..... 36
- Table 15 – Included Third-party Windows Libraries..... 39
- Table 16 – Included Third-party Linux Libraries ..... 39

# 1. Introduction

This section identifies the Security Target (ST), Target of Evaluation (TOE), and the organization of the ST. The TOE is the Acronis Cyber Backup 12.5 SCS Hardened Edition Agent developed by Acronis SCS and will hereafter be referred to as the TOE throughout this document. The TOE is the Backup Agent component of the Acronis Cyber Backup 12.5 SCS Hardened Edition solution, which consists of a Management Server and multiple Backup Agents. Backup Agents are responsible for performing specific backup, recovery, replication and data-manipulation tasks on their host machines. The Backup Agents are able to work independently from the Management Server to run their scheduled backup operations.

## 1.1 Purpose

This ST is divided into 10 sections, as follows:

- Introduction (Section 1) – Provides a brief summary of the ST contents and describes the organization of other sections within this document. It also provides an overview of the TOE security functionality and describes the physical and logical scope for the TOE as well as the ST and TOE references.
- Conformance Claims (Section 2) – Provides the identification of any Common Criteria (CC), Protection Profile (PP), and Evaluation Assurance Level (EAL) package claims. It also identifies whether the ST contains extended security requirements.
- Security Problem (Section 3) – Describes the threats, organizational security policies, and assumptions that pertain to the TOE and its environment.
- Security Objectives (Section 4) – Identifies the security objectives that are satisfied by the TOE and its environment.
- Extended Components (Section 5) – Identifies new components (extended Security Functional Requirements (SFRs) and extended Security Assurance Requirements (SARs)) that are not included in CC Part 2 or CC Part 3.
- Security Assurance Requirements (Section 6) – Presents the SARs met by the TOE.
- Security Functional Requirements (Section 7) – Presents the SFRs met by the TOE.
- TOE Summary Specification (Section 8) – Describes the security functions provided by the TOE that satisfy the SFRs and objectives.
- Rationale (Section 9) – Presents the conformance claims rationale for the selected PP.
- Acronyms (Section 10) – Defines the acronyms used within this ST.

## 1.2 Security Target and TOE References

Table 1 below shows the ST and TOE references.

**Table 1 – ST and TOE References**

<b>ST Title</b>	<i>Acronis SCS Acronis Cyber Backup 12.5 SCS Hardened Edition Agent v12.5 Security Target</i>
<b>ST Version</b>	Version 0.10
<b>ST Author</b>	Corsec Security, Inc.
<b>ST Publication Date</b>	July 16, 2020

Acronis Cyber Backup 12.5 SCS Hardened Edition Agent v12.5

## 1.3 Product Overview

The Product Overview provides a high-level description of the product that is the subject of the evaluation. The following section, TOE Overview, will provide the introduction to the parts of the overall product offering that are specifically being evaluated.

Acronis Cyber Backup 12.5 SCS Hardened Edition is an advanced data protection solution that provides reliable backup and recovery of physical, virtual, and cloud workloads with a wide range of storage options. It may be used to protect data residing on-premises, in remote locations, in the cloud, and on mobile devices. Centralized and remote management of backups is performed via the Management Server's web-based Management Console, with customizable dashboards, advanced reporting, and auditing. Backup Agents installed on protected platforms perform data backup and recovery of physical or virtual machines, hypervisors, applications, and mobile devices. Acronis Cyber Backup 12.5 SCS Hardened Edition supports application-aware backup and recovery features for Oracle database, Microsoft Office 365, Microsoft Exchange, Microsoft SQL<sup>1</sup> Server, Microsoft SharePoint, and Microsoft Active Directory.

Acronis Cyber Backup 12.5 SCS Hardened Edition may be deployed in an on-premise or cloud configuration. With the on-premise configuration, the Management Server is installed on a customer's local network. With the cloud configuration, it is installed in a secure Acronis Data Center. Both the Management Server and Backup Agents are supported on both Windows and Linux platforms.

Acronis Cyber Backup 12.5 SCS Hardened Edition includes the Acronis SCS Cryptographic Library and Acronis SCS Protocol Library in both the Management Server and Backup Agents. They provide the underlying cryptographic and protocol functionality necessary to support the use of secure communications protocols, encrypted backups, and secure file sharing.

### 1.3.1 Product Components

The following paragraphs provide a brief description of the product components.

#### 1.3.1.1 Management Server

The Management Server provides the means to configure, monitor, and manage backups and provides the web server (Web UI) for the Management Console. The Management Server is comprised of a number of management services responsible for management functions of Acronis Cyber Backup 12.5 SCS Hardened Edition. The Management Server also includes an API<sup>2</sup> Gateway to communicate with the Backup Agents. The Management Server does not actually perform backup, recovery, or other data-manipulation operations. These are performed by the Backup Agents installed on each protected machine.

The Management Console allows an administrator to create a backup plan, or set of rules, to specify how data will be backed up on a given machine. This includes specifying what to back up (for example, disks or volumes), where to back it up to, and the schedule (by event or time) for backups. The same backup plan can be applied to groups

---

<sup>1</sup> SQL – Structured Query Language

<sup>2</sup> API – Application Programming Interface

Acronis Cyber Backup 12.5 SCS Hardened Edition Agent v12.5

of machines of the same type to simplify management of a large number of machines. Backup infrastructures can be organized into departments allowing for role-based administration of separate resources. The Management Server also allows a user to recover an entire machine or individual files, folders, VM<sup>3</sup>s, or databases from a backup. The Management Server uses a built-in SQLite database by default to store its operational data but may be configured at installation to use Microsoft SQL server instead.

The Acronis Cyber Backup 12.5 SCS Hardened Edition Monitoring Service provides monitoring and reporting features. Its dashboard provides a number of customizable, dynamic widgets that give an overview of a backup infrastructure and backed-up devices, allowing an administrator to easily monitor the current state of a backup infrastructure. The reporting feature generates on-demand and scheduled reports about the backup infrastructure. The Reports section is available only with an Advanced license. The option to install the Monitoring Service component is provided through a custom install. If installed, the Management Console will show Dashboard and Reports sections under the Overview tab.

### 1.3.1.2 Backup Agents

Backup Agents are installed as a number of services to perform the actual backup and recovery operations on each machine that requires protection. They are typically installed on each machine that requires protection and then added to the Management Server. However, they are able to operate independently from the Management Server. Backup Agents are supported on both Windows and Linux OS<sup>4</sup>s. Different agent types are used to protect different data sources, but they all share the same architecture, communication protocols, and the vast majority of the functionality.

A command-line interface (CLI) is installed with the Backup Agents to allow for management of the Backup Agents separately from the Management Console.

### 1.3.1.3 Version-Check Tool

A separately installed version-check tool can be found in Acronis's GitHub repository to allow the user to check the version of the Backup Agent currently running on the platform. If an internet connection is present, the script will compare the Backup Agent's installed version to the version in the repository and display whether or not an update is available. If no internet connection is present, the script will compare the Backup Agent's version against the version contained within the script and display whether or not an update is available.

## 1.4 TOE Overview

The TOE Overview summarizes the usage and major security features of the TOE. The TOE Overview provides a context for the TOE evaluation by identifying the TOE type, describing the product, and defining the specific evaluated configuration.

The software-only TOE is the Acronis Cyber Backup 12.5 SCS Hardened Edition Agent v12.5. It is a standalone software application that runs on both Windows and Linux operating systems and provides backup and restore functionality for the host machine. Its security features include securely storing the application token, checking for updates and patches to the application software, using a digital signature to protect the integrity of the installation and update files, versioning the software with SWID tags, and using anti-exploitation capabilities such as not mapping memory to explicit addresses, file permission protections, and stack buffer overflow protections.

---

<sup>3</sup> VM – Virtual Machine

<sup>4</sup> OS – Operating System

---

Acronis Cyber Backup 12.5 SCS Hardened Edition Agent v12.5

It also secures communications between itself and the Management Server. The TOE implements the cryptographic functionality for cryptographic services, including TLS<sup>5</sup> v1.2, through its embedded Acronis SCS Cryptographic Library and Acronis SCS Protocol Library. The TOE also includes the separately downloaded version-check tool that will query the current version of the TOE and report if an update is available.

In the evaluated configuration, the TOE is setup in two configurations: one where the Windows Agent is installed on a Windows 10 machine that is on a network connected to the Management Server in the TOE environment, and the other is where the Linux Agent is installed on a RHEL v7.6 machine on a network connected to the Management Server in the TOE environment. Note that both of these configurations can be setup and used on the same network and use the same Management Server without interfering with each other. Both setups will also include separate installations of the version-check tool on the same machine as the Backup Agent.

The Protection Profile for Application Software specifies several use cases that may be implemented by conformant TOEs. The Acronis Cyber Backup 12.5 SCS Hardened Edition Agent is considered to implement both content creation and content consumption.

### 1.4.1 TOE Environment

Table 2 defines the environmental component requirements. In the evaluated configuration, the TOE is provided as an Acronis Cyber Backup 12.5 SCS Hardened Edition setup program. The TOE is installed on a computer running either Microsoft Windows 10 or RHEL v7.6.

**Table 2 – Environmental Components**

Component	Requirements
Management Server	This machine is used to host the Management Server software and Monitoring Service. The following are required: <ul style="list-style-type: none"> <li>• Microsoft Windows Server 2016 OS</li> <li>• Acronis Cyber Backup 12.5 SCS Hardened Edition Server v12.5 software with licenses</li> <li>• 200 MB<sup>6</sup> of RAM<sup>7</sup> and 1.7 GB<sup>8</sup> of free space on the system volume</li> <li>• Intel Xeon E-2136 CPU<sup>9</sup></li> </ul>
Windows Agent Computer	This machine is a general-purpose computer that will have the Windows Agent installed on it. The following are required: <ul style="list-style-type: none"> <li>• Microsoft Windows 10 OS</li> <li>• Acronis Cyber Backup 12.5 SCS Hardened Edition Agent for Windows v12.5 software</li> <li>• Acronis SCS Version-check v1.8</li> <li>• 720 MB disk space and 130 MB RAM</li> <li>• Intel Core i7-8650U CPU</li> </ul>

<sup>5</sup> TLS – Transport Layer Security

<sup>6</sup> MB – Megabyte

<sup>7</sup> RAM – Random-Access Memory

<sup>8</sup> GB – Gigabyte

<sup>9</sup> CPU – Central Processing Unit

Acronis Cyber Backup 12.5 SCS Hardened Edition Agent v12.5

Component	Requirements
Linux Agent Computer	<p>This machine is a general-purpose computer that will have the Linux Agent installed on it. The following are required:</p> <ul style="list-style-type: none"> <li>• RHEL v7.6 OS</li> <li>• Acronis Cyber Backup 12.5 SCS Hardened Edition Agent for Linux v12.5 software</li> <li>• Acronis SCS Version-check v1.8</li> <li>• 850 MB disk space and 150 MB RAM</li> <li>• Intel Core i5-8350U CPU</li> </ul>
CA <sup>10</sup> Server	<p>A CA server is used for certificate creation/signing and to host the CRL<sup>11</sup> for certificate validation. This connection is over HTTP<sup>12</sup>. No specific CA server is required as long as it follows RFC 5280.</p>

The TOE relies on an embedded SQLite database to store configuration data that is downloaded from the Management Server. This database is part of the TOE.

## 1.5 TOE Description

This section primarily addresses the physical and logical components of the TOE that are included in the evaluation.

### 1.5.1 Physical Scope

Figure 1 illustrates the physical scope and the physical boundary of the overall solution and ties together all of the components of the software-only TOE and the constituents of the TOE environment.

---

<sup>10</sup> CA – Certificate Authority

<sup>11</sup> CRL – Certificate Revocation List

<sup>12</sup> HTTP – Hypertext Transfer Protocol

Acronis Cyber Backup 12.5 SCS Hardened Edition Agent v12.5




Figure 1 – Physical TOE Boundary

The TOE Boundary includes all the Acronis SCS developed parts of the Acronis Cyber Backup 12.5 SCS Hardened Edition Agent product. Any third-party source code or software that Acronis SCS has modified is considered to be TOE Software.

### 1.5.1.1 Guidance Documentation

Table 3 lists the TOE Guidance Documentation to install, configure, and maintain the TOE.

Table 3 – Guidance Documentation

Document Name	Description
Acronis SCS Acronis Cyber Backup 12.5 SCS Hardened Edition User Guide	Contains steps for the basic initialization and setup of the TOE. Also contains guidance on how to use and maintain the TOE.
Acronis SCS Acronis Cyber Backup 12.5 SCS Hardened Edition Command-Line Reference	
Acronis SCS Acronis Cyber Backup 12.5 SCS Hardened Edition Agent v12.5 Guidance Documentation Supplement Document Version: 0.10	Contains information regarding specific configuration for the TOE evaluated configuration.

## 1.5.2 Logical Scope

The logical boundary of the TOE is broken down into the following security classes, which are further described in Sections 7 and 8 of this ST. The logical scope also provides the description of the security features of the TOE. The SFRs implemented by the TOE are usefully grouped under the following Security Function Classes.

### 1.5.2.1 Cryptographic Support

The TOE provides cryptographic functions to secure sessions between the Management Server and the TOE using TLS v1.2. The Acronis SCS Cryptographic Library and Acronis SCS Protocol Library are used to provide the required algorithms and protocols for all cryptographic operations. The TOE also stores its application token in the Windows Data Protection API (DPAPI) and the Linux keyring, depending on the OS.

### 1.5.2.2 User Data Protection

The TOE protects sensitive data in non-volatile memory according to the requirements in FCS\_STO\_EXT.1. The TOE restricts its access to network connectivity provided by the platform's hardware resources. Specifically, it will only use network connectivity for connections from itself to the Management Server, from itself to the CA server, and from itself to GitHub for version checking. The TOE does not access any of the platform's sensitive information repositories.

### 1.5.2.3 Identification and Authentication

To facilitate secure communications using TLS, the TOE provides a mechanism to validate X.509v3 certificates as defined by RFC<sup>13</sup> 5280. The TOE uses a CRL to check the certificate's revocation status and will not permit certificates to be used when the CRL is not available or if the certificate is invalid.

### 1.5.2.4 Security Management

The TOE does not provide default credentials. It uses the service accounts on the platform and does not have an authenticated user interface. The TOE does not provide any management features that write or change settings. Non-security-related settings are stored on the Management Server and are queried when performing tasks. The TOE and its data are protected against unauthorized access by default file permissions. Section 8.1.4 provides a list of security-relevant management functions provided by the TOE.

### 1.5.2.5 Privacy

The TOE does not transmit personally identifiable information (PII).

### 1.5.2.6 Protection of the TSF

The TOE does not allocate memory with both write and execute permissions and does not write user-modifiable files to directories that contain executable files. The TOE is compiled with the /GS flag to enable stack-based buffer overflow protection on the Windows Agent and Stack Smashing Protector (SSP) on the Linux Agent. Both agents are compatible with their platform's security features. The TOE uses standard platform APIs and includes only the third-party libraries it needs to perform its functionality. The TOE is versioned with SWID<sup>14</sup> tags that comply with the minimum requirements from ISO<sup>15</sup>/IEC<sup>16</sup> 19770-2:2015 and provides the ability to check for updates to the application software.

---

<sup>13</sup> RFC – Request for Comments

<sup>14</sup> SWID – Software Identification

<sup>15</sup> ISO – International Organization for Standardization

<sup>16</sup> IEC – International Electrotechnical Commission

---

Acronis Cyber Backup 12.5 SCS Hardened Edition Agent v12.5

The TOE is distributed as an additional software package to the platform OS. The TOE is packaged such that its removal results in the deletion of all traces of the application, except for configuration settings, output files, and audit/log events. The TOE does not download, modify, replace or update its own binary code.

#### **1.5.2.7 Trusted Path/Channels**

The TOE provides trusted channels using its cryptographic functions to encrypt transmitted sensitive data. The TOE secures communications using TLS v1.2 between itself and the Management Server.

### **1.5.3 Product Physical/Logical Features and Functionality not included in the TOE**

Features and Functionality that are not part of the evaluated configuration of the TOE are:

- Remote and cloud storage locations
- Cloud configuration deployments
- Functionality of the Management Server

### **1.5.4 Scope of Evaluation**

The evaluation is limited in scope to the secure features described in the *Protection Profile for Application Software v1.3; March 01, 2019* (AS PP) and the *Functional Package for Transport Layer Security (TLS), Version 1.1, 12 February 2019* (TLS-PKG) and detailed in Section 1.5.2.

## 2. Conformance Claims

This section provides the identification for any CC, PP, Technical Decisions (TD), and EAL package conformance claims. Rationale is provided for any extensions or augmentations to the conformance claims. Rationale for CC and PP conformance claims can be found in Section 9.1.

**Table 4 – CC and PP Conformance**

<p><b>Common Criteria (CC) Identification and Conformance</b></p>	<p>Common Criteria for Information Technology Security Evaluation, Version 3.1, Revision 5, April 2017; CC Part 2 extended; CC Part 3 extended; PP claim to the <i>Protection Profile for Application Software v1.3; March 01, 2019</i> conformant; <i>Functional Package for Transport Layer Security (TLS), Version 1.1, 12 February 2019</i>.</p>
<p><b>PP Identification</b></p>	<p>Exact Conformance<sup>17</sup> to the <i>Protection Profile for Application Software v1.3; March 01, 2019</i> and the <i>Functional Package for Transport Layer Security (TLS), Version 1.1, 12 February 2019</i>.</p>
<p><b>TD Conformance</b></p>	<p>Conformance to the following TDs and Technical Queries are claimed for the Application Software PP:</p> <ul style="list-style-type: none"> <li>• TD0521: Updates to Certificate Revocation (FIA_X509_EXT.1)</li> <li>• TD0519: Linux symbolic links and FMT_CFG_EXT.1</li> <li>• TD0498: Application Software PP Security Objectives and Requirements Rationale</li> <li>• TD0495: FIA_x509_EXT.1.2 Test Clarification</li> <li>• TD0465: Configuration Storage for .NET Apps</li> <li>• TD0445: User Modifiable File Definition</li> <li>• TD0437: Supported Configuration Mechanism</li> <li>• TD0435: Alternative to SELinux for FPT_AEX_EXT.1.3</li> <li>• TD0434: Windows Desktop Applications Test</li> <li>• TD0427: Reliable Time Source</li> <li>• TD0416: Correction to FCS_RBG_EXT.1 Test Activity</li> </ul> <p>Conformance to the following TDs is claimed for the TLS functional package:</p> <ul style="list-style-type: none"> <li>• TD0442: Updated TLS Ciphersuites for TLS Package</li> <li>• TD0513: CA Certificate loading</li> <li>• TD0499: Testing with pinned certificates</li> </ul>

<sup>17</sup> Exact Conformance is a type of strict conformance such that the set of SFRs and the SPD/Objectives are exactly as presented within the accepted PP and Extended PP without changes.

# 3. Security Problem Definition

This section describes the security aspects of the environment in which the TOE will be used and the manner in which the TOE is expected to be employed. It provides the statements for the TOE security environment’s threats, assumptions, and Organizational Security Policies (OSPs) as identified in the AS PP.

## 3.1 Threats

Table 5 describes the threats that the TOE is expected to address as defined in the AS PP.

**Table 5 – Threats**

Threat	Description
T.LOCAL_ATTACK	An attacker can act through unprivileged software on the same computing platform on which the application executes. Attackers may provide maliciously formatted input to the application in the form of files or other local communications.
T.NETWORK_ATTACK	An attacker is positioned on a communications channel or elsewhere on the network infrastructure. Attackers may engage in communications with the application software or alter communications between the application software and other endpoints in order to compromise it.
T.NETWORK_EAVESDROP	An attacker is positioned on a communications channel or elsewhere on the network infrastructure. Attackers may monitor and gain access to data exchanged between the application and other endpoints.
T.PHYSICAL_ACCESS	An attacker may try to access sensitive data at rest.

## 3.2 Assumptions

Table 6 describes the assumptions that are assumed to exist in the TOE’s operating environment as defined in the AS PP.

**Table 6 – Assumptions**

Assumption	Description
A.PLATFORM	The TOE relies upon a trustworthy computing platform with a reliable time clock for its execution. This includes the underlying platform and whatever runtime environment it provides to the TOE.
A.PROPER_ADMIN	The administrator of the application software is not careless, willfully negligent or hostile, and administers the software in compliance with the applied enterprise security policy.
A.PROPER_USER	The user of the application software is not willfully negligent or hostile, and uses the software in compliance with the applied enterprise security policy.

## 3.3 Organizational Security Policies

There are no OSPs defined in the AS PP.

# 4. Security Objectives

This section identifies the security objectives for the TOE and its supporting environment.

## 4.1 Security Objectives for the TOE

Table 7 describes the security objectives that the TOE is required to meet as defined in the AS PP.

**Table 7 – Security Objectives for the TOE**

Objective	Description
O.INTEGRITY	<p>Conformant TOEs ensure the integrity of their installation and update packages, and also leverage execution environment-based mitigations. Software is seldom, if ever, shipped without errors. The ability to deploy patches and updates to fielded software with integrity is critical to enterprise network security. Processor manufacturers, compiler developers, execution environment vendors, and operating system vendors have developed execution environment-based mitigations that increase the cost to attackers by adding complexity to the task of compromising systems. Application software can often take advantage of these mechanisms by using APIs provided by the runtime environment or by enabling the mechanism through compiler or linker options.</p> <p>Addressed by: FDP_DEC_EXT.1, FMT_CFG_EXT.1, FPT_AEX_EXT.1, FPT_TUD_EXT.1</p>
O.MANAGEMENT	<p>To facilitate management by users and the enterprise, conformant TOEs provide consistent and supported interfaces for their security-relevant configuration and maintenance. This includes the deployment of applications and application updates through the use of platform-supported deployment mechanisms and formats, as well as providing mechanisms for configuration. This also includes providing control to the user regarding disclosure of any PII.</p> <p>Addressed by: FMT_SMF.1, FPT_IDV_EXT.1, FPT_TUD_EXT.1, FPR_ANO_EXT.1, FCS_COP.1(3)</p>
O.PROTECTED_COMMS	<p>To address both passive (eavesdropping) and active (packet modification) network attack threats, conformant TOEs will use a trusted channel for sensitive data. Sensitive data includes cryptographic keys, passwords, and any other data specific to the application that should not be exposed outside of the application.</p> <p>Addressed by: FTP_DIT_EXT.1, FCS_RBG_EXT.1, FCS_RBG_EXT.2, FCS_CKM_EXT.1, FCS_CKM.2, FCS_HTTPS_EXT.1, FDP_NET_EXT.1, FIA_X509_EXT.1</p>
O.PROTECTED_STORAGE	<p>To address the issue of loss of confidentiality of user data in the event of loss of physical control of the storage medium, conformant TOEs will use data-at-rest protection. This involves encrypting data and keys stored by the TOE in order to prevent unauthorized access to this data. This also includes unnecessary network communications whose consequence may be the loss of data.</p> <p>Addressed by: FDP_DAR_EXT.1, FCS_STO_EXT.1, FCS_RBG_EXT.1, FCS_CKM.1(3), FCS_COP.1(1), FCS_COP.1(2), FCS_COP.1(4)</p>
O.QUALITY	<p>To ensure quality of implementation, conformant TOEs leverage services and APIs provided by the runtime environment rather than implementing their own versions of these services and APIs. This is especially important for cryptographic services and other complex operations such as file and media parsing. Leveraging this platform behavior relies upon using only documented and supported APIs.</p> <p>Addressed by: FMT_MEC_EXT.1, FPT_API_EXT.1, FPT_API_EXT.2, FPT_LIB_EXT.1, FPT_TUD_EXT.2, FCS_CKM.1(1)</p>

## 4.2 Security Objectives for the Operational Environment

Table 8 describes the security objectives that the TOE’s operating environment is required to meet as defined in the AS PP.

Acronis Cyber Backup 12.5 SCS Hardened Edition Agent v12.5

**Table 8 – Security Objectives for the Operational Environment**

Assumption	Description
OE.PLATFORM	The TOE relies upon a trustworthy computing platform for its execution. This includes the underlying operating system and any discrete execution environment provided to the TOE.
OE.PROPER_ADMIN	The administrator of the application software is not careless, willfully negligent or hostile, and administers the software within compliance of the applied enterprise security policy.
OE.PROPER_USER	The user of the application software is not willfully negligent or hostile, and uses the software within compliance of the applied enterprise security policy.

## 4.3 Security Objectives Rationale

Please refer to section 4.3 of the AS PP for a description of how the assumptions, threats, and organizational security policies map to the security objectives defined in the AS PP.

## 5. Extended Components

---

This section defines the extended SFRs and extended SARs met by the TOE.

### 5.1 Extended TOE Security Functional Components

Table 11 in section 7.2 below identifies the extended SFRs implemented by the TOE. These extended SFRs' definitions are not repeated in this ST because they are taken directly from the AS PP and TLS-PKG.

### 5.2 Extended TOE Security Assurance Components

Table 9 identifies the extended SARs claimed for the TOE. These extended SARs' definitions are taken directly from the AS PP and are not repeated in this ST.

**Table 9 – Extended TOE Security Assurance Components**

Name	Description
ALC_TSU_EXT.1	Timely Security Updates

## 6. Security Assurance Requirements

The AS PP identifies the SARs to frame the extent to which the evaluator assesses the documentation applicable for the evaluation and performs independent testing.

This section lists the set of SARs that are required in evaluations against the AS PP. The AS PP is conformant to Parts 2 (extended) and 3 (extended) of CC V3.1, Revision 5.

The general model for evaluation of TOEs against STs written to conform to PPs is as follows: after the ST has been approved for evaluation, the ITSEF<sup>18</sup> will obtain the TOE, supporting environment (if required), and the guidance documentation for the TOE. The ITSEF is expected to perform actions mandated by the Common Evaluation Methodology (CEM) for the ASE and ALC SARs. The ITSEF also performs the Assurance Activities contained within the AS PP. The Assurance Activities that are captured in the AS PP also provide clarification as to what the developer needs to provide to demonstrate the TOE is compliant with the PP.

The TOE security assurance requirements are identified in Table 10.

**Table 10 – Security Assurance Requirements**

Assurance Requirements	
Security Target (ASE)	Conformance claims (ASE_CCL.1)
	Extended components definition (ASE_ECD.1)
	ST introduction (ASE_INT.1)
	Security objectives (ASE_OBJ.1)
	Security requirements (ASE_REQ.1)
	Security problem definition (ASE_SPD.1)
	TOE summary specification (ASE_TSS.1)
Development (ADV)	Basic functional specification (ADV_FSP.1)
Guidance documents (AGD)	Operational user guidance (AGD_OPE.1)
	Preparative procedures (AGD_PRE.1)
Life Cycle Support (ALC)	Labeling of the TOE (ALC_CMC.1)
	TOE CM <sup>19</sup> coverage (ALC_CMS.1)
	Timely Security Updates (ALC_TSU_EXT.1)
Tests (ATE)	Independent testing – Conformance (ATE_IND.1)
Vulnerability assessment (AVA)	Vulnerability survey (AVA_VAN.1)

<sup>18</sup> ITSEF – Information Technology Security Evaluation Facility

<sup>19</sup> CM – Configuration Management

Acronis Cyber Backup 12.5 SCS Hardened Edition Agent v12.5

# 7. Security Functional Requirements

The individual SFRs are specified in the sections below. SFRs in this section are mandatory SFRs that any conformant TOE must meet. Based on selections made in these SFRs, it will also be necessary to include some of the selection-based SFRs in Appendix B. Optional or Objective SFRs may also be adopted from those listed in Appendix A and Appendix C respectively.

The Assurance Activities defined in AS PP describe actions that the evaluator will take in order to determine compliance of a particular TOE with the SFRs. The content of these Assurance Activities will therefore provide more insight into deliverables required from TOE Developers.

## 7.1 Conventions

The conventions used in descriptions of the SFRs are as follows:

- Refinement: Indicated with bold text (e.g., [**refinement**]).
- Selection: Indicated with underlined text surrounded by brackets (e.g., [selection]).
- Assignment: Indicated with italicized text surrounded by brackets (e.g., [*assignment*]).
- Assignment within a Selection: Indicated with italicized and underlined text surrounded by brackets (e.g., [*assignment within a selection*]).
- Refinement within a Selection: Indicated with bold and underlined text surrounded by brackets (e.g., [**assignment within a selection**]).
- Iteration: Indicated by appending the iteration number in parenthesis, e.g., (1), (2), (3).
- Extended SFRs are identified by having a label ‘EXT’ at the end of the SFR name.

Operations such as assignments and selections performed by the PP author are identified as shown above; however, they do not appear within brackets. This is done intentionally to delineate between selections or assignments made by the PP author and those made by the ST author. No refinements have been made by the ST author other than grammatical and formatting corrections, or those made in places where a table reference differs from that of the PP.

## 7.2 Security Functional Requirements

This section specifies the SFRs for the TOE and organizes the SFRs by CC class. Table 11 identifies all SFRs implemented by the TOE and indicates the ST operations performed on each requirement. Note that some column headers use the following abbreviations: S=Selection; A=Assignment; R=Refinement; I=Iteration.

**Table 11 – TOE Security Functional Requirements**

Name	Description	S	A	R	I
<b>Required SFRs</b>					
FCS_RBG_EXT.1	Random Bit Generation Services	✓			
FCS_CKM_EXT.1	Cryptographic Key Generation Services	✓			
FCS_STO_EXT.1	Storage of Credentials	✓	✓		

Name	Description	S	A	R	I
FDP_DAR_EXT.1	Encryption of Sensitive Application Data	✓			
FDP_DEC_EXT.1	Access to Platform Resources	✓	✓		
FDP_NET_EXT.1	Network Communications	✓	✓		
FMT_CFG_EXT.1	Secure by Default Configuration				
FMT_MEC_EXT.1	Supported Configuration Mechanism				
FMT_SMF.1	Specification of Management Functions	✓	✓		
FPR_ANO_EXT.1	User Consent for Transmission of Personally Identifiable Information	✓			
FPT_AEX_EXT.1	Anti-Exploitation Capabilities	✓	✓		
FPT_API_EXT.1	Use of Supported Services and APIs				
FPT_IDV_EXT.1	Software Identification and Versions	✓	✓		
FPT_LIB_EXT.1	User of Third Party Libraries		✓		
FPT_TUD_EXT.1	Integrity for Installation and Update	✓			
FPT_DIT_EXT.1	Protection of Data in Transit	✓			
Selection-based SFRs					
FCS_CKM.1(1)	Cryptographic Asymmetric Key Generation	✓		✓	✓
FCS_CKM.2	Cryptographic Key Establishment	✓		✓	
FCS_COP.1(1)	Cryptographic Operation – Encryption/Decryption	✓		✓	✓
FCS_COP.1(2)	Cryptographic Operation – Hashing	✓		✓	✓
FCS_COP.1(3)	Cryptographic Operation – Signing	✓		✓	✓
FCS_COP.1(4)	Cryptographic Operation – Keyed-Hash Message Authentication	✓	✓	✓	✓
FCS_RBG_EXT.2	Random Bit Generation from Application	✓			
FCS_TLS_EXT.1	TLS Protocol	✓			
FCS_TLSC_EXT.1	TLS Client Protocol	✓			
FCS_TLSC_EXT.4	TLS Client Support for Renegotiation				
FCS_TLSC_EXT.5	TLS Client Support for Supported Groups Extension	✓			
FIA_X509_EXT.1	X.509 Certificate Validation	✓			
FIA_X509_EXT.2	X.509 Certificate Authentication	✓			
FPT_TUD_EXT.2	Integrity for Installation and Update				

## 7.2.1 Class FCS: Cryptographic Support

### FCS\_CKM.1(1) Cryptographic Asymmetric Key Generation

#### FCS\_CKM.1.1(1)

The application shall [implement functionality] to generate asymmetric cryptographic keys in accordance with a specified cryptographic key generation algorithm [

- **RSA<sup>20</sup> schemes** using cryptographic key sizes of **2048 bit or greater** that meet the following: **FIPS PUB<sup>21</sup> 186-4, "Digital Signature Standard (DSS), Appendix B.3"**,
- **ECC<sup>22</sup> schemes** using "**NIST<sup>23</sup> curves**" **P-256, P-384 and [P-521]** that meet the following: **FIPS PUB 186-4, "Digital Signature Standard (DSS)", Appendix B.4**

].

## **FCS\_CKM.2 Cryptographic Key Establishment**

### **FCS\_CKM.2.1**

The application shall [implement functionality] to perform cryptographic key establishment in accordance with a specified cryptographic key establishment method: [

- **RSA-based key establishment schemes** that meets the following: **RSAES-PKCS1-v1 5 as specified in Section 7.2 of RFC 8017, "Public-Key Cryptography Standards (PKCS) #1: RSA Cryptography Specifications Version 2.1"**,
- **Elliptic curve-based key establishment schemes** that meets the following: **NIST Special Publication 800-56A, "Recommendation for Pair-Wise Key Establishment Schemes Using Discrete Logarithm Cryptography"**,

].

## **FCS\_CKM\_EXT.1 Cryptographic Key Generation Services**

### **FCS\_CKM\_EXT.1.1**

The application shall [implement asymmetric key generation].

## **FCS\_COP.1(1) Cryptographic Operation – Encryption/Decryption**

### **FCS\_COP.1.1(1)**

The **application** shall perform *encryption/decryption* in accordance with a specified cryptographic algorithm [

- **AES<sup>24</sup>-GCM<sup>25</sup>** (as defined in NIST SP<sup>26</sup> 800-38D) mode

] and cryptographic key sizes [128-bit, 256-bit] .

## **FCS\_COP.1(2) Cryptographic Operation – Hashing**

### **FCS\_COP.1.1(2)**

The **application** shall perform *cryptographic hashing* services in accordance with a specified cryptographic algorithm [SHA<sup>27</sup>-256, SHA-384] and message digest sizes [256, 384] bits that meet the following: FIPS Pub 180-4.

## **FCS\_COP.1(3) Cryptographic Operation – Signing**

### **FCS\_COP.1.1(3)**

---

<sup>20</sup> RSA – Rivest, Shamir, Adleman

<sup>21</sup> PUB – Publication

<sup>22</sup> ECC – Elliptic Curve Cryptography

<sup>23</sup> NIST – National Institute of Standards and Technology

<sup>24</sup> AES – Advanced Encryption Standard

<sup>25</sup> GCM – Galois Counter Mode

<sup>26</sup> SP – Special Publication

<sup>27</sup> SHA – Secure Hash Algorithm

The **application** shall perform *cryptographic signature services (generation and verification)* in accordance with a specified cryptographic algorithm [

- RSA schemes using cryptographic key sizes of 2048-bit or greater that meet the following: FIPS PUB 186-4, “Digital Signature Standard (DSS)”, Section 4

].

#### **FCS\_COP.1(4) Cryptographic Operation – Keyed-Hash Message Authentication**

##### **FCS\_COP.1.1(4)**

The **application** shall perform *keyed-hash message authentication* in accordance with a specified cryptographic algorithm

- HMAC<sup>28</sup>-SHA-256

and [

- SHA-384

] with key sizes [256, 384] and message digest sizes 256 and [384] bits that meet the following: FIPS Pub 198-1 *The Keyed-Hash Message Authentication Code* and FIPS Pub 180-4 *Secure Hash Standard*.

#### **FCS\_RBG\_EXT.1 Random Bit Generation Services**

##### **FCS\_RBG\_EXT.1.1**

The application shall [implement DRBG<sup>29</sup> functionality] for its cryptographic operations.

#### **FCS\_RBG\_EXT.2 Random Bit Generation from Application**

##### **FCS\_RBG\_EXT.2.1**

The application shall perform all deterministic random bit generation (DRBG) services in accordance with NIST Special Publication 800-90A using [CTR<sup>30</sup> DRBG (AES)].

##### **FCS\_RBG\_EXT.2.2**

The deterministic RBG<sup>31</sup> shall be seeded by an entropy source that accumulates entropy from a platform-based DRBG and [a hardware-based noise source] with a minimum of [256 bits] of entropy at least equal to the greatest security strength (according to NIST SP 800-57) of the keys and hashes that it will generate.

#### **FCS\_STO\_EXT.1 Storage of Credentials**

##### **FCS\_STO\_EXT.1.1**

The application shall [invoke the functionality provided by the platform to securely store *[the application token]*] to non-volatile memory.

#### **FCS\_TLS\_EXT.1 TLS Protocol**

##### **FCS\_TLS\_EXT.1.1**

The product shall implement [TLS as a client].

#### **FCS\_TLSC\_EXT.1 TLS Client Protocol**

##### **FCS\_TLSC\_EXT.1.1**

---

<sup>28</sup> HMAC – Hash-based Message Authentication Code

<sup>29</sup> DRBG – Deterministic Random Bit Generator

<sup>30</sup> CTR – Counter Mode

<sup>31</sup> RBG – Random Bit Generation

The product shall implement TLS 1.2 (RFC 5246) and [no earlier TLS versions] as a client that supports the cipher suites [

- TLS\_RSA\_WITH\_AES\_256\_GCM\_SHA384 as defined in RFC 5288,
- TLS\_ECDHE<sup>32</sup>\_RSA\_WITH\_AES\_128\_GCM\_SHA256 as defined in RFC 5289,
- TLS\_ECDHE\_RSA\_WITH\_AES\_256\_GCM\_SHA384 as defined in RFC 5289,

] and also supports functionality for [session renegotiation].

#### **FCS\_TLSC\_EXT.1.2**

The product shall verify that the presented identifier matches the reference identifier according to RFC 6125.

#### **FCS\_TLSC\_EXT.1.3**

The product shall not establish a trusted channel if the server certificate is invalid [with no exceptions].

### **FCS\_TLSC\_EXT.4 TLS Client Support for Renegotiation**

#### **FCS\_TLSC\_EXT.4.1**

The product shall support secure renegotiation through use of the “renegotiation\_info” TLS extension in accordance with RFC 5746.

### **FCS\_TLSC\_EXT.5 TLS Client Support for Supported Groups Extension**

#### **FCS\_TLSC\_EXT.5.1**

The product shall present the Supported Groups Extension in the Client Hello with the supported groups [

- secp256r1,
- secp384r1,
- secp521r1,

].

## **7.2.2 Class FDP: User Data Protection**

### **FDP\_DAR\_EXT.1 Encryption of Sensitive Application Data**

#### **FDP\_DAR\_EXT.1.1**

The application shall [protect sensitive data in accordance with FCS\_STO\_EXT.1] in non-volatile memory.

### **FDP\_DEC\_EXT.1 Access to Platform Resources**

#### **FDP\_DEC\_EXT.1.1**

The application shall restrict its access to [network connectivity].

#### **FDP\_DEC\_EXT.1.2**

The application shall restrict its access to [no sensitive information repositories].

### **FDP\_NET\_EXT.1 Network Communications**

#### **FDP\_NET\_EXT.1.1**

---

<sup>32</sup> ECDHE – Elliptic Curve Diffie Hellman Ephemeral

The application shall restrict network communication to [

- user-initiated communication for [checking for updates],
- [application-initiated TLS connections to the Management Server for configuration updates and HTTP network communication for access to a CA server]

].

## 7.2.3 Class FIA: Identification and Authentication

### **FIA\_X509\_EXT.1 X.509 Certificate Validation**

#### **FIA\_X509\_EXT.1.1**

The application shall [implement functionality] to validate certificates in accordance with the following rules:

- RFC 5280 certificate validation and certificate path validation.
- The certificate path must terminate with a trusted CA certificate.
- The application shall validate a certificate path by ensuring the presence of the basicConstraints extension, that the CA flag is set to TRUE for all CA certificates, and that any path constraints are met.
- The application shall validate that any CA certificate includes caSigning purpose in the key usage field.
- The application shall validate the revocation status of the certificate using [CRL as specified in RFC 5280 Section 6.3]
- The application shall validate the extendedKeyUsage (EKU) field according to the following rules:
  - Certificates used for trusted updates and executable code integrity verification shall have the Code Signing purpose (id-kp 3 with OID 1.3.6.1.5.5.7.3.3) in the extendedKeyUsage field.
  - Server certificates presented for TLS shall have the Server Authentication purpose (id-kp 1 with OID 1.3.6.1.5.5.7.3.1) in the EKU field.
  - Client certificates presented for TLS shall have the Client Authentication purpose (id-kp 2 with OID 1.3.6.1.5.5.7.3.2) in the EKU field.
  - S/MIME certificates presented for email encryption and signature shall have the Email Protection purpose (id-kp 4 with OID 1.3.6.1.5.5.7.3.4) in the EKU field.
  - OCSP certificates presented for OCSP responses shall have the OCSP Signing purpose (id-kp 9 with OID 1.3.6.1.5.5.7.3.9) in the EKU field.
  - Server certificates presented for EST shall have the CMC Registration Authority (RA) purpose (id-kp-cmcRA with OID 1.3.6.1.5.5.7.3.28) in the EKU field.

#### **FIA\_X509\_EXT.1.2**

The application shall treat a certificate as a CA certificate only if the basicConstraints extension is present and the CA flag is set to TRUE.

### **FIA\_X509\_EXT.2 X.509 Certificate Authentication**

#### **FIA\_X509\_EXT.2.1**

The application shall use X.509v3 certificates as defined by RFC 5280 to support authentication for [TLS].

#### **FIA\_X509\_EXT.2.2**

When the application cannot establish a connection to determine the validity of a certificate, the application shall [not accept the certificate].

## 7.2.4 Class FMT: Security Management

### FMT\_CFG\_EXT.1 Secure by Default Configuration

#### FMT\_CFG\_EXT.1.1

The application shall provide only enough functionality to set new credentials when configured with default credentials or no credentials.

#### FMT\_CFG\_EXT.1.2

The application shall be configured by default with file permissions which protect the application binaries and data files from modification by normal unprivileged users.

### FMT\_MEC\_EXT.1 Supported Configuration Mechanism

#### FMT\_MEC\_EXT.1.1

The application shall [invoke the mechanisms recommended by the platform vendor for storing and setting configuration options.]

### FMT\_SMF.1 Specification of Management Functions

#### FMT\_SMF.1.1

The TSF shall be capable of performing the following management functions [

- [Query the version of the TOE]
- [Check for updates to the TOE]

].

## 7.2.5 Class FPR: Privacy

### FPR\_ANO\_EXT.1 User Consent for Transmission of Personally Identifiable Information

#### FPR\_ANO\_EXT.1.1

The application shall [not transmit PII over a network].

## 7.2.6 Class FPT: Protection of the TSF

### FPT\_AEX\_EXT.1 Anti-Exploitation Capabilities

#### FPT\_AEX\_EXT.1.1

The application shall not request to map memory at an explicit address except for [no explicit exceptions].

#### FPT\_AEX\_EXT.1.2

The application shall [not allocate any memory region with both write and execute permissions].

#### FPT\_AEX\_EXT.1.3

The application shall be compatible with security features provided by the platform vendor.

**FPT\_AEX\_EXT.1.4**

The application shall not write user-modifiable files to directories that contain executable files unless explicitly directed by the user to do so.

**FPT\_AEX\_EXT.1.5**

The application shall be built with stack-based buffer overflow protection enabled.

**FPT\_API\_EXT.1 Use of Supported Services and APIs****FPT\_API\_EXT.1.1**

The application shall use only documented platform APIs.

**FPT\_IDV\_EXT.1 Software Identification and Versions****FPT\_IDV\_EXT.1.1**

The application shall be versioned with [SWID tags that comply with minimum requirements from ISO/IEC 19770-2:2015].

**FPT\_LIB\_EXT.1 User of Third Party Libraries****FPT\_LIB\_EXT.1.1**

The application shall be packaged with only *[the list of third-party libraries in Appendix B: Included Third-Party Libraries]*.

**FPT\_TUD\_EXT.1 Integrity for Installation and Update****FPT\_TUD\_EXT.1.1**

The application shall [provide the ability] to check for updates and patches to the application software.

**FPT\_TUD\_EXT.1.2**

The application shall [provide the ability] to query the current version of the application software.

**FPT\_TUD\_EXT.1.3**

The application shall not download, modify, replace or update its own binary code.

**FPT\_TUD\_EXT.1.4**

The application installation package and its updates shall be digitally signed such that its platform can cryptographically verify them prior to installation.

**FPT\_TUD\_EXT.1.5**

The application is distributed [as an additional software package to the platform OS].

**FPT\_TUD\_EXT.2 Integrity for Installation and Update****FPT\_TUD\_EXT.2.1**

The application shall be distributed using the format of the platform-supported package manager.

**FPT\_TUD\_EXT.2.2**

The application shall be packaged such that its removal results in the deletion of all traces of the application, with the exception of configuration settings, output files, and audit/log events.

## 7.2.7 Class FTP: Trusted Path/Channel

### **FTP\_DIT\_EXT.1 Protection of Data in Transit**

#### ***FTP\_DIT\_EXT.1.1***

The application shall [encrypt all transmitted [sensitive data] with [TLS as defined in the TLS Package]] between itself and another trusted IT<sup>33</sup> product.

---

<sup>33</sup> IT – Information Technology

Acronis Cyber Backup 12.5 SCS Hardened Edition Agent v12.5

## 8. TOE Summary Specification

This section presents information to detail how the TOE meets the functional requirements described in previous sections of this ST.

### 8.1 TOE Security Functionality

Each of the security requirements and the associated descriptions correspond to the security functions. Hence, each function is described by how it specifically satisfies each of its related requirements. This serves to both describe the security functions and rationalize that the security functions satisfy the necessary requirements.

**Table 12 – Mapping of TOE Security Functionality to Security Functional Requirements**

TOE Security Function	SFR ID <sup>34</sup>	Description
Cryptographic Support	FCS_CKM.1(1)	Cryptographic Asymmetric Key Generation
	FCS_CKM.2	Cryptographic Key Establishment
	FCS_CKM_EXT.1	Cryptographic Key Generation Services
	FCS_COP.1(1)	Cryptographic Operation – Encryption/Decryption
	FCS_COP.1(2)	Cryptographic Operation – Hashing
	FCS_COP.1(3)	Cryptographic Operation – Signing
	FCS_COP.1(4)	Cryptographic Operation – Keyed-Hash Message
	FCS_RBG_EXT.1	Random Bit Generation Services
	FCS_RBG_EXT.2	Random Bit Generation from Application
	FCS_STO_EXT.1	Storage of Credentials
	FCS_TLS_EXT.1	TLS Protocol
	FCS_TLSC_EXT.1	TLS Client Protocol
	FCS_TLSC_EXT.4	TLS Client Support for Renegotiation
	FCS_TLSC_EXT.5	TLS Client Support for Supported Groups Extension
User Data Protection	FDP_DAR_EXT.1	Encryption of Sensitive Application Data
	FDP_DEC_EXT.1	Access to Platform Resources
	FDP_NET_EXT.1	Network Communications
Identification and Authentication	FIA_X509_EXT.1	X.509 Certificate Validation
	FIA_X509_EXT.2	X.509 Certificate Authentication
Security Management	FMT_CFG_EXT.1	Secure by Default Configuration
	FMT_MEC_EXT.1	Supported Configuration Mechanism
	FMT_SMF.1	Specification of Management Functions
Privacy	FPR_ANO_EXT.1	User Consent for Transmission of Personally Identifiable Information

<sup>34</sup> ID – Identification

Acronis Cyber Backup 12.5 SCS Hardened Edition Agent v12.5

TOE Security Function	SFR ID <sup>34</sup>	Description
Protection of the TSF	FPT_AEX_EXT.1	Anti-Exploitation Capabilities
	FPT_API_EXT.1	Use of Supported Services and APIs
	FPT_IDV_EXT.1	Software Identification and Versions
	FPT_LIB_EXT.1	User of Third Party Libraries
	FPT_TUD_EXT.1	Integrity for Installation and Update
	FPT_TUD_EXT.2	Integrity for Installation and Update
Trusted Path / Channels	FPT_DIT_EXT.1	Protection of Data in Transit

### 8.1.1 Cryptographic Support

The TOE implements the Acronis SCS Cryptographic Library to provide the required algorithms for all cryptographic operations. Each of the cryptographic algorithms supported by the TOE have been tested and certified by the CAVP<sup>35</sup>. See Table 13 below for the cryptographic operations implemented by the TOE.

**Table 13 – Cryptographic Algorithms and Key Sizes**

Cryptographic Operation	Usage	Algorithm	Key Lengths / Curves / Moduli	Certificate
Encryption/Decryption	TLS	AES-GCM	128, 256	CAVP <a href="#">C1351</a>
Key Pair Generation	TLS	RSA	2048, 3072	CAVP <a href="#">C1351</a>
		ECDSA	NIST P curves with sizes 256, 384, and 521	CAVP <a href="#">C1351</a>
Digital Signature Generation Digital Signature Verification	TLS	RSA	2048, 3072	CAVP <a href="#">C1351</a>
Key Establishment	TLS	RSA	2048, 3072, 4096	N/A <sup>36</sup>
		ECDHE	NIST P curves with sizes 256, 384, and 521	CAVP <a href="#">C1351</a>
Message Digest	TLS	SHA-256, SHA-384	256, 384	CAVP <a href="#">C1351</a>
Message Authentication	TLS	HMAC-SHA-256, HMAC-SHA-384	256, 384	CAVP <a href="#">C1351</a>
Deterministic Random Bit Generation	DRBG	CTR_DRBG (AES)	256	CAVP <a href="#">C1351</a>

#### FCS\_CKM\_EXT.1 and FCS\_CKM.1(1)

The TOE implements asymmetric key generation. The schemes implemented by the TOE to generate asymmetric cryptographic keys for key establishment and entity authentication are the RSA and ECC schemes. The RSA keys and key sizes listed in Table 13 are generated for key establishment and entity authentication for TLS. The ECDHE keys and NIST P curves listed in Table 13 are generated for key establishment and entity authentication for TLS. Both RSA and ECC key generation schemes that are implemented by the TOE meet FIPS PUB 186-4.

<sup>35</sup> CAVP – Cryptographic Algorithm Validation Program

<sup>36</sup> N/A – Not Applicable

**FCS\_CKM.2**

The TOE implements both RSA and elliptic curve-based key establishment schemes for TLS. The RSA-based schemes meet RSAES-PKCS1-v1\_5 as specified in Section 7.2 of RFC 8017. The elliptic-curve based schemes for ECDHE meet NIST SP-800 56A. The key sizes and curves used for the key establishment schemes are listed in Table 13.

**FCS\_COP.1(1)**

The TOE performs AES encryption and decryption for TLS v1.2 trusted channel communications. The AES algorithm operates in GCM mode with key sizes of 128 and 256 bits. In TLS sessions, the TOE acts as a TLS client for connections to the Management Server from itself. Please refer to **FCS\_TLSC\_EXT.1** for more information on the implementation of the TLS protocol.

**FCS\_COP.1(2) and FCS\_COP.1(4)**

Hashing services are performed by the TOE with the SHA-256 and SHA-384 algorithms and the message digest sizes of 256 and 384 in accordance with FIPS Pub 180-4. The hash functions are used with other TOE cryptographic functions, including digital signature verification and MACs<sup>37</sup>. The HMAC-SHA-256 cryptographic algorithm uses the SHA-256 hash function with a cryptographic key size of 256 bits and 256-bit message digest size in accordance with FIPS Pub 198-1. The HMAC-SHA-384 cryptographic algorithm uses the SHA-384 hash function with a cryptographic key size of 384 bits and 384-bit message digest size in accordance with FIPS Pub 198-1.

**FCS\_COP.1(3)**

For signature generation and verification, the TOE uses the RSA algorithm. The RSA algorithm meets FIPS PUB 186-4 Section 4 and uses the key sizes of 2048 and 3072 bits. The RSA algorithm is used for TLS connections.

**FCS\_RBG\_EXT.1 and FCS\_RBG\_EXT.2**

The TOE implements the SP 800-90A CTR\_DRBG (AES) for all deterministic random bit generation services. The CTR\_DRBG is seeded with a minimum of 256 bits of entropy via RDRAND that accumulates entropy from the Intel DRNG. The amount of entropy used to seed the CTR\_DRBG corresponds to the greatest security strength of the algorithms included in the ST (AES-256). Refer to Tables 2 and 3 of NIST SP 800-57A for more information on the algorithm security strengths.

**FCS\_STO\_EXT.1**

The TOE leverages the Windows Data Protection API (DPAPI) to securely store the TOE's application token for the Windows Agent. On Linux, the application token is securely stored using the Linux keyring. The application token is used by the TOE to identify itself to the Management Server when downloading configuration settings. The initial application token is generated by the Management Server when the TOE is installed and added as a device to the Management Server.

**FCS\_TLS\_EXT.1, FCS\_TLSC\_EXT.1, FCS\_TLSC\_EXT.4, and FCS\_TLSC\_EXT.5**

The TOE only implements TLS as a client and is not a TLS server.

The TOE implements client-side TLS v1.2 for secure connections from itself to the Management Server. The client-side TLS v1.2 connections support the following cipher suites:

- TLS\_RSA\_WITH\_AES\_256\_GCM\_SHA384 as defined in RFC 5288

---

<sup>37</sup> MAC – Message Authentication Code

- TLS\_ECDHE\_RSA\_WITH\_AES\_128\_GCM\_SHA256 as defined in RFC 5289
- TLS\_ECDHE\_RSA\_WITH\_AES\_256\_GCM\_SHA384 as defined in RFC 5289

The TOE looks for the common name in the subject name or the DNS name in the subject alternative name (SAN) of the server's certificate as the identifier for the Management Server. The reference identifier is established during installation when the Management Server's name is entered in the connection information. Use of IP addresses and wildcards as the identifiers is supported but are discouraged as identifiers. When constructing the certificate, the SAN is mandated for IP identifiers and not mandated for DNS identifiers. The use of certificate pinning is not supported.

If the server's certificate is not valid, the TOE will not establish a connection.

The TOE also supports functionality for session renegotiation. The TOE supports the "renegotiation\_info" TLS extension in accordance with RFC 5746. It includes the renegotiation\_info extension in ClientHello messages.

The TOE uses its Acronis SCS Cryptographic Library to support elliptic curves in TLS and presents the Supported Groups Extension in the ClientHello with NIST curves secp256r1, secp384r1, and secp521r1.

**TOE Security Functional Requirements Satisfied:** FCS\_CKM.1(1), FCS\_CKM.2, FCS\_CKM\_EXT.1, FCS\_COP.1(1), FCS\_COP.1(2), FCS\_COP.1(3), FCS\_COP.1(4), FCS\_RBG\_EXT.1, FCS\_RBG\_EXT.2, FCS\_STO\_EXT.1, FCS\_TLS\_EXT.1, FCS\_TLSC\_EXT.1, FCS\_TLSC\_EXT.4, FCS\_TLSC\_EXT.5

## 8.1.2 User Data Protection

### FDP\_DAR\_EXT.1

The TOE protects sensitive data in accordance with FCS\_STO\_EXT.1 when it is stored in non-volatile memory. The application token used to identify the TOE to the Management Server is the only sensitive data that the TOE stores. No other forms of sensitive data are stored by the TOE. The TOE runs as a service in the evaluated configuration and does not require any user credentials to operate.

### FDP\_DEC\_EXT.1 and FDP\_NET\_EXT.1

The TOE restricts its access to platform hardware resources to network connectivity. This is for the TLS connections described in FCS\_TLSC\_EXT.1 and the HTTP connections to the CA server in the TOE environment. The TLS connections include the TOE initiating a TLS v1.2 connection to the Management Server's API Gateway and a user-initiated TLS v1.2 connection to the internet for an update check. The TOE initiates communication with the CA server when performing certificate revocation checking.

The TOE does not access any of the sensitive information repositories on the host platform.

**TOE Security Functional Requirements Satisfied:** FDP\_DAR\_EXT.1, FDP\_DEC\_EXT.1, FDP\_NET\_EXT.1

## 8.1.3 Identification and Authentication

### FIA\_X509\_EXT.1 and FIA\_X509\_EXT.2

The TOE uses X.509v3 certificates as defined by RFC 5280 when it acts as a TLS client for TLS. The TOE does not support TLS mutual authentication but will validate the Management Server's certificate before establishing a

connection. The TOE implements the following rules when validating the Management Server's certificate when connecting to it:

- Certificate validation and certificate path validation as per RFC 5280.
- The certificate path must terminate with a trusted CA certificate.
- The application shall validate a certificate path by ensuring the presence of the basicConstraints extension, that the CA flag is set to TRUE for all CA certificates, and that any path constraints are met.
- The application shall validate that any CA certificate includes caSigning purpose in the key usage field.
- The application shall validate the revocation status of the certificate using a CRL as specified in RFC 5280 Section 6.3.
- The application shall reject expired certificates.
- The application shall validate the extendedKeyUsage field according to the following rules:
  - Server certificates presented for TLS shall have the Server Authentication purpose (id-kp 1 with OID 1.3.6.1.5.5.7.3.1) in the extendedKeyUsage field.

If the TOE cannot establish a connection to the CA server's CRL to determine the revocation status of a certificate, it does not accept the certificate.

**TOE Security Functional Requirements Satisfied:** FIA\_X509\_EXT.1, FIA\_X509\_EXT.2

## 8.1.4 Security Management

### FMT\_CFG\_EXT.1

The TOE does not install with any default credentials. Rather, it uses the platform's service accounts to run and is available to any user logged into the platform. It is configured by default with file permissions that protect the application binaries and data files from modification by normal unprivileged users. This prevents a standard user from modifying the application or its data files.

### FMT\_MEC\_EXT.1

The TOE does not store or set any security-related settings. Non-security-related settings are stored on the Management Server and are queried when performing tasks. The TOE does not provide any management features that write or change settings.

### FMT\_SMF.1

The TOE contains the version-check tool that provides the security-related management functionality. Any user that is logged into the platform may access the TOE's version-check tool. The TOE is capable of performing the following security-related management functions:

- Query the version of the TOE. Using the version-check tool, a user can see the current version of the TOE.
- Check for updates to the TOE. Using the version-check tool, a user can check if there are any updates available for the TOE.

**TOE Security Functional Requirements Satisfied:** FMT\_CFG\_EXT.1, FMT\_MEC\_EXT.1, FMT\_SMF.1

## 8.1.5 Privacy

### FPR\_ANO\_EXT.1

The TOE does not transmit PII.

**TOE Security Functional Requirements Satisfied:** FPR\_ANO\_EXT.1

## 8.1.6 Protection of the TSF

### FPT\_AEX\_EXT.1

The TOE does not make requests to map memory at an explicit address and is compiled with ASLR enabled. The TOE does not allocate any memory regions with write and execute permissions. The TOE is compatible with the platform's security features. More specifically, the application can run successfully with Windows Defender Exploit Guard configured with the following minimum mitigations enabled: Control Flow Guard (CFG), Randomize memory allocations (Bottom-Up ASLR), Export address filtering (EAF), Import address filtering (IAF), and Data Execution Prevention (DEP). The TOE is also compatible with SELinux enabled and in enforcing mode. The TOE does not write user-modifiable files to directories that contain executable files. The Windows Agent is compiled with the /GS flag enabled by default for stack-based buffer overflow protection and the /NXCOMPAT flag to enable DEP protections for the application. The Linux Agent uses the `__stack_chk_fail` symbol in ELF executable files for stack-based buffer overflow protection.

### FPT\_API\_EXT.1

The TOE uses only the documented platform APIs listed in Appendix A: Supported Platform APIs.

### FPT\_IDV\_EXT.1

The TOE is versioned with SWID tags that comply with the minimum requirements from ISO/IEC 19770-2:2015.

### FPT\_LIB\_EXT.1

The TOE is packaged with the third-party libraries listed in Appendix B: Included Third-Party Libraries.

### FPT\_TUD\_EXT.1 and FPT\_TUD\_EXT.2

The TOE provides the ability to check for updates and patches to the application software. To check for an update, the user of the platform runs the TOE's shell script "Update.ps1" for Windows or "Update.sh" for Linux. If no update is found, the script will report the current version of the TOE and "Installed version is the latest, no update available". If an update is found, the script will report the current version and "Update Available".

The TOE does not download, modify, replace or update its own binary code. The TOE's Windows and Linux installation packages and its updates are digitally signed so that the platform can verify their signatures before installation. The packages are digitally signed using a 2048-bit RSA key and SHA-256 digest algorithm. The authorized sources of the Linux and Windows installer signatures are Acronis International GmbH, issued by GlobalSign and Acronis SCS, Inc., issued by DigiCert respectively.

The TOE is distributed as an additional software package to the platform OS. The Windows Agent is packaged in the standard executable (.exe) format and the Linux Agent is packaged as an executable binary (.x86\_64). The TOE is packaged such that its removal results in the deletion of all traces of the application, with the exception of configuration settings, output files, and audit/log events.

**TOE Security Functional Requirements Satisfied:** FPT\_AEX\_EXT.1, FPT\_API\_EXT.1, FPT\_IDV\_EXT.1, FPT\_LIB\_EXT.1, FPT\_TUD\_EXT.1, FPT\_TUD\_EXT.2

## 8.1.7 Trusted Path/Channels

### FTP\_DIT\_EXT.1

The TOE encrypts all transmitted sensitive data between itself and the Management Server with TLSv1.2. Please refer to the section **FCS\_TLSC\_EXT.1** for more details.

**TOE Security Functional Requirements Satisfied:** FTP\_DIT\_EXT.1

## 8.2 Timely Security Updates

To keep the TOE secure, Acronis SCS plans to fix security issues depending on the following severity:

- Critical: hotfix and workaround are immediately required.
- High: hotfix or nearest update, if update is within 3-4 weeks (15-20 business days).
- Low-Medium: next major version or update.

Issues severity are calculated according to CVSSv3 methodology. For some issues custom severity can be set by security team when CVSSv3 is not appropriate. For example, privacy issues may be prioritized much beyond CVSS score.

If issue was reported by 3rd-party and is subject for public disclosure, the fixes will be released within the negotiated disclosure period.

Acronis SCS will disclose the following information for vulnerabilities:

- Release Notes will contain information that security issues were fixed in a specific release or update.
- Release Notes will contain issue IDs and severity in a qualitative form if they are worth mentioning.
- In special cases, the details of security issues may be disclosed to customers when it's important to let customers know if their systems/data are at risk.
- Acronis SCS will not disclose details of vulnerabilities in documentation.

The Acronis SCS Support team will notify customers about security issues related to the TOE in following cases:

1. Issue severity is Critical
2. Issue severity is High and the issue is known to 3rd-party (external report or a known exploitation).

The notification will be sent to the most relevant group of customers and include enough information to understand the following:

1. The risk associated with the issue
2. Conditions under which a customer's system is vulnerable
3. Necessary steps to mitigate the risk

Customers that purchase the TOE may email [appsupport@acronisscs.com](mailto:appsupport@acronisscs.com) to report security issues pertaining to the TOE. A public key and disclosure policy are posted to the Acronis SCS GitHub ([https://github.com/acronisscs/public\\_disclosure](https://github.com/acronisscs/public_disclosure)) for use in securing the contents of any security related email.

Any update that is released, related to security fixes or not, is deployed to the Acronis SCS website for download. Customers may refer to the email or use the check for update process to see if a new version is available for their installation. Updates can then be downloaded and applied to the TOE as needed.

## 9. Rationale

---

### 9.1 Conformance Claims Rationale

This Security Target extends Part 2 and extends to Part 3 of the Common Criteria Standard for Information Technology Security Evaluations, Version 3.1 Revision 5. This ST conforms to the AS PP and TLS-PKG.

#### 9.1.1 Variance Between the PP and this ST

There is no variance between the AS PP, TLS-PKG, and this ST.

#### 9.1.2 Security Assurance Requirements Rationale

The assumptions, threats, OSPs, and objectives defined in this ST are those specified in the AS PP and TLS-PKG. This ST maintains exact conformance to the AS PP and TLS-PKG, including the assurance requirements listed in Section 5 of the AS PP. The TOE is a standalone application that runs on a Windows and Linux desktop platforms and is applicable to the AS PP and TLS-PKG.

# 10. Acronyms

Table 14 defines the acronyms used throughout this document.

**Table 14 – Acronyms**

Acronym	Definition
AES	Advanced Encryption Standard
API	Application Programming Interface
AS PP	Protection Profile for Application Software v1.3; March 01, 2019
ASLR	Address Space Layout Randomization
CAVP	Cryptographic Algorithm Validation Program
CC	Common Criteria
CEM	Common Evaluation Methodology
CFG	Control Flow Guard
CLI	Command Line Interface
CM	Configuration Management
CTR	Counter Mode
DEP	Data Execution Protection
DRBG	Deterministic Random Bit Generator
DSS	Digital Signature Standard
EAF	Export address filtering
EAL	Evaluation Assurance Level
ECC	Elliptic Curve Cryptography
ECDHE	Elliptic Curve Diffie Hellman Ephemeral
FIPS	Federal Information Processing Standard
GB	Gigabyte
GCM	Galois Counter Mode
HMAC	Hash-based Message Authentication Code
HTTP	Hypertext Transport Protocol
HTTPS	Hypertext Transport Protocol Secure
IAF	Import address filtering
ID	Identification
IEC	International Electrotechnical Commission
ISO	International Organization for Standardization
IT	Information Technology

Acronym	Definition
ITSEF	Information Technology Security Evaluation Facility
MAC	Message Authentication Code
MB	Megabyte
N/A	Not Applicable
NIST	National Institute of Standards and Technology
OS	Operating System
OSP	Organizational Security Policy
PII	Personally Identifiable Information
PP	Protection Profile
PUB	Publication
RAM	Random Access Memory
RBG	Random Bit Generation
RFC	Request for Comments
RSA	Rivest, Shamir, Adleman
SAR	Security Assurance Requirement
SFR	Security Functional Requirement
SHA	Secure Hash Algorithm
SP	Special Publication
SQL	Structured Query Language
SSL	Secure Sockets Layer
ST	Security Target
SWID	Software Identification
TD	Technical Decisions
TLS	Transport Layer Security
TLS-PKG	Functional Package for Transport Layer Security (TLS), Version 1.1, 12 February 2019
TOE	Target of Evaluation
UI	User Interface
VM	Virtual Machine

# Appendix A: Supported Platform APIs

---

The following is a list of the supported platform APIs that the TOE uses:

- For Windows:
  - ReadFile
  - WriteFile
  - NtQueryInformationFile
  - UnlockFile
  - LockFile
  - Send
  - Recv
  - RegQueryInfoKeyA
  - RegOpenKey
  - RegSetInfoKey
  - RegQueryValue
  - RegCloseKey
  - RegQueryMultipleValueKey
  - ExitThread
  - CreateThread
- For Linux:
  - mount
  - mkdir
  - exec
  - mv
  - sudo
  - chroot
  - uname
  - gawk
  - echo
  - cp

## Appendix B: Included Third-party Libraries

Table 15 provides a list of the included third-party libraries that the Windows Agent uses.

**Table 15 – Included Third-party Windows Libraries**

Library	Library	Library
curl.dll	icudt38.dll	msspack.dll
tcmmalloc.dll	zstd.dll	python35.dll
icu38.dll	re2.dll	winpthreads4.dll

Table 16 provides a list of the included third-party libraries that the Linux Agent uses.

**Table 16 – Included Third-party Linux Libraries**

Library	Library	Library
_ctypes.so	libftp_item_provider.so	libpybind_tol_supp.so
_multiprocessing.so	libgtob_backup_command_addon.so	libpython35.so
_psycpg.so	libgtob_ensure_backup_invariants_command_addon.so	libre2.so
_socket.so	libgtob_restore_command_addon.so	libremote_facade.so
_sqlite3.so	libhotplug_supp.so	libresource.so
_ssl.so	libhttp.so	librestore_vm_addon.so
acort.so	libhuman_resolving_mms.so	librsm_commands_addon.so
libabr10cli.so	libicu38.so	librsmdb_upgrade.so
libabr11cli.so	libicudt38.so	libscsi.so
libaccess_manager.so	libinfra_upgrade.so	libsecurity_core.so
libaccount_server_client.so	libipc_client.so	libselect_media_addon.so
libagent_live_upgrade.so	libipc_server.so	libservice_commands_addon.so
libagent_protection_addon.so	libjwt.so	libsession_manager.so
libaio.so	libkvm.so	libsettings.so
libalerts.so	liblibatq.so	libsettings_upgrade.so
libamsdb_upgrade.so	liblibcrypto10.so	libslang.so
libarchive_mount_helper.so	liblibevent.so	libsmb_file_item_provider.so
libarchive3.so	liblibsmtp.so	libsmb_supp.so

Acronis Cyber Backup 12.5 SCS Hardened Edition Agent v12.5

©2020 Acronis SCS

This document may be freely reproduced and distributed whole and intact including this copyright notice.

Library	Library	Library
libarchive3_adapter.so	liblibssl10.so	libsqlite3.so
libasn_upgrade.so	liblocal_file_item_provider.so	libssl10.so
libasndb_upgrade.so	liblog_commands_addon.so	libstaging_command.so
libasync_service.so	liblogging.so	libsyntax_connectivity_agent_addon.so
libasyncipc.so	liblogs_upgrade.so	libsysinfo_download_addon.so
libatp_upgrade.so	liblx_supp.so	libtcmalloc.so
libauto_update_addon.so	libMachineInstanceProvider.so	libthread_pool.so
libboot_assist.so	libmake_shallow_copy_command.so	libtm_client.so
libcommon_archive_addon.so	libmms_recovery_assistant_addon.so	libtol_tools.so
libcore_workers_shared_context.so	libmms_rest_api.so	libulxmlrpcpp.so
libcounter_service_addon.so	libmms_text_bundle.so	libunified_access_upgrade.so
libcounters.so	libmmsdb_upgrade.so	libunwind.so
libcrypto10.so	libmsp_license_addon.so	libupgrade_host.so
libcurl.so	libmsp_mms.so	libvirt_gtob_addon.so
libdbus-1.so	libmspack.so	libvirt_task_handlers_registry.so
libdelayed_delivery.so	libmsvpc_wst.so	libVirtualMachineInstanceProvider.so
libdisk_item_provider.so	libnewt.so	libvmb_upgrade.so
libDiskBundle.so	libnfs_item_provider.so	libvmware_srv.so
libdml.so	libnfs_supp.so	libzmq_infra.so
libdml_sqlite_addon.so	libnfs_vfs_addon.so	libzstd.so
libdms_provider.so	libnotification_upgrade.so	pystorage_client.so
libdms_tapes_provider.so	libonline_archives_upgrade.so	pyexpat.so
libdsk_supp.so	libpcs_io.so	select.so
libexpat.so	libpopt.so	ujson.so
libfile_backup.so	libpor.so	unicodedata.so
libfiles_tree_download_addon.so	libporconv.so	

---

Prepared by:  
**Corsec Security, Inc.**



13921 Park Center Road, Suite 460  
Herndon, VA 20171  
United States of America

Phone: +1 703 267 6050  
Email: [info@corsec.com](mailto:info@corsec.com)  
<http://www.corsec.com>

