

Centre de la sécurité des télécommunications

CANADIAN CENTRE FOR CYBER SECURITY

COMMON CRITERIA CERTIFICATION REPORT

Xerox[®] AltaLink[™] C8130 / C8135 / C8145 / C8155 /

C8170 / B8145 / B8155 / B8170 / C8230 / C8235 /

C8245 / C8255 / C8270 / B8245 / B8255 / B8270

with HDD

19 December 2025

682-LSS

V1.0

© Government of Canada

This document is the property of the Government of Canada. It shall not be altered, distributed beyond its intended audience, produced, reproduced or published, in whole or in any substantial part thereof, without the express permission of CSE.

Canada

FOREWORD

This certification report is an UNCLASSIFIED publication, issued under the authority of the Chief, Communications Security Establishment (CSE).

The Information Technology (IT) product identified in this certification report, and its associated certificate, has been evaluated at an approved testing laboratory established under the Canadian Centre for Cyber Security (a branch of CSE). This certification report, and its associated certificate, applies only to the identified version and release of the product in its evaluated configuration. The evaluation has been conducted in accordance with the provisions of the Canadian Common Criteria Program, and the conclusions of the testing laboratory in the evaluation report are consistent with the evidence adduced.

This report, and its associated certificate, are not an endorsement of the IT product by Canadian Centre for Cyber Security, or any other organization that recognizes or gives effect to this report, and its associated certificate, and no warranty for the IT product by the Canadian Centre for Cyber Security, or any other organization that recognizes or gives effect to this report, and its associated certificate, is either expressed or implied.

If your organization has identified a requirement for this certification report based on business needs and would like more detailed information, please contact:

Canadian Centre for Cyber Security

Contact Centre and Information Services

<u>contact@cyber.qc.ca</u> | 1-833-CYBER-88 (1-833-292-3788)



OVERVIEW

The Canadian Common Criteria Program provides a third-party evaluation service for determining the trustworthiness of Information Technology (IT) security products. Evaluations are performed by a commercial Common Criteria Testing Laboratory (CCTL) under the oversight of the Certification Body, which is managed by the Canadian Centre for Cyber Security.

A CCTL is a commercial facility that has been approved by the Certification Body to perform Common Criteria evaluations; a significant requirement for such approval is accreditation to the requirements of ISO/IEC 17025, the General Requirements for the Competence of Testing and Calibration Laboratories.

By awarding a Common Criteria certificate, the Certification Body asserts that the product complies with the security requirements specified in the associated security target. A security target is a requirements specification document that defines the scope of the evaluation activities. The consumer of certified IT products should review the security target, in addition to this certification report, to gain an understanding of any assumptions made during the evaluation, the IT product's intended environment, the evaluated security functionality, and the testing and analysis conducted by the CCTL.

The certification report, certificate of product evaluation and security target are posted to the Common Criteria portal (the official website of the International Common Criteria Program).



TABLE OF CONTENTS

E	XECU	UTIVE SUMMARY	6
1	Id	dentification of Target of Evaluation	7
	1.1	Common Criteria Conformance	7
	1.2	TOE Description	7
	1.3	TOE Architecture	8
2	Se	ecurity Policy	9
	2.1	Cryptographic Functionality	9
3	As	ssumptions and Clarification of Scope	10
	3.1	Usage and Environmental Assumptions	10
	3.2	Clarification of Scope	10
4	Ev	valuated Configuration	11
	4.1	Documentation	11
5	Ev	valuation Analysis Activities	12
	5.1	Development	12
	5.2	Guidance Documents	12
	5.3	Life-Cycle Support	12
6	Τe	esting Activities	13
	6.1	Assessment of Developer tests	13
	6.2	Conduct of Testing	13
	6.3	Independent Testing	13
	6.	.3.1 Independent Testing Results	13
	6.4	Vulnerability Analysis	14
	6.	.4.1 Vulnerability Analysis Results	14
7	Re	esults of the Evaluation	15
	7.1	Recommendations/Comments	15
8	St	upporting Content	16
	8.1	List of Abbreviations	16

TLP:WHITE

8.2 I	References	16
LIS1	Γ OF FIGURES	
Figure 1:	TOE Architecture	8
LIS1	T OF TABLES	
Table 1:	TOE Identification	7
Tahla 2.	Cryptographic Implementations	۵



EXECUTIVE SUMMARY

Xerox® AltaLink™ C8130 / C8135 / C8145 / C8155 / C8170 / B8145 / B8155 / B8170 / C8230 / C8235 / C8245 / C8255 / C8270 / B8245 / B8255 / B8270 with HDD (hereafter referred to as the Target of Evaluation, or TOE), from Xerox Corporation , was the subject of this Common Criteria evaluation. A description of the TOE can be found in Section 1.2. The results of this evaluation demonstrate that the TOE meets the requirements of the conformance claim listed in Section 1.1 for the evaluated security functionality.

Lightship Security is the CCTL that conducted the evaluation. This evaluation was completed on **19 December 2025** and was carried out in accordance with the rules of the Canadian Common Criteria Program.

The scope of the evaluation is defined by the Security Target, which identifies assumptions made during the evaluation, the intended environment for the TOE, and the security functional/assurance requirements. Consumers are advised to verify that their operating environment is consistent with that specified in the security target, and to give due consideration to the comments, observations, and recommendations in this Certification Report.

The Canadian Centre for Cyber Security, as the Certification Body, declares that this evaluation meets all the conditions of the Arrangement on the Recognition of Common Criteria Certificates and that the product is listed on the Certified Products list (CPL) for the Canadian Common Criteria Program and the Common Criteria portal (the official website of the International Common Criteria Program).



IDENTIFICATION OF TARGET OF EVALUATION

The Target of Evaluation (TOE) is identified as follows:

Table 1: TOE Identification

TOE Name and Version	Xerox® AltaLink™ C8130 / C8135 / C8145 / C8155 / C8170 / B8145 / B8155 / B8170 / C8230 / C8235 / C8245 / C8255 / C8270 / B8245 / B8255 / B8270 with HDD
Developer	Xerox Corporation

1.1 COMMON CRITERIA CONFORMANCE

The evaluation was conducted using the Common Methodology for Information Technology Security Evaluation, Version 3.1 Revision 5, for conformance to the Common Criteria for Information Technology Security Evaluation, Version 3.1 Revision 5.

The TOE claims the following conformance:

collaborative Protection Profile for Hardcopy Devices, 1.0e

1.2 TOE DESCRIPTION

The TOE is a hardcopy device that copies and prints with scan and fax capabilities, commonly known as Multi-Function Device (MFD), Multi-Function Printer (MFP) or simply printer. The TOE is deployed within office environments for general copy/print/scan/fax use by non-administrative users.

1.3 TOE ARCHITECTURE

A diagram of the TOE architecture is as follows:




Figure 1: TOE Architecture



2 **SECURITY POLICY**

The TOE implements and enforces policies pertaining to the following security functionality:

- Security Audit
- Cryptographic Support
- User Data Protection
- Identification and Authentication

- Security Management
- Protection of the TSF
- TOE Access
- Trusted Paths/Channels

Complete details of the security functional requirements (SFRs) can be found in the Security Target (ST) referenced in section 8.2.

2.1 CRYPTOGRAPHIC FUNCTIONALITY

The following cryptographic implementations are used by the TOE and have been evaluated by the CAVP:

Table 2: Cryptographic Implementations

Cryptographic Implementation	Certificate Number
Mocana Cryptographic Library, v 7.0.0f_u1	A4653, A4655
Mocana Cryptographic Library, v 7.0.0f	A845



3 ASSUMPTIONS AND CLARIFICATION OF SCOPE

Consumers of the TOE should consider assumptions about usage and environmental settings as requirements for the product's installation and its operating environment. This will ensure the proper and secure operation of the TOE.

3.1 USAGE AND ENVIRONMENTAL ASSUMPTIONS

The following assumptions are made regarding the use and deployment of the TOE:

- Physical security, commensurate with the value of the TOE and the data it stores or processes, is assumed to be provided by the environment.
- The Operational Environment is assumed to protect the TOE from direct, public access to its LAN interface.
- TOE Administrators are trusted to administer the TOE according to site security policies.
- Authorized Users are trained to use the TOE according to site security policies.

3.2 CLARIFICATION OF SCOPE

For the TOE to be in the evaluated configuration, the following functions must not be enabled/used:

- Reprint from Saved Job
- SMart eSolutions
- Custom Services (Extensible Interface Platform or EIP)
- Network Accounting and Auxiliary Access
- Embedded Fax mailboxes
- Wi-Fi Direct Printing
- Weblet Services
- InBox Apps
- Remote Control Panel
- SFTP when used for scanning
- SNMPv3

- Scan to USB
- Print from USB
- SMB Filing
- Convenience Authentication
- Xerox Workplace Cloud
- Proximity Card Authentication
- Remote services
- AirPrint
- Mopria Discovery
- IPP

EVALUATED CONFIGURATION

The evaluated configuration for the TOE comprises:

TOE Software/Firmware	D8.5 / 122.009.005.15402 (C8130 / C8135), D8.5 / 122.010.005.15402(C8145 / C8155),		
	D8.5 / 122.011.005.15402 (C8170), D8.5 / 12	2.013.005.15402 (B8145 / B8155), D8.5 /	
	122.014.005.15402 (B8170), D8.5 / 122.038.005.15402 (C8230 / C8235), D8.5 /		
	122.039.005.15402 (C8245 / C8255), D8.5 / 122.040.005.15402 (C8270), D8.5 /		
	122.041.005.15402 (B8245 / B8255), D8.5 / 122.042.005.15402 (B8270)		
TOE Hardware	• C8130	• C8230	
	• C8135	O C8235	
	• C8145	O C8245	
	• C8155	O C8255	
	• C8170	• C8270	
	● B8145	• B8245	
	● B8155	• B8255	
	● B8170	• B8270	
Environmental Support	NTP Server	• File Server	
	LDAP server	PIV-CAC card/reader	
	Log Server	 Windows Domain Controller 	

4.1 DOCUMENTATION

The following documents are provided to the consumer to assist in the configuration and installation of the TOE:

- a) Secure Installation and Operation Guide, v2.3, December 2025
- b) Xerox® AltaLink® Series Multifunction Printer System Administrator Guide, v4.1, July 2025 (702P09389)
- c) Xerox® AltaLink® C8130/C8135/C8145/ C8155/C8170 Series Color Multifunction Printer User Guide, v3.0, January 2023 (702P08830)
- d) Xerox® AltaLink® B8145/B8155/B8170 Series Multifunction Printer User Guide, v3.0, January 2023 (702P08831)
- e) Xerox® AltaLink® C8230/C8235/C8245/ C8255/C8270 Series Color Multifunction Printer User Guide, v1.1, July 2025 (702P09387)
- f) Xerox® AltaLink® B8245/B8255/B8270 Series Multifunction Printer User Guide, v1.1, July 2025 (702P09388)
- g) Xerox® AltaLink® Series Printers Smart Card Installation and Configuration Guide, v4.0, August 2024 (702P09307)



5 EVALUATION ANALYSIS ACTIVITIES

The evaluation analysis activities involved a structured evaluation of the TOE. Documentation and process dealing with Development, Guidance Documents, and Life-Cycle Support were evaluated.

5.1 DEVELOPMENT

The evaluators analyzed the documentation provided by the vendor; they determined that the design completely and accurately describes the TOE security functionality (TSF) interfaces and how the TSF implements the security functional requirements. The evaluators determined that the initialization process is secure, that the security functions are protected against tamper and bypass, and that security domains are maintained.

5.2 GUIDANCE DOCUMENTS

The evaluators examined the TOE preparative user guidance and operational user guidance and determined that it sufficiently and unambiguously describes how to securely transform the TOE into its evaluated configuration and how to use and administer the product. The evaluators examined and tested the preparative and operational guidance and determined that they are complete and sufficiently detailed to result in a secure configuration.

Section 4.1 provides details on the guidance documents.

5.3 LIFE-CYCLE SUPPORT

An analysis of the TOE configuration management system and associated documentation was performed. The evaluators found that the TOE configuration items were clearly marked.

The evaluators examined the delivery documentation and determined that it described all the procedures required to maintain the integrity of the TOE during distribution to the consumer.



6 TESTING ACTIVITIES

Testing consists of the following three steps: assessing developer tests, performing independent tests, and performing a vulnerability analysis.

6.1 ASSESSMENT OF DEVELOPER TESTS

The evaluators verified that the developer has met their testing responsibilities by examining their test evidence, and reviewing their test results, as documented in the Evaluation Test Report (ETR). The correspondence between the tests identified in the developer's test documentation and the functional specification was complete.

6.2 CONDUCT OF TESTING

The TOE was subjected to a comprehensive suite of formally documented, independent functional and penetration tests. The detailed testing activities, including configurations, procedures, test cases, expected results and observed results are documented in a separate Test Results document.

6.3 INDEPENDENT TESTING

During this evaluation, the evaluator developed independent functional & penetration tests by examining design and quidance documentation.

All testing was planned and documented to a sufficient level of detail to allow repeatability of the testing procedures and results. The following testing activities were performed:

- a. PP Assurance Activities: The evaluator performed the assurance activities listed in the claimed PP,
- b. Cryptographic Implementation Verification: The evaluator verified that the claimed cryptographic implementations are present in the TOE.

6.3.1 INDEPENDENT TESTING RESULTS

The developer's tests and the independent tests yielded the expected results, providing assurance that the TOE behaves as specified in its ST and functional specification.

6.4 VULNERABILITY ANALYSIS

The vulnerability analysis focused on 4 flaw hypotheses.

- Public Vulnerability based (Type 1)
 - Technical community sources (Type 2)
- Evaluation team generated (Type 3)
- Tool Generated (Type 4)

The evaluators conducted an independent review of all evaluation evidence, public domain vulnerability databases and technical community sources (Type 1 & 2). Additionally, the evaluators used automated vulnerability scanning tools to discover potential network, platform, and application layer vulnerabilities (Type 4). Based upon this review, the evaluators formulated flaw hypotheses (Type 3), which they used in their vulnerability analysis.

Type 1 & 2 searches were conducted on 29 October 2025 and included the following search terms:

TOE name and Version (Section 4)	Yocto Linux 3.1	Apache
OpenIdap	Libssh2	
Mocana	Intel Atom	

Vulnerability searches were conducted using the following sources:

Xerox Security bulletins	NIST National Vulnerabilities Database (NVD)
https://security.business.xerox.com/en- us/documents/bulletins/	https://web.nvd.nist.gov/view/vuln/search
CISA – Known Exploited Vulnerabilities Catalog	CVE Mitre
https://www.cisa.gov/known-exploited-vulnerabilities- catalog	https://www.cve.org/
Apache Security Advisories	
https://httpd.apache.org/security/vulnerabilities_24.html	

6.4.1 VULNERABILITY ANALYSIS RESULTS

The vulnerability analysis did not uncover any security relevant residual exploitable vulnerabilities in the intended operating environment.



RESULTS OF THE EVALUATION

The Information Technology (IT) product identified in this certification report, and its associated certificate, has been evaluated at an approved testing laboratory established under the Canadian Centre for Cyber Security. This certification report, and its associated certificate, apply only to the specific version and release of the product in its evaluated configuration.

This evaluation has provided the basis for the conformance claim documented in Section 1.1. The overall verdict for this evaluation is **PASS**. These results are supported by evidence in the ETR.

7.1 RECOMMENDATIONS/COMMENTS

It is recommended that all guidance outlined in Section 4.1 be followed to configure the TOE in the evaluated configuration.

The TOE is a high-quality multifunction print, copy, fax and scanning device with security features consistent with the collaborative Protection Profile that it claims conformance with. Of note, the evaluator found that Xerox is a highly mature organization operating with integrity regarding Common Criteria: they value the process and the results.

SUPPORTING CONTENT

8.1 LIST OF ABBREVIATIONS

Term	Definition
CAVP	Cryptographic Algorithm Validation Program
CCTL	Common Criteria Testing Laboratory
CMVP	Cryptographic Module Validation Program
CSE	Communications Security Establishment
EAL	Evaluation Assurance Level
ETR	Evaluation Technical Report
IT	Information Technology
PP	Protection Profile
SFR	Security Functional Requirement
ST	Security Target
TOE	Target of Evaluation
TSF	TOE Security Function

8.2 REFERENCES

Reference

Common Criteria for Information Technology Security Evaluation, Version 3.1 Revision 5, April 2017.

Common Methodology for Information Technology Security Evaluation, CEM, Version 3.1 Revision 5, April 2017.

Evaluation Technical Report Xerox® AltaLink™ C8130 / C8135 / C8145 / C8155 / C8170 / B8145 / B8155 / B8170 / C8230 / C8235 / C8245 / C8255 / C8270 / B8245 / B8255 / B8270 with HDD and Firmware Version D8.5, 2025-12-19, v1.1.

Assurance Activity Report Xerox® AltaLink™ C8130 / C8135 / C8145 / C8155 / C8170 / B8145 / B8155 / B8170 / C8230 / C8235 / C8245 / C8255 / C8270 / B8245 / B8255 / B8270 with HDD and Firmware Version D8.5, 2025-12-19, v1.1.

Security Target Xerox® AltaLink™ C8130 / C8135 / C8145 / C8155 / C8170 / B8145 / B8155 / B8170 / C8230 / C8235 / C8245 / C8255 / C8270 / B8245 / B8255 / B8270 with HDD and Firmware Version D8.5, 2025-11-10, v1.0.