

Common Criteria Maintenance Report

Xerox® AltaLink™ C8130 / C8135 / C8145 / C8155 /
C8170 / B8145 / B8155 / B8170 / C8230 / C8235 /
C8245 / C8255 / C8270 / B8245 / B8255 / B8270
and Xerox® EC8136 / EC8156 with HDD



CAN-682-LSS

25 March 2026

v1.0



Communications Security
Establishment Canada
Canadian Centre
for Cyber Security

Centre de la sécurité des
télécommunications Canada
Centre canadien
pour la cybersécurité

Canada

Foreword

This maintenance report is an UNCLASSIFIED publication, issued under the authority of the Chief, Communications Security Establishment (CSE).

The Information Technology (IT) product identified in this report has been previously evaluated at an approved testing laboratory established under the Canadian Centre for Cyber Security (a branch of CSE). This report applies only to the identified version and release of the product in its evaluated configuration.

This report is not an endorsement of the IT product by Canadian Centre for Cyber Security, or any other organization that recognizes or gives effect to this report. Furthermore, no warranty for the IT product by the Canadian Centre for Cyber Security, or any other organization that recognizes or gives effect to this report is either expressed or implied.

If your organization has identified a requirement for this report based on business needs and would like more detailed information, please contact:

Canadian Centre for Cyber Security

Contact Centre and Information Services

contact@cyber.gc.ca | 1-833-CYBER-88 (1-833-292-3788)



TABLE OF CONTENTS

Foreword..... 1

Executive Summary CAN-682-LSS 3

Description of Changes 4

 Description of Changes in the Maintained Target of Evaluation 4

 Affected Developer Evidence 4

Conclusion..... 5

References 6



Executive Summary CAN-682-LSS

The purpose of this document is to summarize and present the Canadian Common Criteria program's findings regarding the assurance maintenance of **Xerox® AltaLink™ C8130 / C8135 / C8145 / C8155 / C8170 / B8145 / B8155 / B8170 / C8230 / C8235 / C8245 / C8255 / C8270 / B8245 / B8255 / B8270 and Xerox® EC8136 / EC8156 with HDD**, hereafter referred to as the maintained Target of Evaluation, or maintained TOE.

An Impact Analysis Report was submitted to the Canadian Common Criteria program to extend the validity of the Common Criteria certificate previously awarded to **Xerox® AltaLink™ C8130 / C8135 / C8145 / C8155 / C8170 / B8145 / B8155 / B8170 / C8230 / C8235 / C8245 / C8255 / C8270 / B8245 / B8255 / B8270 with HDD** from **Xerox Corporation** .

The process to achieve this is described in [Assurance Continuity: CCRA Requirements](#), version 3.0, March 2023. In accordance with the requirements of this process, the Impact Analysis Report describes all changes made to the product and/or its IT environment, all resulting changes made to the evaluation evidence, and the security impact of the changes.

The Canadian Centre for Cyber Security, as the Certification Body, declares that the assurance gained during the original certification has been preserved.



Description of Changes

The following characterizes the changes implemented in the maintained TOE and/or the environment. For each change, it was verified that there were no required changes to the security functional requirements in the Security Target.

| | |
|-----------------------|--|
| Original TOE | Xerox® AltaLink™ C8130 / C8135 / C8145 / C8155 / C8170 / B8145 / B8155 / B8170 / C8230 / C8235 / C8245 / C8255 / C8270 / B8245 / B8255 / B8270 with HDD |
| Maintained TOE | Xerox® AltaLink™ C8130 / C8135 / C8145 / C8155 / C8170 / B8145 / B8155 / B8170 / C8230 / C8235 / C8245 / C8255 / C8270 / B8245 / B8255 / B8270 and Xerox® EC8136 / EC8156 with HDD |
| Developer | Xerox Corporation |

Description of Changes in the Maintained Target of Evaluation

The changes in the maintained TOE comprise the following:

- Addition of the EC8100 Series to the evaluation which consists of new models:
 - EC8136
 - EC8156

Affected Developer Evidence

Modifications to the product necessitated changes to the following developer evidence that was previously submitted in support of the original evaluation:

- Updated versions of the following guidance to account for the EC8100 series
 - Security Target
 - Xerox® AltaLink™ C8130 / C8135 / C8145 / C8155 / C8170 / B8145 / B8155 / B8170 / C8230 / C8235 / C8245 / C8255 / C8270 / B8245 / B8255 / B8270 and Xerox® EC8136 / EC8156 with HDD and Firmware Version D8.5, Security Target, Version 1.1, March 2026
 - User Guides
 - Xerox® EC8100 Color Multifunction Printer Series System Administrator Guide, v1.0, March 2026 (702P09407)
 - Xerox® EC8100 Color Multifunction Printer Series User Guide, v1.0, March 2026 (702P09406)
 - Secure Installation and Operation Guide, v2.4, January 2026

Conclusion

As all changes to the maintained TOE were classified as minor, the certification body has determined that assurance maintenance is appropriate and that re-evaluation is not required. The assurance maintenance for the TOE was conducted in accordance with the provisions of the Canadian Common Criteria Scheme, and the conclusion reached is consistent with the evidence presented.

Functional and regression testing of the maintained TOE confirmed that the assurance gained during the original certification has been preserved.



References

| Reference |
|--|
| Assurance Continuity: CCRA Requirements, V3.0, March 2023 |
| Certification Report, Xerox® AltaLink™ C8130 / C8135 / C8145 / C8155 / C8170 / B8145 / B8155 / B8170 / C8230 / C8235 / C8245 / C8255 / C8270 / B8245 / B8255 / B8270 with HDD, 19 December 2025, v1.0 |
| Security Target Xerox® AltaLink™ C8130 / C8135 / C8145 / C8155 / C8170 / B8145 / B8155 / B8170 / C8230 / C8235 / C8245 / C8255 / C8270 / B8245 / B8255 / B8270 and Xerox® EC8136 / EC8156 with HDD and Firmware Version D8.5, 25 March 2026, v1.1 |
| Impact Analysis Report Xerox® AltaLink™ C8130 / C8135 / C8145 / C8155 / C8170 / B8145 / B8155 / B8170 / C8230 / C8235 / C8245 / C8255 / C8270 / B8245 / B8255 / B8270 and Xerox® EC8136 / EC8156 with HDD and Firmware Version D8.5, 25 March 2026, v1.0 |

